hülsta

GENTIS
SLEEPING



GENTIS SLEEPING

Contents

	Page
Range introduction, lists of versions	2-4
Concept and possible arrangements	5-7
Special combinations	8
Hinge- and folding-door wardrobes	9-11
Design and intermediate units	12-13
Hinge-door cloakroom units	14-15
Bed system	16-17
Bed accessories	18
Consoles	19
2 and 3 Raster lowboards	20-27
Media accessories for lowboards	28
3 and 4 Raster sideboards	29-31
8 Raster highboard and cabinets	32-33
6 Raster wall unit and wall cabinet	34
Accent units	36-37
Accessories for units	38
General information:	
Special-sized products, special articles	40-41
Switch options for lamps	42-43
Usable bed inside height and space under bed	44
Important notes: quality of walls / assembly instruction	45

The finest design meets natural sensuality

Fine materials and an elegant form convey an ambience or uncongested expansiveness to the room. Urban elements fusion with more rustical wooden components to form an exciting yet relaxed and aesthetic arrangement.

Accents rearranged
Fine lacquered surfaces in a puristic look form an exciting contrast to the natural materials like unspoilt wood and soft leather.

A wardrobe or a work of art?
The integrated accent block of highly expressive wood not only draws everyone‘s glances magically, it also serves as an intelligent drawer unit.

Sleeping culture ranging from the subtile to the more expressive
There are several bed variations to choose from – the natural wood accent or the puristic wardrobe can be taken up in the bed unit. The second form is based more on soft leather applications and upholstered bed sides.

Light and illuminating
The freely suspended ancillary units characteristic of Gentis perfectly match the elegant design form, a lamp in a variable white shade underlines the hovering effect.

Wardrobes

Height reductions at intervals of 1.0 cm without surcharge

Hinge- and folding-door wardrobes according to the endless assembly principle
- Hinge- and folding-door wardrobes can be combined with one another
- With plain doors, with optional mirror
- With optional top LED lamp (12 V; 2.4 W)
- Design and intermediate units for a more open look
- Functional hinge-doors cloakroom units
- Drawer frames of the design and intermediate units in standard grey
- Extra-wide panorama units of folding-door wardrobes without centre partition
- Wardrobe interior carcase and wardrobe interior fittings in standard white lacquer version
- Standard interior fittings: 2 fitted shelves. 1 clothes rod
- Functional and high-quality **wardrobe interior fittings** (see „Wardrobe interior fittings“ type list)

Beds

- Beds with headboard in wood/lacquer version and upholstered application or with upholstered headboard, bed surround in wood/lacquer version or with upholstered applications; in four widths and three lengths
- Beds optionally in a hovering look
- LED bedside lamps

In combination with the hülsta Sleeping System, the beds guarantee highest sleeping comfort. With its high-quality spring base frames and mattresses, the hülsta Sleeping System provides the perfect prerequisites for relaxing sleep (see **“SLEEPING SYSTEMS“** type list).

Ancillary units

- Console, optionally as wall unit, in one width
- A multitude of low-, side- and highboards, optionally as wall unit, cabinets and wall units in different heights and widths, numerous combinations are possible (also corner units)
- Different types of lamps

Quality features

- Wardrobe doors with handle and high-quality spring hinges
- Visually unobtrusive 2.5 mm drilled holes for wardrobes
- Centre partitions and end side-sections of wardrobes with special plinth adjustment
- **hülsta-Push-to-open/hülsta-SoftFlow:** drawers of design units in accent version, intermediate units and ancillary units with **hülsta-Push-to-open** or bottom drawer of design units on hidden bearings incl. auto pull-in feature with brake **(hülsta-SoftFlow)**
- **hülsta-MagicClose:** All wooden hinge-doors with door cushioning system

Lists of versions

Wardrobes

Model no.	Wardrobe exterior carcase and front, doors of design, intermediate and hinge-doors cloakroom units	Price group	Model no.	Drawers of design units and intermediate units 1 and 2 as well as of accent unit of the hinge-doors cloakroom units	Model no.	Handle slat of wardrobe doors and intermediate unit doors
648	Pure white lacquer	**I**	**693**	Knotted oak	**131**	High-gloss chrome (standard)
045	White lacquer	**I**	**697**	Knotted oak anthracite		
046	Grey lacquer	**I**	**694**	Knotted core walnut	**648**	Pure white lacquer
663	Silk grey lacquer	**I**	**51..**	Nappa leather (51..) *	**045**	White lacquer
862	High-gloss pure white lacquer	**II**	**56..**	Nubuk-Touch leather (56..) *	**046**	Grey lacquer
860	High-gloss white lacquer	**II**			**663**	Silk grey lacquer
861	High-gloss grey lacquer	**II**				
614	High-gloss silk grey lacquer	**II**				

Wardrobe interior carcase in standard white lacquer.

* Accent unit of hinge-doors cloakroom units is not available in leather versions!

Please state the required version clearly in the order!

Beds

Model no.	Headboard and bed surround	Price group	Model no.	Upholstered headboard and upholstered applications
648	Pure white lacquer	**I**	**51..**	Nappa leather (51..)
045	White lacquer	**I**	**56..**	Nubuk-Touch leather (56..)
046	Grey lacquer	**I**		
663	Silk grey lacquer	**I**		
693	Knotted oak	**III**		
697	Knotted oak anthracite	**III**		
694	Knotted core walnut	**III**		

Consoles, low-, side- and highboards, (wall) cabinets, wall shelf

Model no.	Carcase and front	Price group	Model no.	Accent units: Carcase and front	Price group	Model no.	Cabinet compartment rear wall
648	Pure white lacquer	**I**	**648**	Pure white lacquer	**I**	**648**	Pure white lacquer
045	White lacquer	**I**	**045**	White lacquer	**I**	**045**	White lacquer
046	Grey lacquer	**I**	**046**	Grey lacquer	**I**	**046**	Grey lacquer
663	Silk grey lacquer	**I**	**663**	Silk grey lacquer	**I**	**663**	Silk grey lacquer
862	High-gloss pure white lacquer	**II**	**862**	High-gloss pure white lacquer	**II**	**862**	High-gloss pure white lacquer
860	High-gloss white lacquer	**II**	**860**	High-gloss white lacquer	**II**	**860**	High-gloss white lacquer
861	High-gloss grey lacquer	**II**	**861**	High-gloss grey lacquer	**II**	**861**	High-gloss grey lacquer
614	High-gloss silk grey lacquer	**II**	**614**	High-gloss silk grey lacquer	**II**	**614**	High-gloss silk grey lacquer
			051	Natural oak	**II**	**051**	Natural oak
			053	Core walnut	**II**	**053**	Core walnut
			693	Knotted oak	**III**	**693**	Knotted oak
			697	Knotted oak anthracite	**III**	**697**	Knotted oak anthracite
			694	Knotted core walnut	**III**	**694**	Knotted core walnut
			51..	Nappa leather (51..)	**IV**		
			56..	Nubuk-Touch leather (56..)	**IV**		

The interior carcase of the versions pure white lacquer, white lacquer, high-gloss pure white lacquer and high-gloss white lacquer is in a matt white lacquer version. The same applies to the straight outer side of the lowboards with rounded end at one side.
The interior carcase of the versions grey lacquer, silk grey lacquer, high-gloss grey lacquer and high-gloss silk grey lacquer as well as of the accent units in leather version is in a matt grey lacquer version. The same applies to the straight outer side of the lowboards with rounded end at one side.

Leather collection

Type of material Leather no.	**Material identification** Colour
Leather (51..)	**100% Nappa leather, pigmented**
5101	beige
5104	anthracite
5105	black
5106	red
5108	white
5109	cream
5110	mocca
5114	grey brown
5116	kiwi green
5118	chestnut brown
5119	nougat
5121	curry
5122	sand
5123	brown black
5125	grey
5126	medium mocca

Type of material Leather no.	**Material identification** Colour
Nubuk-Touch leather (56..)	**100% leather**
5610	white
5611	light beige
5612	khaki
5613	dark brown
5614	olive
5615	ochre
5616	anthracite
5617	black

Range introduction

Important notes

Glass versions:
Outer glass sides of (wall) cabinets, **glass shelves** behind fronts as well as **bookshelves** and **glass accents** of wall shelf unit of bronzed glass.

Cabinet compartment rear wall and **rear wall** of wall shelf unit also possible in all versions (exception: leather versions).

Accent units:
Carcase and front also in the versions knotted oak, knotted oak anthracite, knotted core walnut, Nappa leather and Nubuk-Touch leather possible (exception: accent unit of hinge-doors cloakroom units is not available in leather versions).

Interior carcase:
The interior carcase of the versions pure white lacquer, white lacquer, high-gloss pure white lacquer and high-gloss white lacquer is in a matt white lacquer version. The same applies to the straight outer side of the lowboards with rounded end at one side. The interior carcase of the versions grey lacquer, silk grey lacquer, high-gloss grey lacquer and high-gloss silk grey lacquer as well as of the accent units in leather version is in a matt grey lacquer version. The same applies to the straight outer side of the lowboards with rounded end at one side.

Open section of the hinge-doors cloakroom units:
The open section of the hinge-doors cloakroom units of the high-gloss lacquer versions is in a matching matt lacquer colour.

Standard interior fittings:
Fitted wooden shelves are fitted behind doors at intervals of 2 Raster (exception: 12 Raster cabinets).

Functional frame:
Functional frame always in white lacquer.

Wall units:
If units are planned as wall units, a wall bracket must be ordered.

Drawer frames in standard grey.

Combinations of floor and wall units:
If floor and wall units are combined within an arrangement, there must not be any skirting boards in the room near the floor units, otherwise they must be removed.

Max. load:
Maximum load of wooden and glass shelves (up to 70.4 cm width) as well as drawers: 25 kg
Maximum load of wooden and glass shelves (between 70.4 and 105.6 cm width): 15 kg;
from 105.6 cm width: 10 kg
Maximum load of cover shelves: 35 kg per metre length for floor units.
Please also note any other data on maximum loads for individual units on the pages inside!

hülsta-Push-to-open:
Drawers and flap units with hülsta Push-to-open. All drawers on hidden roller bearings as fully pull-out units.

Labelling in type list drawings / assembly notes for wall units

Labelling in type list drawings / assembly notes for wall units
The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes. Please be sure to note here the information and notes in the “Wall composition” chapter!

3
4

Notes on delivery

Notes on delivery:
The majority of the units are delivered standard as **fully connected units (glued)** so that the carcase **cannot be disassembled.** There are however some **exceptions** to this rule:

Some carcases are delivered as complete units but can be **disassembled into individual sections** in the final customer’s home. These types are marked with a **1** in the type list. 1

Some carcases are delivered **in individual sections** because of their size. These types are marked with a **2** in the type list. 2

The fronts with the number **2** are delivered separately and can therefore always be (dis-) assembled.

Wall fitting

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15.
For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table.
If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used.
For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Wardrobes



Wardrobes

- Hinge-door wardrobes can be combined with folding-door wardrobes, design, intermediate and hinge-doors cloakroom units
- Front mirrors and lamps against surcharge
- Unit outside widths hinge-door wardrobes:
  42, 52, 82, 102 cm (basic units)
  40, 50, 80, 100 cm (extension units)
- Unit outside widths folding-door wardrobes:
  82, 102, 162, 202 cm (basic units)
  80, 100, 160, 200 cm (extension units)
  extra-wide panorama-units in 160/162 and 200/202 cm width without partition
- Unit outside widths design units: 179/180.6 and 214/215.6 cm
- Unit outside widths intermediate units: 80, 100 cm
- Unit outside widths hinge-doors cloakroom units: 160/162 and 210/212 cm resp. 129.2/131.2 and 179.2/181.2 cm
- Unit inside widths hinge-door wardrobes: 38, 48, 78, 98 cm
- Unit inside widths folding-door wardrobes: 78, 98, 158, 198 cm
- Unit inside widths hinge-doors cloakroom units: 48 and 98 cm
- Outside depth: 61.4 cm
- Inside depth: 56 cm
- Door opening angle: approx. 94°

Bed unit



Beds

- Beds with bed surround in wood/lacquer version or with upholstered application
- Beds with headboard in wood/lacquer version and upholstered application or with upholstered headboard
- Bed inside lengths: 200, 210, 220 cm
- Bed inside widths: 140, 160, 180, 200 cm
- Beds optionally in a hovering look

Consoles

- Consoles with rounded end at both sides
- Floor console with 2 drawers in one width
- Wall console with 1 drawer in one width
- Optionally with functional frame and lamps



Concept and possible arrangements

Unit as floor unit, with wall bracket for wall assembly or on metal substructure





Unit as floor unit
incl. 1.8 cm high plinth adjusters



Unit with wall bracket for wall assembly
If the unit is planned as a wall unit, a wall bracket must be ordered. In this case the plinth adjusters are omitted.



Unit on metal substructure
The units can be planned optionally on a metal substructure (19.4 cm high). In this case the plinth adjusters are omitted.

Notes on accent units, (wall) cabinets and wall shelf unit

Accent unit



Notes on accent units:
Carcase and front also in the versions knotted oak, knotted oak anthracite, knotted core walnut, Nappa leather and Nubuk-Touch leather possible (exception: accent unit of hinge-doors cloakroom units is not available in leather versions). The inside carcase of accent units in leather version is in matt grey lacquer. If accent units are required in a leather version, the unit width increases by 1.6 cm.

Accent



Notes on wall shelf unit:
Shelves and partitions of bronzed glass; shelf rear wall of wall unit possible in all versions (exception: leather versions).

Accent



Notes on cabinets:
Outer glass sides of cabinets and glass shelves behind fronts of bronzed glass; cabinet compartment rear wall possible in all versions (exception: leather versions).

Functional frame



Functional frame
Functional frame for floor units of wood resp. for wall assembly of metal.
Functional frame always in white lacquer.

The functional frame enables the following functions:
- Distance frame for a hovering look
- Inclusion of LED lamp
- Hiding cables



Unit with functional frame for floor units
The units can be planned optionally with a functional frame for floor units.



Unit with functional frame for wall assembly
If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted.



Unit with functional frame on metal substructure
The units with a functional frame can be planned optionally on a metal sub-structure (19.4 cm high). In this case the plinth adjusters are omitted.

LED lamps for functional frame

LED lamps for functional frame
The functional frame can be fitted with an optional LED lamp.
LED lamp incl. footswitch. Lamp switch optionally with
a remote control unit possible (against surcharge).

LED lamp of the functional frame for floor units:
3-sided lighting
LED lamp of the functional frame for wall assembly:
4-sided lighting



3-sided lighting of functional frame for floor units



4-sided lighting of functional frame for wall assembly

NEW Drawer and hinge-door for end units

Drawer and hinge-door for end units
The rounded end units of the low-, side- and highboards can optionally be fitted with drawers and/or hinge-doors.



Lowboard with end units with drawers



Sideboard with end units with hinge-doors



Special combinations

Please also note the mattresses and base frames in the **"Sleeping systems"** type list!

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

Special combinations consisting of **bed unit** (bed with bed surround in wood/lacquer version and two consoles) and a **hinge- or folding-door wardrobe**. The price of an entire special combination (bed unit and wardrobe) can be found in the boxes shaded grey!

Special-sized products for special combinations are possible! Pricing: special combination + 15% plus all the required special-sized products (see „Special-sized products")!

Please note: Height reductions of wardrobes remain free of charge!

Important: choose a bed with bed surround in wood/lacquer version (all bed sizes possible – please state type no.; see page **16**), two consoles (all console types are possible – please state type no.; see page **19**) as well as one of the wardrobes listed below.



Bed unit with wall consoles

or

Bed unit with floor consoles

		Price of an entire special combination (bed unit and wardrobe)		**Surcharge for wardrobe lamps**
		with hinge-doors	**with folding-doors**	
4-door hinge- or folding-door wardrobe 202 cm wide  	**Price gr.** I II	**A8406** - -	**A8407** - -	For this wardrobe combination we recommend 2 top LED lamps. 2x **395** 2x -
5-door hinge- or folding-door wardrobe 252 cm wide   (centre door with right hinges)	**Price gr.** I II	**A8416** - -	**A8417** - -	Notes on the energy class: see page **9**!
6-door hinge- or folding-door wardrobe 302 cm wide  	**Price gr.** I II	**A8436** - -	**A8437** - -	For this wardrobe combination we recommend 3 top LED lamps. 3x **395** 3x -
6-door hinge- or folding-door wardrobe 302 cm wide  	**Price gr.** I II	**A8426** - -	**A8427** - -	
6-door hinge- or folding-door wardrobe 302 cm wide   (Total width: 314/315.6 cm incl. protrusion)	as illustr. v. versa **Price gr.** I II	**A8446** **A8456** - -	**A8447** **A8457** - -	

Additional fittings for special combinations / surcharges

Bed in a hovering look The special combination is delivered standard with a bed on legs. It is optionally available with a bed in a hovering look (without surcharge). **Please state clearly in the order!**	**Surcharge for upholstered headboard** The special combination is delivered standard with a bed with headboard in wood/lacquer version. It is optionally available with a bed with an upholstered headboard (against surcharge). **Please state clearly in the order!**	**Surcharge for bed surround with upholstered application** The special combination is delivered standard with a bed with bed surround in wood/lacquer version. It is optionally available with a bed with bed surround with upholstered application (against surcharge). **Please state clearly in the order!**
3002 without surcharge	**3003** -	**3004** -

Hinge- and folding-door wardrobes

Notes on planning hinge- and folding-door wardrobes according to the endless assembly principle

Hinge- and folding-door wardrobes can be planned endlessly and combined with one another. Due to the various element widths one can create many total wardrobe widths. In this way the available floor space can be exploited to the full. For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination. In the case of single-door hinge-door units as well as folding-door wardrobes one can choose between left- and right-hand hinges.
The graphics shown below give you an excerpt from our wardrobe assortment. We suggest using design and intermediate units for creating an alternative look.

Standard interior fittings per unit: 2 fitted shelves, 1 clothes rod.
All interior surfaces are in white lacquer.

Dimensions

	Wardrobe height	Wardrobe height with top LED lamp
Heights incl. plinth:	229.6 cm	234.6 cm
	Height reductions at intervals of 1.0 cm without surcharge	
Depths:	61.4 cm	74.2 cm
Widths:	see pages **10-15**	

Wardrobe examples

Hinge-door wardrobe





- Hinge-door wardrobes can be combined with folding-door wardrobes, design, intermediate and hinge-doors cloakroom units
- Front mirrors and lamps against surcharge
- Unit outside widths: 42, 52, 82, 102 cm (basic units)
  40, 50, 80, 100 cm (extension units)
- Unit inside widths: 38, 48, 78, 98 cm
- Outside depth: 61.4 cm
- Inside depth: 56 cm
- Door opening angle: approx. 94°

Folding-door wardrobe





- Folding-door wardrobes can be combined with hinge-door wardrobes, design, intermediate and hinge-doors cloakroom units
- Extra-wide panorama units in 160/162 and 200/202 cm width, without partition
- Front mirrors and lamps against surcharge
- Unit outside widths: 82, 102, 162, 202 cm (basic units)
  80, 100, 160, 200 cm (extension units)
- Unit inside widths: 78, 98, 158, 198 cm
- Outside depth: 61.4 cm
- Inside depth: 56 cm
- Door opening angle: approx. 94°

Hinge-door wardrobe with integrated intermediate unit





- Hinge-door wardrobes can be combined with folding-door wardrobes, design, intermediate and hinge-doors cloakroom units
- Design and intermediate units for a more open look
- Functional hinge-doors cloakroom units
- Front mirrors and lamps against surcharge
- Unit outside widths: 42, 52, 82, 102 cm (basic units)
  40, 50, 80, 100 cm (extension units)
  179/180.6 and 214/215.6 cm (design units)
  80, 100 cm (intermediate units)
  160/162 and 210/212 cm resp. 129.2/131.2 and 179.2/181.2 cm (hinge-doors cloakroom units)
- Unit inside widths: 38, 48, 78, 98 cm
- Outside depth: 61.4 cm
- Inside depth: 56 cm
- Door opening angle: approx. 94°

Lamps
All hinge- and folding-door wardrobes are available with optional top LED lamps. One top LED lamp (12 V; 2.4 W) is fitted above each unit – 1-door or 2-door (exception panorama unit: two top LED lamps). If required, a top LED lamp can be fitted centrally above each door. Please include a sketch in all cases.
Switching is done by an external footswitch. A remote control unit is also available as an alternative, which is charged extra. The remote control unit incorporates one transmitter and one receiver which operate all the LED lamps. The footswitch is omitted when the remote control unit is employed.

Radio remote control with change of colour temperature
(transmitter + receiver) **2119** -

Top LED lamp
Surcharge for each additional lamp (2.4 W)
type  **395** -

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

Hinge-door wardrobes

For each project please remember to leave a 2 cm gap to the ceiling and at the side for assembly!

Hinge-door wardrobes

Height: 229.6 cm (height with top LED lamp: 234.6 cm);
height reductions at intervals of 1.0 cm without surcharge

Width: see table

Depth: 61.4 cm (depth with top LED lamp: 74.2 cm)

Interior fittings per unit: 2 fitted shelves, 1 clothes rod;
interior fittings in standard **white lacquer**.

Doors with handle slat in high-gloss chrome (standard)
or in lacquer version.

Doors

Surcharge for top LED lamp

1 lamp per unit

Notes on the energy class: see page **9**!

Surcharge for mirror
Each wardrobe door can be optionally fitted with a mirror (vertical facette) for which a surcharge is made.

Basic units with 2 outer side-sections (each 2 cm thick)

For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section is employed as the end side-section.

Please also note the functional and high-quality **wardrobe interior fittings** in the „Wardrobe interior fittings“ type list as well as the special articles and possible **special-sized products**.

	Single-door unit, left or right, 42 cm wide	Price gr. I II	**A02011 L** **A02012 R** - -	
	Single-door unit, left or right, 52 cm wide	Price gr. I II	**A2011 L** **A2012 R** - -	
	Twin-door unit, 82 cm wide	Price gr. I II	**A0202** - -	Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fitted with a mirror.
	Twin-door unit, 102 cm wide	Price gr. I II	**A202** - -	**Surcharge for mirror per hinge-door:** -
Extension units with 1 centre partition (2 cm thick)				
	Single-door unit, left or right, 40 cm wide	Price gr. I II	**A00011 L** **A00012 R** - -	
	Single-door unit, left or right, 50 cm wide	Price gr. I II	**A0011 L** **A0012 R** - -	
	Twin-door unit, 80 cm wide	Price gr. I II	**A0002** - -	
	Twin-door unit, 100 cm wide	Price gr. I II	**A002** - -	

395

-

L/R = Door hinge left/right

Folding-door wardrobes

Height: 229.6 cm (height with top LED lamp: 234.6 cm);
height reductions at intervals of 1.0 cm without surcharge

Width: see table

Depth: 61.4 cm (depth with top LED lamp: 74.2 cm)

Interior fittings per unit: 2 fitted shelves, 1 clothes rod;
interior fittings in standard **white lacquer**.

Doors with handle slat in high-gloss chrome (standard)
or in lacquer version.

Doors

Surcharge for top LED lamp

1 lamp per unit

Notes on the energy class: see page **9**!

Surcharge for mirror
Each wardrobe door can be optionally fitted with a mirror (vertical facette) for which a surcharge is made.

Basic units with 2 outer side-sections (each 2 cm thick)

For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section is employed as the end side-section.

Please also note the functional and high-quality **wardrobe interior fittings** in the „Wardrobe interior fittings“ type list as well as the special articles and possible **special-sized products**.

 **L**	Twin-door unit, left or right, 82 cm wide	Price gr. I II	**A2221 L** **A2222 R** - -	
 **L**	Twin door unit, left or right, 102 cm wide	Price gr. I II	**A2321 L** **A2322 R** - -	**395** -
	Panorama unit 4-door, 162 cm wide - without partition	Price gr. I II	**A2420** - -	For this wardrobe combination we recommend 2 top LED lamps.
	Panorama unit 4-door, 202 cm wide - without partition	Price gr. I II	**A2520** - -	2x **395** 2x -
Extension units with 1 centre partition (2 cm thick)				
 **R**	Twin-door unit, left or right, 80 cm wide	Price gr. I II	**A0221 L** **A0222 R** - -	
 **R**	Twin door unit, left or right, 100 cm wide	Price gr. I II	**A0321 L** **A0322 R** - -	**395** -
	Panorama unit 4-door, 160 cm wide - without partition	Price gr. I II	**A0420** - -	For this wardrobe combination we recommend 2 top LED lamps.
	Panorama unit 4-door, 200 cm wide - without partition	Price gr. I II	**A0520** - -	2x **395** 2x -

Please mark exactly in the front sketch or state in the order (from the left) which folding-door wings are to be fitted with a mirror.

Surcharge for mirror per folding-door wing:

-

L/R = Door hinge left/right

Design units

For each project please remember to leave a 2 cm gap to the ceiling and at the side for assembly!

Design units **Height: 229.6 cm** (height with top LED lamp: 234.6 cm); height reductions (possible to a total height of 201 cm) at intervals of 1.0 cm without surcharge. **Width:** see table (width reductions not possible) **Depth: 61.4 cm** (depth with top LED lamp: 74.2 cm; depth reductions are not possible) **Total depth: 74.6 cm** incl. protrusion; with drawers in leather version: 76.2 cm incl. protrusion Interior fittings per unit: see below; interior fittings always in **white lacquer**. Doors with handle slat in high-gloss chrome (standard) or in lacquer version.		**Doors**		**Surcharge for top LED lamp** 1 lamp per unit Notes on the energy class: see page **9**!	**Lamps for design unit** (above the accent drawers) This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V
Design basic units with 2 outer side sections (each 2 cm thick) For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section is employed as the end side-section.		**with hinge-doors**	**with folding-doors**		
 **Basic design unit** Top: 4 hinge- or folding-doors; interior fittings: 4 fitted shelves, 2 clothes rods Middle: 4 drawers in **accent version** with hülsta-Push-to-open Bottom: 1 drawer with handle, split drawer frame and hülsta-SoftFlow 162 cm wide; total width: 179 cm incl. protrusion; with drawers in leather version: 180.6 cm incl. protrusion	**Price gr.** **I** **II**	**A2701** - -	**A2711** - -	For this wardrobe combination we recommend 2 top LED lamps. 2x **395** 2x -	6.5 W **2010** -
 **Basic design unit** Top: 4 hinge- or folding-doors; interior fittings: 4 fitted shelves, 2 clothes rods Middle: 4 drawers in **accent version** with hülsta-Push-to-open Bottom: 1 drawer with handle, split drawer frame and hülsta-SoftFlow 202 cm wide; total width: 214 cm incl. protrusion; with drawers in leather version: 215.6 cm incl. protrusion	**Price gr.** **I** **II**	**A2801** - -	**A2811** - -		8.0 W **2020** -
Design extension units with 1 partition (2 cm thick)					
 **Design extension unit** Top: 4 hinge- or folding-doors; interior fittings: 4 fitted shelves, 2 clothes rods Middle: 4 drawers in **accent version** with hülsta-Push-to-open Bottom: 1 drawer with handle, split drawer frame and hülsta-SoftFlow 160 cm wide; total width: 179 cm incl. protrusion; with drawers in leather version: 180.6 cm incl. protrusion	**Price gr.** **I** **II**	**A0702** - -	**A0712** - -	For this wardrobe combination we recommend 2 top LED lamps. 2x **395** 2x -	6.5 W **2010** -
 **Design extension unit** Top: 4 hinge- or folding-doors; interior fittings: 4 fitted shelves, 2 clothes rods Middle: 4 drawers in **accent version** with hülsta-Push-to-open Bottom: 1 drawer with handle, split drawer frame and hülsta-SoftFlow 200 cm wide; total width: 214 cm incl. protrusion; with drawers in leather version: 215.6 cm incl. protrusion	**Price gr.** **I** **II**	**A0802** - -	**A0812** - -		8.0 W **2020** -

Intermediate units 1 and 2	Doors	Surcharge for top LED lamp
Height: 229.6 cm (height with top LED lamp: 234.6 cm); height reductions (possible to a total height of 201 cm) at intervals of 1.0 cm without surcharge. **Width:** see table (width reductions are not possible) **Depth: 61.4 cm** (depth with top LED lamp: 74.2 cm; depth reductions are not possible) **Total depth: 67.1 cm** incl. protrusion Intermediate units 1 and 2 are also possible on request as basic and end units or stand-alone units. Two intermediate units can also be placed adjacently to one another. Interior fittings per unit: see below; interior fittings in standard **white lacquer**. Doors with handle slat in high-gloss chrome (standard) or in lacquer version.		1 lamp per unit Notes on the energy class: see page **9**!

Intermediate units 1 and 2		with hinge-doors	
 80 cm wide	**Intermediate unit 1** Top: 2 hinge-doors with 2 fitted shelves; inside width: 78 cm; inside depth: 56.5 cm Bottom: 3 drawers in **accent version** with hülsta-Push-to-open; inside depth: 48.5 cm	Price gr. I II	**A0900** - -	**395** -
 100 cm wide	**Intermediate unit 2** Top: 2 hinge-doors with 2 fitted shelves; inside width: 98 cm; inside depth: 56.5 cm Bottom: 3 drawers in **accent version** with hülsta-Push-to-open; inside depth: 48.5 cm	Price gr. I II	**A0910** - -	

Interior TV unit fittings for intermediate units 1 and 2

Please observe the space requirements given by the electrical dealer (heat build-up)!

Interior TV unit fitting A for intermediate units 1 and 2
TV compartment including cable aperture in TV panel (usable inside dims.: 68.1 cm high, 78.0 (or 98.0) cm wide, 35.5 cm deep; max. load: 60 kg); 2 open compartments below for electronic equipment (usable inside dims. per compartment: 10.0 cm high, 38.0 (or 48.0) cm wide, 47.0 cm deep)

Please note:
- When interior TV unit fittings are included, the doors of the intermediate units are fitted with 165° hinges ex-works.
- The 2 fitted shelves, which are fitted standard in the intermediate unit behind doors, are omitted and the price has already been deducted.
- Because of the 165° hinges on the intermediate unit including the interior TV unit fittings, the door hinges of any 1-door wardrobe units included which are situated directly next to the intermediate unit must be fitted on the side next to this intermediate unit!



Surcharge for interior TV unit fitting A	
for 80 cm wide intermediate unit	**79601** -
for 100 cm wide intermediate unit	**79611** -

Interior TV unit fitting B for intermediate units 1 and 2
TV compartment including cable aperture in TV panel (usable inside dims: 68.1 cm high, 78.0 (or 98.0) cm wide, 35.5 cm deep; max. load: 60 kg) and with flat screen support; 2 open compartments below for electronic equipment (usable inside dims. per compartment: 10.0 cm high, 38.0 (or 48.0) cm wide, 47.0 cm deep).
The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 102-216 cm (40"-85"; please observe the usable dims. of the TV compartment; see above); max. load: 45 kg. Flat screen support compatible with VESA Norm standard: min.: 200 x 200 mm, max.: 600 x 400 mm

Please note:
- When interior TV unit fittings are included, the doors of the intermediate units are fitted with 165° hinges ex-works.
- The 2 fitted shelves, which are fitted standard in the intermediate unit behind doors, are omitted and the price has already been deducted.
- Because of the 165° hinges on the intermediate unit including the interior TV unit fittings, the door hinges of any 1-door wardrobe units included which are situated directly next to the intermediate unit must be fitted on the side next to this intermediate unit!



Surcharge for interior TV unit fitting B	
for 80 cm wide intermediate unit	**79602** -
for 100 cm wide intermediate unit	**79612** -

Hinge-doors cloakroom units

For each project please remember to leave a 2 cm gap to the ceiling and at the side for assembly!

Hinge-doors cloakroom units

Height: 229.6 cm
Width: see table
Depth hinge-doors units: 61.4 cm
Total depth incl. protruding accent unit: 67.5 cm

Height, width and depth reductions are not possible.

Hinge-doors units (left and right):
Hinge-doors units 52/50 resp. 100/102 cm wide; hinge-doors with handle slat in high-gloss chrome (standard) or in lacquer version. Interior fittings hinge-doors units: 2 fitted shelves, 1 clothes rod; interior fittings always in **white lacquer.**

Accent unit and open section:
Protruding accent unit 176.0 cm high, 35.2 cm wide, 33.0 cm deep; door of accent unit with hülsta-Push-to-open. Interior fitting accent unit: 4 fitted shelves in **accent version.** Open section with full-length rear wall and 2 fitted shelves in **lacquer version** (matt) and 1 clothes rod.

Doors

Surcharge for top LED lamp on hinge-door unit

1 lamp per unit 2.4 W

Surcharge for indirect LED compartment lamps behind accent unit

1 lamp per unit 12 W



This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

Surcharge for mirror
Each wardrobe door can be optionally fitted with a mirror (vertical facette) for which a surcharge is made.

Hinge-doors cloakroom basic units with 2 outer side sections (each 2 cm thick)

For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section is employed as the end side-section.

with hinge-doors



162 cm wide

Hinge-doors cloakroom basic unit

left: hinge-door unit
middle: accent unit and open section
right: hinge-door unit

as illustr. v. versa

A2911
A2912

Price gr.
I -
II -

For this wardrobe combination we recommend 2 top LED lamps.

Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fitted with a mirror.



212 cm wide

Hinge-doors cloakroom basic unit

left: hinge-door unit
middle: accent unit and open section
right: hinge-doors unit

as illustr. v. versa

A3111
A3112

Price gr.
I 2x **395**
II 2x -

2030

-

Surcharge for mirror per hinge-door:

-

Hinge-doors cloakroom extension units with 1 partition (2 cm thick)



160 cm wide

Hinge-doors cloakroom extension unit

left: hinge-door unit
middle: accent unit and open section
right: hinge-door unit

as illustr. v. versa

A0911
A0912

Price gr.
I -
II -



210 cm wide

Hinge-doors cloakroom extension unit

left: hinge-door unit
middle: accent unit and open section
right: hinge-doors unit

as illustr. v. versa

A0111
A0112

Price gr.
I -
II -

Hinge-doors cloakroom units

Total height: 229.6 cm
Width: see table
Total depth: 61.4 cm

Height, width and depth reductions are not possible.

Accent unit and open section:
Accent unit 211.2 cm high, 35.2 cm wide, 45.0 cm deep; door of accent unit with hülsta-Push-to-open. Interior fittings accent unit: 5 fitted shelves in **accent version.** Open section with full-length rear wall and 2 fitted shelves in **lacquer version** (matt) and 1 clothes rod.

Hinge-doors units:
Hinge-doors unit 50 resp. 100 cm wide; hinge-doors with handle slat in high-gloss chrome (standard) or in lacquer version. Interior fittings hinge-doors units: 2 fitted shelves, 1 clothes rod; interior fittings in standard **white lacquer.**

Doors

Surcharge for top LED lamp on hinge-door unit

1 lamp
per unit
2.4 W

Surcharge for indirect LED compartment lamps behind accent unit

1 lamp
per unit
28.5 W



This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

Surcharge for mirror
Each wardrobe door can be optionally fitted with a mirror (vertical facette) for which a surcharge is made.

Hinge-doors cloakroom basic units with 2 outer side sections (each 2 cm thick)

For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section is employed as the end side-section.

			with hinge-doors			
 131.2 cm wide	**Hinge-doors cloakroom basic unit** left: accent unit and open section right: hinge-door unit	as illustr. v. versa **Price gr.** **I** **II**	**A3311** **A3312** - -	**395** -	**12340** -	Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fitted with a mirror. **Surcharge for mirror per hinge-door:** -
 181.2 cm wide	**Hinge-doors cloakroom basic unit** left: accent unit and open section right: hinge-doors unit	as illustr. v. versa **Price gr.** **I** **II**	**A3411** **A3412** - -			
Hinge-doors cloakroom extension units with 1 partition (2 cm thick)						
 129.2 cm wide	**Hinge-doors cloakroom extension unit** left: hinge-door unit right: accent unit and open section	**Price gr.** **I** **II**	**A0312** - -			
 179.2 cm wide	**Hinge-doors cloakroom extension unit** left: hinge-doors unit right: accent unit and open section	**Price gr.** **I** **II**	**A0412** - -			

Beds with bed surround in wood/lacquer version

Please also note the mattresses and base frames in the **“Sleeping systems”** type list!

Beds with headboard in wood/lacquer version and upholstered application and bed surround in wood/lacquer version; upholstered application in leather
Beds incl. support slats for base frames and mattresses
- Adjustable in height by 3.2 cm downwards and upwards
- Usable bed inside height: max. 18.0 cm

Please state all the versions clearly in the order!

Beds are not available in high-gloss lacquer versions!

Bed in a hovering look
The bed is also available in a hovering look (without surcharge).
See here page **18**!



Shaded dark grey = upholstered application

Inside dims.	Outside dims.	Type no.	Price group I	Price group III
140x200	156x219	**725**	-	-
160x200	176x219	**726**	-	-
180x200	196x219	**727**	-	-
200x200	216x219	**728**	-	-
140x210	156x229	**735**	-	-
160x210	176x229	**736**	-	-
180x210	196x229	**737**	-	-
200x210	216x229	**738**	-	-
140x220	156x239	**745**	-	-
160x220	176x239	**746**	-	-
180x220	196x239	**747**	-	-
200x220	216x239	**748**	-	-

Beds with upholstered headboard and bed surround in wood/lacquer version; upholstered headboard in leather
Beds incl. support slats for base frames and mattresses
- Adjustable in height by 3.2 cm downwards and upwards
- Usable bed inside height: max. 18.0 cm

Please state all the versions clearly in the order!

Beds are not available in high-gloss lacquer versions!

Bed in a hovering look
The bed is also available in a hovering look (without surcharge).
See here page **18**!



Shaded dark grey = upholstered headboard

Inside dims.	Outside dims.	Type no.	Price group I	Price group III
140x200	156x219	**7254**	-	-
160x200	176x219	**7264**	-	-
180x200	196x219	**7274**	-	-
200x200	216x219	**7284**	-	-
140x210	156x229	**7354**	-	-
160x210	176x229	**7364**	-	-
180x210	196x229	**7374**	-	-
200x210	216x229	**7384**	-	-
140x220	156x239	**7454**	-	-
160x220	176x239	**7464**	-	-
180x220	196x239	**7474**	-	-
200x220	216x239	**7484**	-	-

Beds with bed surround with upholstered application

Bed accessories: see next page!

Please also note the mattresses and base frames in the **“Sleeping systems”** type list!

Beds with headboard in wood/lacquer version and upholstered application and bed surround with upholstered application; upholstered applications in leather
Beds incl. support slats for base frames and mattresses
- Adjustable in height by 3.2 cm downwards and upwards
- Usable bed inside height: max. 18.0 cm

Please state all the versions clearly in the order!

Beds are not available in high-gloss lacquer versions!

Bed in a hovering look
The bed is also available in a hovering look (without surcharge).
See here page **18**!



Shaded dark grey = upholstered applications

Inside dims.	Outside dims.	Type no.	Price group I	Price group III
140x200	156x219	**425**	-	-
160x200	176x219	**426**	-	-
180x200	196x219	**427**	-	-
200x200	216x219	**428**	-	-
140x210	156x229	**435**	-	-
160x210	176x229	**436**	-	-
180x210	196x229	**437**	-	-
200x210	216x229	**438**	-	-
140x220	156x239	**445**	-	-
160x220	176x239	**446**	-	-
180x220	196x239	**447**	-	-
200x220	216x239	**448**	-	-

Beds with upholstered headboard and bed surround with upholstered application; upholstered headboard and applications in leather
Beds incl. support slats for base frames and mattresses
- Adjustable in height by 3.2 cm downwards and upwards
- Usable bed inside height: max. 18.0 cm

Please state all the versions clearly in the order!

Beds are not available in high-gloss lacquer versions!

Bed in a hovering look
The bed is also available in a hovering look (without surcharge).
See here page **18**!



Shaded dark grey = upholstered headboard and applications

Inside dims.	Outside dims.	Type no.	Price group I	Price group III
140x200	156x219	**4254**	-	-
160x200	176x219	**4264**	-	-
180x200	196x219	**4274**	-	-
200x200	216x219	**4284**	-	-
140x210	156x229	**4354**	-	-
160x210	176x229	**4364**	-	-
180x210	196x229	**4374**	-	-
200x210	216x229	**4384**	-	-
140x220	156x239	**4454**	-	-
160x220	176x239	**4464**	-	-
180x220	196x239	**4474**	-	-
200x220	216x239	**4484**	-	-

Bed accessories

Bed in a hovering look
The bed is delivered standard on high-gloss chrome legs. It is optionally available in a hovering look (without surcharge).

Please state clearly in the order!

Bed on legs (standard)



Bed in a hovering look



Bed in a **hovering look**

3002
without surcharge

LED bedside lamp (pair)
with motion sensor for switching on and off (no time interval)

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V



1.8 W

LED bedside lamp

894
-

Consoles
with rounded end at both sides

Assembly notes for wall units: 3
Please be sure to note here the information and notes in the "Wall composition" chapter! 4

Floor console **with rounded end at both sides** 40.2 cm high (42.0 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep **Wall console** **with rounded end at both sides** 23.5 cm high 45.0 cm deep **Wall units or wall assembly:** Please see here the information on page **4**.		**Floor console**	**Wall console**
		 4	 4
		64.4 cm wide	64.4 cm wide
		2 drawers	1 drawer
	Price gr. I II	**5023** - -	**5002** - -
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. **Functional frame for wall assembly** If you plan a functional frame for wall assembly for the consoles, you **do not** require an extra wall bracket. Max. load: 10 kg Please note the further information on functional frames on page **7**.			
		Functional frame for floor units	Functional frame for wall assembly
		242 -	**143** -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		9.0 W 	7.0 W 
		244 -	**144** -

2 Raster lowboards
with rounded end at one side

2 Raster lowboards with rounded end at one side 36.2 cm high (38.0 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep incl. cable aperture at centre of rear wall behind flap per compartment **Wall units or wall assembly:** Please see here the information on page **4**		**2 Raster lowboards with rounded end at one side**					
		 52,8 70.4 cm wide		 70,4 88.0 cm wide		 105,6 123.2 cm wide	
	Flap hinge at bottom	1 drawer	1 flap	1 drawer	1 flap	1 drawer	1 flap
	as illustr. v. versa	**27111** **27112**	**27181** **27182**	**28111** **28112**	**28181** **28182**	**212111** **212112**	**212181** **212182**
	Price gr. **I** **II**	- -	- -	- -	- -	- -	- -
NEW **Drawer for end unit** left (**L**; as illustr.) or right (**R**; vice versa)		**291L** -	**292R** -	**291L** -	**292R** -	**291L** -	**292R** -
NEW **Hinge-door for end unit** left (**L**; as illustr.) or right (**R**; vice versa)		**281L** -	**282R** -	**281L** -	**282R** -	**281L** -	**282R** -
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg		**255** -		**275** -		**2105** -	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. **Functional frame for wall assembly** If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page **7**.							
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		252 -	**253** -	**272** -	**273** -	**2102** -	**2103** -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		8.0 W 	12.0 W	9.5 W 	15.5 W	12.5 W 	21.0 W
		254 -		**274** -		**2104** -	
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.							
		251 -		**271** -		**2101** -	

		2 Raster lowboards with rounded end at one side			
		 3 140,8 158.4 cm wide		 3 176,0 193.6 cm wide	
	Flap hinge at bottom	1 drawer with split drawer frame	1 flap with 1 partition	1 drawer with split drawer frame	1 flap with 1 partition
		215111 215112	**215181 215182**	**219111 219112**	**219181 219182**
	Price gr.				
	I	-	-	-	-
	II	-	-	-	-
		291L -	**292R** -	**291L** -	**292R** -
		281L -	**282R** -	**281L** -	**282R** -
		2145 -		**2175** -	
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		2142 -	**2143** -	**2172** -	**2173** -
		14.5 W	24.0 W	16.0 W	27.0 W
					
		2144 -		**2174** -	
		2141 -		**2171** -	

3 Raster lowboards
with rounded end at one side

3 Raster lowboards
with rounded end at one side
53.8 cm high
(55.6 cm high incl. 1.8 cm high plinth adjusters),
45.0 cm deep

incl. cable aperture at centre of rear wall behind flap per compartment

Wall units or wall assembly:
Please see here the information on page **4**

		3 Raster lowboards with rounded end at one side					
		52,8 70.4 cm wide		 70,4 88.0 cm wide		 105,6 123.2 cm wide	
Flap hinge at bottom		**Top:** 1 drawer **Bottom:** 1 drawer	**Top:** 1 drawer **Bottom:** 1 flap	**Top:** 1 drawer **Bottom:** 1 drawer	**Top:** 1 drawer **Bottom:** 1 flap	**Top:** 1 drawer **Bottom:** 1 drawer	**Top:** 1 drawer **Bottom:** 1 flap
as illustr. v. versa		**37111 37112**	**37181 37182**	**38111 38112**	**38181 38182**	**312111 312112**	**312181 312182**
Price gr.							
I		-	-	-	-	-	-
II		-	-	-	-	-	-
		52,8 70.4 cm wide		 70,4 88.0 cm wide		 105,6 123.2 cm wide	
Flap hinge at bottom		**Top:** 1 drawer **Bottom:** 1 drawer	**Top:** 1 flap **Bottom:** 1 drawer	**Top:** 1 drawer **Bottom:** 1 drawer	**Top:** 1 flap **Bottom:** 1 drawer	**Top:** 1 drawer **Bottom:** 1 drawer	**Top:** 1 flap **Bottom:** 1 drawer
as illustr. v. versa		**37211 37212**	**37281 37282**	**38211 38212**	**38281 38282**	**312211 312212**	**312281 312282**
Price gr.							
I		-	-	-	-	-	-
II		-	-	-	-	-	-
NEW **Drawer for end unit** left (**L**; as illustr.) or right (**R**; vice versa)		**391L** -	**392R** -	**391L** -	**392R** -	**391L** -	**392R** -
NEW **Hinge-door for end unit** left (**L**; as illustr.) or right (**R**; vice versa)		**381L** -	**382R** -	**381L** -	**382R** -	**381L** -	**382R** -
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg		**255** -		**275** -		**2105** -	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. **Functional frame for wall assembly** If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page **7**.							
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		352 -	**353** -	**372** -	**373** -	**3102** -	**3103** -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		11.0 W 15.5 W 		12.5 W 18.0 W 		15.0 W 23.5 W 	
		354 -		**374** -		**3104** -	
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.							
		251 -		**271** -		**2101** -	

		3 Raster lowboards with rounded end at one side			
		 3 140,8 158.4 cm wide		 3 176,0 193.6 cm wide	
	Flap hinge at bottom	**Top:** 1 drawer with split drawer frame **Bottom:** 1 drawer with split drawer frame	**Top:** 1 drawer with split drawer frame **Bottom:** 1 flap with 1 partition	**Top:** 1 drawer with split drawer frame **Bottom:** 1 drawer with split drawer frame	**Top:** 1 drawer with split drawer frame **Bottom:** 1 flap with 1 partition
		315111 **315112**	**315181** **315182**	**319111** **319112**	**319181** **319182**
	Price gr. **I** **II**	- -	- -	- -	- -
		 3 140,8 158.4 cm wide		 3 176,0 193.6 cm wide	
	Flap hinge at bottom	**Top:** 1 drawer with split drawer frame **Bottom:** 1 drawer with split drawer frame	**Top:** 1 flap with 1 partition **Bottom:** 1 drawer with split drawer frame	**Top:** 1 drawer with split drawer frame **Bottom:** 1 drawer with split drawer frame	**Top:** 1 flap with 1 partition **Bottom:** 1 drawer with split drawer frame
		315211 **315212**	**315281** **315282**	**319211** **319212**	**319281** **319282**
	Price gr. **I** **II**	- -	- -	- -	- -
		391L -	**392R** -	**391L** -	**392R** -
		381L -	**382R** -	**381L** -	**382R** -
		2145 -		**2175** -	
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		3142 -	**3143** -	**3172** -	**3173** -
		16.0 W 	26.5 W	18.5 W 	30.0 W
		3144 -		**3174** -	
		2141 -		**2171** -	

2 and 3 Raster corner units

2 and 3 Raster corner units 36.2 or 53.8 cm high (38.0 or 55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep **Wall units or wall assembly:** Please see here the information on page **4** **Corner shelf incl. vertical cover panel** If 2 and 3 Raster GENTIS units are fitted round a corner, it is possible to fit corner shelves incl. vertical panels (non-accessible corner). Only units of the same height can be fitted round the corner.		**2 Raster corner units**	**3 Raster corner units**
		 56.2 x 56.2 cm wide	 56.2 x 56.2 cm wide
		Corner shelf incl. vertical cover panel	Corner shelf incl. vertical cover panel
	Price gr. **I** **II**	**266** - -	**366** - -
Functional frame for corners The units can be planned optionally with a functional frame for floor units. **Functional frame for wall assembly** If you plan a functional frame for wall assembly for the 2 and 3 Raster corner units, you **do not** require an extra wall bracket. Max. load: 40 kg Please note the further information on functional frames on page **7**.		 Functional frame for floor units and wall assembly **262** -	 Functional frame for floor units and wall assembly **362** -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		26.0 W  **264** -	30.0 W  **364** -

2 Raster lowboards
with rounded end at both sides

Assembly notes for wall units: 3
Please be sure to note here the information and notes in the "Wall composition" chapter! 4

2 Raster lowboards with rounded end at both sides 36.2 cm high (38.0 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep incl. cable aperture at centre of rear wall behind flap per compartment **Wall units or wall assembly:** Please see here the information on page **4**		**2 Raster lowboards with rounded end at both sides**			
		 3 176.0 cm wide		 3 211.2 cm wide	
	Flap hinge at bottom	1 drawer with split drawer frame	1 flap with 1 partition	1 drawer with split drawer frame	1 flap with 1 partition
		21721	**21728**	**22121**	**22128**
	Price gr. I II	- -	- -	- -	- -
NEW **Drawer for end unit** optionally left **(L)** and/or right **(R)**		**291L** -	**292R** -	**291L** -	**292R** -
NEW **Hinge-door for end unit** optionally left **(L)** and/or right **(R)**		**281L** -	**282R** -	**281L** -	**282R** -
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg		**2145** -		**2175** -	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. **Functional frame for wall assembly** If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page **7**.					
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		2142 -	**2143** -	**2172** -	**2173** -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		14.5 W 	24.0 W	16.0 W 	27.0 W
		2144 -		**2174** -	
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.					
		2141 -		**2171** -	

3 Raster lowboards
with rounded end at both sides

3 Raster lowboards with rounded end at both sides 53.8 cm high (55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep incl. cable aperture at centre of rear wall behind flap per compartment **Wall units or wall assembly:** Please see here the information on page **4**		**3 Raster lowboards with rounded end at both sides**			
		 176.0 cm wide		 211.2 cm wide	
	Flap hinge at bottom	2 drawers with split drawer frames	**Top:** 1 flap with 1 partition **Bottom:** 1 drawer with split drawer frame	2 drawers with split drawer frames	**Top:** 1 flap with 1 partition **Bottom:** 1 drawer with split drawer frame
		31711	**31718**	**32111**	**32118**
	Price gr. **I** **II**	- -	- -	- -	- -
NEW	**Drawer for end unit** optionally left **(L)** and/or right **(R)**	**391L** -	**392R** -	**391L** -	**392R** -
NEW	**Hinge-door for end unit** optionally left **(L)** and/or right **(R)**	**381L** -	**382R** -	**381L** -	**382R** -
	Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg	**2145** -		**2175** -	
	Functional frame for floor units The units can be planned optionally with a functional frame for floor units. **Functional frame for wall assembly** If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page **7**.				
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		3142 -	**3143** -	**3172** -	**3173** -
	Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	16.0 W 26.5 W 		18.5 W 30.0 W 	
		3144 -		**3174** -	
	Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.				
		2141 -		**2171** -	

3 Raster lowboards with rounded end at both sides



4

246.4 cm wide



1 5

281.6 cm wide



1 5

316.8 cm wide

Flap hinge at bottom	4 drawers (wide drawers with split drawer frames)	**Top:** 2 flaps (wide flap with 1 partition) **Bottom:** 2 drawers (wide drawer with split drawer frame)	**Top:** 1 flap with 1 partition, 1 drawer **Bottom:** 2 drawers (wide drawer with split drawer frame)	4 drawers (wide drawers with split drawer frames)	**Top:** 2 flaps (wide flap with 1 partition) **Bottom:** 2 drawers (wide drawer with split drawer frame)	**Top:** 1 flap with 1 partition, 1 drawer **Bottom:** 2 drawers (wide drawer with split drawer frame)	4 drawers (wide drawers with split drawer frames)	**Top:** 2 flaps (wide flap with 1 partition) **Bottom:** 2 drawers (wide drawer with split drawer frame)	**Top:** 1 flap with 1 partition, 1 drawer **Bottom:** 2 drawers (wide drawer with split drawer frame)
as illustr. v. versa	**324111 324112**	**324181 324182**	**324171 324172**	**328111 328112**	**328181 328182**	**328171 328172**	**331111 331112**	**331181 331182**	**331171 331172**
Price gr.									
I	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-
	391L -		**392R** -	**391L** -		**392R** -	**391L** -		**392R** -
	381L -		**382R** -	**381L** -		**382R** -	**381L** -		**382R** -
	2215 -			**2245** -			**2285** -		

	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
	3212 -	**3213** -	**3242** -	**3243** -	**3282** -	**3283** -







3214 -	**3244** -	**3284** -







2211 -	**2241** -	**2281** -

Media accessories for lowboards

IR repeater set

IR repeater set
Infrared signal transmission set for operating media units behind wooden/lacquered fronts. You can operate all the units in one compartment with one set. The following applies:

- One set must be used in each compartment. 2 transmitters can also be installed in large compartments in order to increase performance. In this case only one additional transmitter needs to be ordered.
- The transmitter must be placed in the direct vicinity of the receiver eye.
- Transmittable IR frequency band 20 – 60 kHz
- Up to 3 transmitters can be combined with one receiver.

It is possible to use 3 transmitters via 1 receiver including Master box. This enables simultaneous operation of 3 different furniture compartments or in critical situations it allows fitting out one furniture compartment with several transmitters in order to increase the performance in this compartment or to operate 2 end units placed next to one another.

The IR repeater set consists of:
- 1 receiver eye (Ø 3.0 cm) incl. standing bracket
- 1 electrical transmitter
- 1 plug EVG 12 V
- Cable clips

Please note the details stated in the operating instructions!

IR repeater set 1 receiver eye and 1 transmitter incl. standing bracket
2001 -
Extra transmitter
2003 -

Cable apertures / subwoofer base cut-out section

	**Cable aperture K1** silver-coloured; Ø 8.0 cm It is possible to fit a cable aperture in the top shelf of the lowboard. The cable aperture can be made at the rear of the top shelf. The position is in the centre of the compartment, distance from centre of aperture to rear edge of unit: 10.0 cm.	**K1** -
	**Cable aperture K2** silver-coloured; Ø 8.0 cm It is possible to fit a cable aperture in the rear wall of the lowboard. Positioned at centre of compartment.	**K2** -
	**Cable aperture K7** silver-coloured; 7.0 x 12.0 cm It is possible to fit a cable aperture in the top shelf of the lowboard. The position is in the centre of the compartment, flush with the rear edge of the unit.	**K7** -
	**Cable aperture K8** silver-coloured; 12.8 x 3.2 cm It is possible to fit a cable aperture in the top shelf of the lowboard. The cable aperture can be made at the rear rim of the top shelf. Positioned in centre of compartment.	**K8** -
	**Cable aperture K9** 13.0 x 1.6 cm It is possible to fit a cable aperture in a fitted shelf. The cable aperture can be made at the rear rim of the fitted shelf. Positioned in centre of compartment.	**K9** -
	**Cable aperture K20** silver-coloured; Ø 8.0 cm It is possible to fit a cable aperture in the partitions of the lowboard.	**K20** -
	**Subwoofer base cut-out section** Base cut-out section 12 x 23.2 cm The sounds from the subwoofer pass out through the base cut-out section in the lowboard without hindrance. The exact position in the carcase is predetermined ex-works and cannot be altered.	**14** -

3 Raster sideboards
with rounded end at both sides

3 Raster sideboards with rounded end at both sides
53.8 cm high
(55.6 cm high incl. 1.8 cm high plinth adjusters),
45.0 cm deep

Wall units or wall assembly:
Please see here the information on page **4**

	3 Raster sideboards with rounded end at both sides						
	 140,8 **3**		 176,0 **3**		 105,6 105,6 **3**		
	176.0 cm wide		211.2 cm wide		246.4 cm wide		
Flap hinge at bottom	2 drawers with split drawer frames	**Top:** 1 drawer with split drawer frame **Bottom:** 1 flap with 1 partition	2 drawers with split drawer frames	**Top:** 1 drawer with split drawer frame **Bottom:** 1 flap with 1 partition	4 drawers	**Top:** 2 drawers **Bottom:** 2 flaps	**Top:** 2 drawers **Bottom:** 1 drawer, 1 flap
as illustr. v. versa	**31731**	**31738**	**32131**	**32138**	**32431**	**32438**	**324371** **324372**
Price gr. **I**	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-
NEW **Drawer for end unit** optionally left **(L)** and/or right **(R)**	**391L** -	**392R** -	**391L** -	**392R** -	**391L** -		**392R** -
NEW **Hinge-door for end unit** optionally left **(L)** and/or right **(R)**	**381L** -	**382R** -	**381L** -	**382R** -	**381L** -		**382R** -
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg	**2145** -		**2175** -		**2215** -		
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. **Functional frame for wall assembly** If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page **7**.							
	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units		Functional frame for wall assembly
	3142 -	**3143** -	**3172** -	**3173** -	**3212** -		**3213** -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	16.0 W 26.5 W 		19.0 W 30.0 W 		28.5 W 42.5 W 		
	3144 -		**3174** -		**3214** -		
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.							
	2141 -		**2171** -		**2211** -		

4 Raster sideboards
with rounded end at both sides

4 Raster sideboards with rounded end at both sides
71.4 cm high
(73.2 cm high incl. 1.8 cm high plinth adjusters),
45.0 cm deep

Wall units or wall assembly, standard interior fittings:
Please see here the information on page **4**

4 Raster sideboards with rounded end at both sides



140.8 cm wide



176.0 cm wide



176.0 cm wide

Flap hinge at bottom	3 drawers	**Top/Centre:** 2 drawers **Bottom:** 1 flap	3 drawers with split drawer frames	**Top/Centre:** 2 drawers with split drawer frames **Bottom:** 1 flap with 1 partition	**Left:** 1 door **Right:** 3 drawers	**Left:** 1 door **Top right/Centre:** 2 drawers **Bottom right:** 1 flap
as illustr. v. versa	**41431**	**41438**	**41731**	**41738**	**417511 417512**	**417581 417582**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-

NEW **Drawer for end unit**
optionally left **(L)** and/or right **(R)**

491L	**492R**	**491L**	**492R**	**491L**	**492R**
-	-	-	-	-	-

NEW **Hinge-door for end unit**
optionally left **(L)** and/or right **(R)**

481L	**482R**	**481L**	**482R**	**481L**	**482R**
-	-	-	-	-	-

Wall bracket
If units are planned as wall units, a wall bracket must be ordered.

Max. load: 40 kg

2105	**2145**	**2145**
-	-	-

Functional frame for floor units
The units can be planned optionally with a functional frame for floor units.

Functional frame for wall assembly
If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted.

Max. load: 40 kg

Please note the further information on functional frames on page **7**.







Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
4102	**4103**	**4142**	**4143**	**4142**	**4143**
-	-	-	-	-	-

Lamp for functional frame
The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). Later fitting not possible.

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

17.5 W	26.0 W	18.5 W	27.0 W	18.5 W	27.0 W







4104	**4144**	**4144**
-	-	-

Metal substructure
19.4 cm high;
High-gloss chrome

The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.

2101	**2141**	**2141**
-	-	-

4 Raster sideboards with rounded end at both sides



3

211.2 cm wide



3

211.2 cm wide



1 4

246.4 cm wide



1 5

246.4 cm wide

Flap hinge at bottom	3 drawers with split drawer frames	**Top/Centre:** 2 drawers with split drawer frames **Bottom:** 1 flap with 1 partition	**Left:** 1 door **Right:** 3 drawers	**Left:** 1 door **Top right/Centre:** 2 drawers **Bottom right:** 1 flap	6 drawers	**Top/Centre:** 4 drawers **Bottom:** 2 flaps	**Top/Centre:** 4 drawers **Bottom left:** 1 drawer **Bottom right:** 1 flap	**Left:** 1 door **Right:** 3 drawers with split drawer frames	**Left:** 1 door **Top right/Centre:** 2 drawers with split drawer frames **Bottom right:** 1 flap with 1 partition
as illustr. v. versa	**42131**	**42138**	**421511** **421512**	**421581** **421582**	**42431**	**42438**	**424371** **424372**	**424511** **424512**	**424581** **424582**
Price gr.									
I	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-
	491L -	**492R** -	**491L** -	**492R** -	**491L** -	**492R** -		**491L** -	**492R** -
	481L -	**482R** -	**481L** -	**482R** -	**481L** -	**482R** -		**481L** -	**482R** -
	2175 -		**2175** -		**2215** -			**2215** -	
	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly		Functional frame for floor units	Functional frame for wall assembly
	4172 -	**4173** -	**4172** -	**4173** -	**4212** -	**4213** -		**4212** -	**4213** -
	21.0 W 32.0 W 		30.5 W 42.5 W 		32.0 W 47.5 W 			32.5 W 46.0 W 	
	4174 -		**4174** -		**4214** -			**4214** -	
									
	2171 -		**2171** -		**2211** -			**2211** -	

8 Raster highboard
with rounded end at both sides

8 Raster highboard with rounded end at both sides 141.8 cm high (143.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Cannot be fitted as a wall unit!		**8 Raster highboard with rounded end at both sides**			
		 105,6 140.8 cm wide			
	Flap hinge at bottom	4 drawers	**Top:** 1 flap **Bottom:** 3 drawers	**Top:** 2 flaps **Bottom:** 2 drawers	**Top:** 3 flaps **Bottom:** 1 drawer
	Price gr. **I** **II**	**81411** - -	**81418** - -	**81417** - -	**81416** - -
NEW **Drawer for end unit** optionally left **(L)** and/or right **(R)**		**891L** -		**892R** -	
NEW **Hinge-door for end unit** optionally left **(L)** and/or right **(R)**		**881L** -		**882R** -	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Please note the further information on functional frames on page **7**.					
		Functional frame for floor units			
		8102 -			
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		26.0 W 			
		8104 -			

8 Raster cabinets 141.8 cm high (143.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep **Standard interior fittings and notes on cabinets:** Please see here the information on page **4** Cannot be fitted as a wall unit!		**8 Raster cabinets**	
		 **L** 52.8 cm wide	 105.6 cm wide
		1 door with glass panel	2 doors with glass panel
	Price gr. **I** **II**	**85141 L** **85142 R** - -	**81014** - -
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Please note the further information on functional frames on page **7**.			
		Functional frame for floor units	Functional frame for floor units
		852 -	**8102** -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		21.5 W 	25.5 W 
		854 -	**8104** -
Integrated LED spotlamps for cabinets Ø 7.1 cm The cabinets can be fitted with optional integrated LED spotlamps. Integrated LED spotlamps incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V **Note:** For type **81014** 2 integrated LED spotlamps must be ordered!		2.9 W 	2x 2.9 W 
		7941 -	For type **81014** 2 integrated LED spotlamps must be ordered! 2x **7941** 2x -

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter! 3 4

6 Raster wall units

		6 Raster wall shelf	6 Raster wall cabinet	
6 Raster wall shelf 105.6 cm high **26.2 cm deep** **6 Raster wall cabinet** 105.6 cm high **33.0 cm deep** **Notes on wall shelf and wall cabinet:** Please see here the information on page **6** Max. load wall shelf and wall cabinet: 20 kg		 105.6 cm wide	 105.6 cm wide	
		3 glass shelves, 6 glass partitions	2 doors with glass panel	
	Price gr. I II III	**61019** - - -	Price gr. I II	**61014** - -
Functional frame for wall assembly If you plan a functional frame for wall assembly for the 6 Raster wall cabinet, you **do not** require an extra wall bracket. Max. load: 20 kg Please note the further information on functional frames on page **7**.				
			Functional frame for wall assembly	
			6106 -	
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V			27.5 W 	
			6104 -	
Lamp for wall shelf The wall shelf can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		30.0 W 		
		6114 -		
Integrated LED spotlamps for wall cabinet Ø 7.1 cm The cabinet can be fitted with optional integrated LED spotlamps. Integrated LED spotlamps incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V **Note:** For type **61014** 2 integrated LED spotlamps must be ordered!			2x 2.9 W 	
			2x **7941** 2x -	

Accent units

2 Raster wall accent units
35.2 cm high (in leather version: 36.8 cm);
33.0 cm deep

6 Raster wall accent unit
105.6 cm high (in leather version: 107.2 cm);
33.0 cm deep

8 Raster wall accent unit
140.8 cm high (in leather version: 142.4 cm);
33.0 cm deep

Notes on accent units:
Carcase and front also in the versions knotted oak, knotted oak anthracite, knotted core walnut, Nappa leather and Nubuk-Touch leather possible. The inside carcase of accent units in leather version is in matt grey lacquer. If accent units are required in a leather version, the unit width increases by 1.6 cm.

Wall units or wall assembly:
Please see here the information on page **4**

	2 Raster wall accent units					
	 105.6 cm wide (in leather version: 107.2 cm)		 140.8 cm wide (in leather version: 142.4 cm)		 176.0 cm wide (in leather version: 177.6 cm)	
	1 flap with 1 partition (flap hinge at bottom)	1 flap with 1 partition (flap hinge at top)	1 flap with 1 partition (flap hinge at bottom)	1 flap with 1 partition (flap hinge at top)	1 flap with 1 partition (flap hinge at bottom)	1 flap with 1 partition (flap hinge at top)
	2108	**2109**	**2148**	**2149**	**2178**	**2179**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

Functional frame for wall assembly
If you plan a functional frame for wall assembly for the wall accent units, you **do not** require an extra wall bracket.

Max. load: 20 kg

Please note the further information on functional frames on page **7**.

	Functional frame for wall assembly	Functional frame for wall assembly	Functional frame for wall assembly
	2106 -	**2146** -	**2176** -

Lamp for functional frame
The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page **38**). Later fitting not possible.

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

	19.5 W 	22.5 W 	27.5 W 
	2104 -	**2144** -	**2174** -

		6 Raster wall accent unit	8 Raster wall accent unit	
		 35.2 cm wide (in leather version: 36.8 cm)	 35.2 cm wide (in leather version: 36.8 cm)	
		1 door; 2 fitted shelves	1 door; 3 fitted shelves	
	Price gr. I II III IV	**632311 L** **632312 R** - - - -	**832311 L** **832312 R** - - - -	
				
		Functional frame for wall assembly	Functional frame for wall assembly	
		636 -	**836** -	
		19.5 W 	22.5 W 	
		634 -	**834** -	

L/R = Door hinge left/right

Accessories for units

Fitted shelves

			in 35.2 cm wide carcases resp. behind 34.8 cm wide doors	behind 52.4 cm wide doors and flaps	behind 70.4 cm wide doors and flaps	behind 105.6 cm wide flaps	for ½ compartment behind 140.8 cm wide flaps	for ½ compartment behind 176.0 cm wide flaps
Fitted shelf 1.9 cm thick	for 33.0 cm depth	Price gr.	**133**					
		I	-					
		II	-					
		III	-					
	for 45.0 cm depth	Price gr.	**134**	**154**	**174**	**1104**	**174**	**184**
		I	-	-	-	-	-	-
		II	-	-	-	-	-	-
		III	-	-	-	-	-	-

Lamps

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).
	2.9 W
Integrated LED spotlamp Ø 7.1 cm; for fitting in units Later fitting is not possible.	**7941**
	-

NEW

Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the “all on” or “all off” buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

2119

-

Special-sized products

Special heights, special widths, special depths



Special heights

- Hinge-, folding- and sliding-door wardrobes can be reduced in height at intervals of 1.0 cm.
- Below eye-level we recommend fitting a top cover shelf made of panelling material.
  Please state in order!
- Special heights in stepped versions (not possible on sliding-door wardrobes) at a surcharge.

Surcharge per step:

00030
-



Special widths

Only applies to hinge- and folding-door wardrobes

- Single-door units, left or right hinges, can be reduced down to 25 cm width (apart from profiled doors).
- Twin-door units can be reduced at both sides down to 50 cm total width (apart from profiled doors).
- Interior fittings such as drawers and other fittings cannot be reduced in width.
- For notes on width reductions on MULTI-FORMA II sliding-door wardrobes please see special-sized products for MULTI-FORMA II!



Special depths

- Depth reductions are made on side sections, plinths, cornices and shelves.
- Interior fittings such as drawers and other fittings cannot be reduced in depth.
- A max. reduction of 30.0 cm is possible on hinge- and folding-door wardrobes.
- A max. reduction of 9.0 cm is possible on profiled hinge-doors.
- For sliding-door wardrobes, a max. reduction of 30.0 cm is possible (max. 18 cm in combination with the electrical opening system for MULTI-FORMA II).
- Please note that for technical production reasons not every special depth can be achieved:
  2.5 cm standard reduction between 0 and 2.5 cm
  5.0 cm standard reduction between 4.5 and 5.0 cm
  27.5 cm standard reduction between 27.0 and 27.5 cm

Notes on calculating sizes of sloping units





Side sloping

Sloping is only possible on single-door units. The door hinge (left or right) is positioned on the taller outer side of the unit.

Measurements required:

H 1 = Room height
H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
B 1 = Width of slope
B 2 = Width of slope
G = Total width
S = Wardrobe width

Please note!

- If the slope cuts across the position of a handle, the handle of this door only is positioned further down in production.
- As floors, ceilings and walls are never exactly straight, the exact room size must be measured using a spirit level.
- If a cornice is fitted, please state if this is to be continued in the sloping section.





Rear sloping

Rear sloping is possible on all wardrobe units.

Measurements required:

H 1 = Room height
H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
T 1 = Depth of slope
T 2 = Depth of slope

GENTIS

Wardrobes

Special heights:			
Hinge-door	- Wood	**0003**	without surcharge
Hinge-door	- Mirror	**00031**	without surcharge
Special widths:			
for single-door unit	- Wood	**0005**	-
for single-door unit	- Mirror	**00051**	-
for twin-door unit	- Wood	**0006**	-
for twin-door unit	- Mirror	**00061**	-
When ordering extra fitted shelves and clothes rods			
Size reduction surcharge per fitted shelf		**9991**	-
Size reduction surcharge per clothes rod		**9992**	-
Special depths:			
Surcharge per unit		**0007**	-
When ordering extra fitted shelves			
Size reduction surcharge per fitted shelf		**9993**	-
Side sloping:			
Surcharge per unit		**9994**	-
Rear sloping:			
Surcharge per unit		**99912**	-

Special-sized products for special combinations:
Pricing: special combination + 15% plus all the required special-sized products (see above)

More special products are possible.
Please get in touch with your customer advisor.

Special articles

Wardrobe doors are also available as separate units and are charged as follows:

For 1 hinge-door/folding-door wing: 50% of the concerning 1-door hinge-door extension unit

For 1 sliding-door including mechanism: 35% of the twin-door sliding-door wardrobe

For door superstructures, type **100** (max. 98 cm wide, only for assembly between wardrobes): 100% of twin-door hinge-door extension unit

Cover panels
for side and top panelling of fitted wardrobes (support construction and fitting materials must be acquired on site).

Basic price per order	**9901**	-
+ price per m^2 in price group I	**990**	-
+ price per m^2 in price group II	**990**	-

Veneer match with fronts can not be guaranteed.

Rim veneer
superimposed ex works or rims lacquered
for veneer and lacquer versions per m. length

in price group I	**9902**	-
in price group II	**9902**	-

Individual special-sized products
If the special-sized product that you require is so unusual that it cannot be illustrated with the many special sized products that we already provide and charge for, then we will quote you the price using a HK unit type factor. In your order please state for us the relevant enquiry number and the HK unit type factor stated.

	HK	-

165° hinges
Wardrobe doors can also be fitted with **165° hinges** against a surcharge (only possible on plain, straight hinge-doors; impossible on fabric-covered doors and accent fronts). Please mark the doors clearly in the order!

Surcharge for 165° hinges per hinge-door:	**180**	-

High-gloss care set
Polish, polishing sponge and polishing cloth (incl. instructions) for protecting and maintaining the high-gloss surfaces **36** -

Special colours; Note on „Blue Angel“ / Emissions label of DGM

Special colours
All the hülsta lacquer colours are possible for nearly all the hülsta ranges. Availability and prices on request.

Note on „Blue Angel“ (RAL-UZ 38) and Emissions label of DGM (Class A)
It is possible that the requirements of the „Blue Angel“ and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups II and III (see here the different lacquer versions in the NURIA range), depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the “all on” or “all off” buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

The following points must be noted with the radio remote control:
- The receiver must be positioned behind a rear wall or under plinth shelves (at least 20 mm space required under plinth shelves).
- The total wattage power of all lamps included per receiver must not exceed 30 W.
- 4 channels = 4 light groups
- 1 light group = x lights
- All lamps within a light group can be dimmed to the same brightness.
- The change of the colour temperature takes place for all lamps in all light groups.
- The radio remote control is not suitable for equipment operating on 110 V.

Please be sure to note the operating and programming instructions!

4-channel radio remote control with change of color temperature

Light colour warmer
Light colour colder
Channel 1 to 4
(with dimmer function)
All off
All on

4-channel radio remote control with change of color temperature

Type	**2119**	-

Examples of use (schematic diagrams)

Example 1

Lights inside a unit

Channel 1 operates (and dims) all the lights in light group 1,
i.e. the LED spotlamp in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2,
i.e. the LED spotlamps in the open compartment

Channel 3 operates (and dims) all the lights in light group 3,
i.e. the LED spotlamp in the right cabinet

Notes:
The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 2

Lights in units set apart

Channel 1 operates (and dims) all the lights in light group 1,
i.e. the LED spotlamp and the LED light panels in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2,
i.e. the LED spotlamps and the LED light panels in the centre cabinet

Channel 3 operates (and dims) all the lights in light group 3,
i.e. the LED spotlamp and the LED light panels in the right cabinet

Notes:
The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 3

Lights in units set apart

Channel 1 operates (and dims) all the lights in light group 1,
i.e. the LED spotlamps in the left, centre and right cabinet

Channel 2 operates (and dims) all the lights in light group 2,
i.e. the top LED light panels in the left, centre and right cabinet

Channel 3 operates (and dims) all the lights in light group 3,
i.e. the bottom LED light panels in the left, centre and right cabinet

Notes:
The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Usable bed inside height and space under bed

Note on usable bed inside height:

The support slats of the hülsta beds are delivered in the centre position, i.e. they can be adjusted by 3.2 cm upwards and downwards. If the slats are set in the lowest position, the **maximum usable bed inside height** is achieved.
In the case of some beds, the bed inside height is comparatively low. This means that mattresses in combination with base frames that are somewhat higher are not held so well by the bed side sections. Please note that the usable bed inside height of beds with height adjustable support slats is reduced when these are set higher.

This is how to calculate the individual height from the data supplied with the base frames:

Example: bed and hülstaflex basic B base frame (back and foot sections adjustable)



Max. usable bed inside height:
18.0 cm

Note on space under bed:

The storage space underneath the base frame is calculated from the bed height minus the usable bed inside height.

Example bed: **42.2 cm - 18.0 cm = 24.2 cm.**

Wall composition / assembly instruction

Important notes:
The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.

Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete ≥ C12/15, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

Materials table

with a description of which sets are to be used with the following types of walls:

Standard set	**Assembly mortar set** only suitable for the materials stated below!	
Concrete C12/15 Compression strength ≥ 15 N/mm² 	Building bricks Mz 12 Compression strength ≥ 12 N/mm²	 Solid blocks of light concrete V2 Compression strength ≥ 2 N/mm²
	Limestone blocks KS 12 Compression strength ≥ 12 N/mm²	Perforated blocks of light concrete Hbl 2 Compression strength ≥ 2 N/mm²
	Perforated sand lime bricks KSL12 Compression strength ≥ 12 N/mm²	 Aerated concrete PP2 Compression strength ≥ 2 N/mm²
	 Vertically perforated bricks HLz 12 Compression strength ≥ 12 N/mm² Bulk density ≥ 1.0 kg/dm³	

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.

Mounting sets

Labelling in type list drawings / assembly notes for wall units
The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.

3 = 3 support boards
4 = 4 support boards, etc.

One **assembly mortar set** is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.

Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard trade mastic tool which are the basic essentials for safe and clean workmanship.

Standard set
The standard set consists of 4 plastic Rawl plugs and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.

Assembly mortar set for up to a maximum of 3 support boards consisting of:

9x injection retaining sleeve
9x screw-in sleeve
1x injection cartridge
2x static mixer
1x assembly instructions

Please use the mounting screws from the standard set (supplied free of charge).

Example of order:

- Add up number of support boards for all existing unit types
- Divide the sum by “3”
- Round up the result to a full number

= Number of assembly mortar sets required

M2

-

Your Hotline to hülsta

Do you have any questions or require any alterations to your order confirmation?
Do you have any questions on our products or your current order?
Do you have any complaints about supplied goods or required replacement parts?
Do you have any questions, suggestions or wishes for the **hülsta product seminars**?

Contact Telephone: +44 (0) 20 7908 3970 • email: info@hulsta.uk

hülsta Planning Service

Lots to do? A customer wants his project finished and you haven't got enough time? Or the project is so complex that it will take too much time?

This is exactly the kind of situation we created the hülsta Planning Service for. hülsta's employees create the required project for you at short notice. Based on your information, we implement the project perfectly with all views and a complete order list ready for immediate forwarding to the customer.

The hülsta check list (available at **https://www.huelsta.com/einrichtungsberatung/**) makes it all really easy for you. You won't forget anything with this list and the customer receives a project he will be thrilled about as quickly as possible.

hülsta Planning Service
Tel.: +44 (0) 20 7908 3970
Fax: +44 (0) 20 7908 3980
Mail: planningservice@hulsta.uk
Mon-Fri: from 9am to 5pm

Special wishes? Come to us!

Maximum individuality! – Maximal flexibility! – hülsta makes most of your special wishes possible. And if you do have a wish which is not quite so easy to implement, just give us a call or send us a mail or a fax. We have our own hülsta "Special Wishes Team" who are there to help you realise just these customer requests. These colleagues are professionals when it comes to special products. They plan and calculate the products possible for you and even develop an alternative suggestion if the idea should turn out to be technically impossible.

Here is an overview of the hülsta range of special wishes:
- A lot of special products can be ordered simply via the type list
- Special-sized products are planned simply and professionally
- Competent colleagues advise you by phone, by fax and by mail
- You will be sent alternative suggestions if the idea is technically impossible
- Many special-sized products are available without a surcharge
- Specially qualified carpenters and technicians implement your plans perfectly

hülsta Special Wishes Team
Tel.: +44 (0) 20 7908 3970
Fax: +44 (0) 20 7908 3980
Mail: info@hulsta.uk

We are open Saturdays for you, too!

Our **Saturday hotline** is available at the following times and periods:
• **15th April – 15th September** from **10.00 a.m. until 4.00 p.m.**
• **16th September – 14th April** from **10.00 a.m. until 6.00 p.m.**

Telephone: +49 (0) 2563 / 86-1800

On **working days** the hülsta Sales Department is available all day from **8.00 a.m. until 6.00 p.m**.

hülsta GENTIS Schlafen

Stand: GB 12. 2019

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress.

hülsta furniture (UK) Ltd. · 23-25 Baker Street · London · W1U 8EQ
Tel.: 020 7908 3970 · Fax: 020 7908 3980
Office hours: Mon-Fri: from 9am to 5pm
www.hulsta.uk · email: info@hulsta.uk

hülsta