12/19 E

hülsta

NEO
LIVING

HUELSTA.COM

NEO LIVING

Contents

	Page
Range introduction, lists of versions, important notes	2-5
Concept and possible arrangements	6
Suggested combinations	7-11
1 - 12 Raster units	12-30
1 - 3 Raster lowboards	32-37
2 - 3 Raster media lowboards	38-41
Media accessories for lowboards	42-43
Usable size of lowboards, cable management for lowboards	44-45
Media panels, accessories for media panels, column system, flat screen supports	46-48
4 and 6 Raster side- and highboards	50-55
2 Raster wall units	56-57
Free planning possibilities	58-59
Carcase units	60-65
Centre partitions, constructional shelves, fitted shelves, open compartments, metal substructures, cover shelves	66-70
Fronts – drawers, flaps, doors	71-79
Rear wall panelling (room dividers)	80-83
Side-panels, accessories for side-panels	84-87
Accessories for (carcase) units	88-91
Lamps, radio remote control	92-93
Wall shelves, angled shelves	94
Dining rooms, coffee tables	95
Sketch raster	97
General information:	
Special-sized products, special articles	98-99
Switch options for lamps	100-101
Cable apertures	102
Important notes: quality of walls / assembly instruction	103

Updated living

The clean and simple lines are typical of Neo. The design focuses on handle-less fronts and crisp shapes. It effortlessly matches every lifestyle, personal taste and the respective living environment. A wide choice of dimensions and units makes individual planning particularly easy. Neo has been designed for people who love individuality, comfort and sophisticated functionality. Neo offers different styles, ranging from functional to cosily warm.

Focussing on the essential:
Neo is unmistakably a hülsta product. The unfussy look perfectly matches minimalist interior design trends, which consistently renounce anything unnecessary.

Maximum planning flexibility:
Neo offers many different units in various sizes, which can be freestanding, stacked or wall-mounted. Both open compartments and fronts such as doors, flaps and drawers are possible. The range is complemented by a side-panel system and wall panels.

Wide choice of finishes:
Neo is available in lacquer, high-gloss lacquer in different colours plus wood, thus allowing highly individual designs. Carcases and fronts are available in the same finish or in a mix of materials.

Functional sophistication:
Design and purpose are closely connected with Neo. Handle-less fronts such as drawers, doors and flaps can be easily opened using Push-to-open-technology. Special fittings allow units in all sizes to be wall-mounted. Versatile drawer accessories for CDs, cutlery and much more ensure that every inch of the available storage space is usable.

Integrated media functions:
Neo offers functional yet beautiful solutions for the use of contemporary media. Media panels and media lowboards provide an outstanding media experience.

Lists of versions

Model no.	Carcase, fronts, wall panels, frames of open compartments, angled shelves	Price group	Model no.	Open compartments (inside), side-panels and shelves, wall shelves, rear walls	Price group	Model no.	Cover shelves	Price group
NEW 648	Pure white lacquer	I	NEW 648	Pure white lacquer	I	NEW 648	Pure white lacquer	I
045	White lacquer	I	045	White lacquer	I	045	White lacquer	I
046	Grey lacquer	I	046	Grey lacquer	I	046	Grey lacquer	I
663	Silk grey lacquer	I	663	Silk grey lacquer	I	663	Silk grey lacquer	I
051	Natural oak	II	051	Natural oak	II	051	Natural oak	II
053	Core walnut	II	053	Core walnut	II	053	Core walnut	II
NEW 610	High-gloss pure white lacquer *	II				NEW 610	High-gloss pure white lacquer	II
048	High-gloss white lacquer *	II	NEW NCS	Free choice of colours acc. to the NCS index - Matt lacquer	III	NEW 048	High-gloss white lacquer	II
049	High-gloss grey lacquer *	II				NEW 049	High-gloss grey lacquer	II
614	High-gloss silk grey lacquer *	II				NEW 614	High-gloss silk grey lacquer	II
NEW NCS	Free choice of colours acc. to the NCS index - Matt lacquer	III				NEW NCS	Free choice of colours acc. to the NCS index - Matt lacquer	III
NEW NCS	Free choice of colours acc. to the NCS index - High-gloss lacquer *	IV				NEW NCS	Free choice of colours acc. to the NCS index - High-gloss lacquer	IV
						NEW 730	Rear-lacquered glass, pure white	
						720	Rear-lacquered glass, white	
						723	Rear-lacquered glass, grey	
						733	Rear-lacquered glass, silk grey	
						NEW 164	Ceramic zaha stone	
						NEW 165	Ceramic storm nero	
						NEW 188	Ceramic white	
						NEW 143	Ceramic grey	
						NEW 145	Ceramic calacatta	
						NEW 146	Ceramic concrete	
						NEW 147	Ceramic pulpis	

* The inner carcase for high-gloss lacquer versions is in matt lacquer in the matching colour.

Free colour choice according to NCS (Natural Colour System)
Information on this subject can be found at the bottom of this page.

Changing versions
Colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.

Note on „Blue Angel“ (RAL-UZ 38) and Emissions label of DGM (Class A)
It is possible that the requirements of the „Blue Angel“ and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV, depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

Optional knobs for fronts

All fronts are delivered standard without knobs (hülsta-Push-to-open). It is however possible to fit fronts with knobs (without surcharge; exception: knobs are not possible on all-glass fronts or fronts with glass insets). One knob is fitted on each front of drawers and flaps, two knobs are fitted from a width of 105.6 cm. The hülsta-Push-to-open device is not fitted when optional knobs are included. If drawers are fitted with knobs, these are supplied with **hülsta-SoftFlow** on hidden roller bearings as fully pullout units, with automatic cushioning device. **Please state the type number and the required version clearly in the order!**

Knob in stainless steel look

Stainless steel look



Type G001

Knob in wood/lacquer version, stainless steel look or high-gloss chrome

NEW Pure white lacquer
White lacquer
Grey lacquer
Silk grey lacquer
NEW Anthracite structured lacquer
Natural oak
Core walnut
Stainless steel look
High-gloss chrome



Type G002

Knob in wood version or stainless steel look

Natural oak
Core walnut
Stainless steel look



Type G003

NCS - the Natural Colour System®©



The NCS index includes all the 1950 standard colours in the NCS system. The Natural Colour System is a logically organised colour classification system which is based on the natural colour perception of people.
With NCS you can describe every imaginable colour visually and classify it. The NCS is based on 100 years of colour research and is today one of the most widely and frequently used colour designation systems in the world.

Note on „Blue Angel“ (RAL-UZ 38) and Emissions label of DGM (Class A)
It is possible that the requirements of the „Blue Angel“ and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV, depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

Range introduction

Important notes

Changing versions:
Colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.

Clear glass fronts:
Glass doors and flaps with panels of clear glass on lacquered aluminium frame. **Rear-side rim lacquering** of clear glass doors and flaps optionally in pure white, white, grey or silk grey. The aluminium frame is in a standard lacquer colour matching the rear-side rim lacquering of the clear glass doors and flaps. **When ordering units with clear glass doors and flaps please be sure to state the colour of the rear-side rim lacquering!**

Fitted glass shelves:
Fitted glass shelves behind fronts are of clear glass.

Glass cover shelves:
Glass cover shelves optionally rear-lacquered in pure white, white, grey or silk grey. **When ordering rear-lacquered glass cover shelves please be sure to state the desired version!**

Ceramic cover shelves:
Ceramic cover shelves optionally in zaha stone, storm nero, white, grey, calacatta, concrete or pulpis. **When ordering ceramic cover shelves please be sure to state the desired version!**

Open glass compartments:
Open glass compartments with sides of clear glass, top and bottom shelf as well as rear wall in wood/lacquer version.

Metal substructures:
Metal substructures optionally in high-gloss chrome (metal substructure A) resp. in high-gloss chrome or anthracite structured lacquer (metal substructure B). **When ordering metal substructure B please be sure to state the desired version!**

Standard interior fittings:
Wooden shelves are fitted at intervals of 2 rasters behind wooden doors and glass shelves are fitted behind doors with clear glass fronts and rear side rim lacquering as well behind the clear glass panel of doors with clear glass panels.

Fabric-covered flaps:
Fabric-covered flaps optionally in the versions black, white or silver. **Please state clearly in the order!**

Drawer frames in standard grey

Wall units:
If units are planned as wall units, a wall bracket must be ordered.

Stacked units:
If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

Combinations of floor and wall units:
If floor and wall units are combined within an arrangement, there must not be any skirting boards in the room near the floor units, otherwise they must be removed.

Max. load:
Max. load of wooden and glass shelves (up to 70.4 cm width) as well as drawers: 25 kg
Max. load of wooden and glass shelves (between 70.4 and 105.6 cm width): 15 kg
Max. load of wooden and glass shelves (from 105.6 cm width): 10 kg
Max. load of cover shelves: 35 kg per metre length for floor units.

Please also note any existing maximum load data for individual units which may be stated later and the important notes on the quality of walls at the end of this type list.

hülsta-Push-to-open/hülsta-SoftFlow:
Drawers and flaps with hülsta Push-to-open. All drawers on hidden bearings as fully pull-out units. If drawers are fitted with knobs, these are supplied with hülsta-SoftFlow on hidden roller bearings as fully pull-out units with automatic cushioned closing device.

Room dividers / rear wall panelling

Low-, side- and highboards in 45.0 and 52.0 cm depth can be used as room dividers.

1 - 6 Raster (carcase) units which are at least 140.8 cm wide, as single units or in a combination of several units, can be used as room dividers in 45.0 and 52.0 cm depth.

The standard rear side of clearly defined room-divider single units is panelled to look like a door if not otherwise stated in the order.

The rear wall panelling is split in the middle in the case of 6 Raster high units from a width of 105.6 cm.

The rear wall panelling is only available in front version.

Units which are fitted with an extra cover shelf can not be used as room dividers.

Information on the sketches

Partitions behind flaps/glass flaps
Partitions are used behind flaps/glass flaps in front widths from 140.8 cm. In the sketches the partitions are shown by dotted lines or are shown visibly behind glass flaps.



Partitions behind doors/glass doors
Partitions are used behind doors/glass doors in front widths from 105.6 cm. In the sketches the partitions are shown by dotted lines or are shown visibly behind glass doors.



Split drawer frames
Split drawer frames are used for drawers in front widths from 140.8 cm (the partitions are shown by dotted lines in the sketches). The front widths of the drawers are illustrated at the sketches of the units so that you can order suitable accessories for the drawers.

Order of markings
The markings for the fronts go from left to right and/or from top to bottom.



Wall fitting

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15.
For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used.
For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Wall units / stacked units

If 1 and 2 Raster units as well as lowboards are included as wall units, a maximum load per unit of 15 kg per metre must not be exceeded for reasons of stability! Max. load 15 kg per metre:

35.2 cm width: 5.0 kg
52.8 cm width: 7.5 kg
70.4 cm width: 10.0 kg
105.6 cm width: 15.0 kg
140.8 cm width: 20.0 kg
158.4 cm width: 20.0 kg
176.0 cm width: 25.0 kg
211.2 cm width: 30.0 kg
246.4 cm width: 30.0 kg

If 4 - 12 Raster units, side- or highboards are included as wall units, a maximum load per unit of 40 kg must not be exceeded for reasons of stability!

The wall units can only be fitted on absolutely solid walls. Light masonry is not suitable for this purpose.

For each project please remember to leave a 2.0 cm gap at the top to be able to mount units.

If units are planned as wall units, a wall bracket must be ordered.

If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

Labelling in type list drawings / assembly notes for wall units

Labelling in type list drawings / assembly notes for wall units
The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes. Please be sure to note here the information and notes in the “Wall composition” chapter!

3
4

Notes on delivery

Notes on delivery:
The majority of the units are delivered standard as **fully connected units (glued)** so that the carcase **cannot be disassembled.** There are however some **exceptions** to this rule:

Some carcases are delivered as complete units but can be **disassembled into individual sections** in the final customer’s home. These types are marked with a **1** in the type list. 1

Some carcases are delivered **in individual sections** because of their size. These types are marked with a **2** in the type list. 2

The fronts with the number **2** are delivered separately and can therefore always be (dis-) assembled.

Concept and possible arrangements

Combination with units

2x 12 Raster unit with door/glass door

1x 4 Raster sideboard with six drawers

1x Metal substructure for 4 Raster sideboard

2x Wall shelf



Combination with units and side-panels

1x 8 Raster unit with door

1x Cover shelf for 8 Raster unit

3x 8 Raster side-panel

1x 6 Raster side-panel

13x Fitted wooden shelf for (wall) side-panels

1x 2 Raster lowboard: floor unit with one drawer left, fabric-covered frame front in black (for loudspeakers) in the centre and one flap right

1x 2 Raster wall unit with flap



Combination with units and side-panels

1x Wall shelf with LED lamp

1x 2 Raster wall unit with two flaps, two centre drawers

1x 2 Raster lowboard with two drawers

1x 2 Raster corner shelf incl. vertical panel

1x 2 Raster lowboard with one flap

3x 8 Raster side-panel

1x 6 Raster side-panel

13x Fitted wooden shelf for side-panels

1x 8 Raster unit with door

1x Cover shelf for 8 Raster unit



Combination with units, media panel and wall side-panels

5x 8 Raster wall side-panel

20x Fitted wooden shelf for (wall) side-panels

1x 2 Raster lowboard with four drawers

1x 6 Raster media panel with flat screen support, e.g. THIN 315

1x Media panel shelf



Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.

NEW



as illustr. v. versa	**980027** **980127**
Price gr.	
I	-
II	-
III	-
IV	-

NEW



as illustr. v. versa	**980028** **980128**
Price gr.	
I	-
II	-
III	-
IV	-

NEW



as illustr. v. versa	**980029** **980129**
Price gr.	
I	-
II	-
III	-
IV	-

NEW



as illustr. v. versa	**980030** **980130**
Price gr.	
I	-
II	-
III	-
IV	-

NEW



as illustr. v. versa	**980031** **980131**
Price gr.	
I	-
II	-
III	-
IV	-

NEW



	980032
Price gr.	
I	-
II	-
III	-
IV	-

Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.

NEW



Price gr.	980035
I	-
II	-
III	-
IV	-

NEW



Price gr.	980036
I	-
II	-
III	-
IV	-



as illustr. v. versa Price gr.	980026 980126
I	-
II	-
III	-
IV	-



as illustr. v. versa Price gr.	980002 980102
I	-
II	-
III	-
IV	-

NEW



as illustr. v. versa Price gr.	980033 980133
I	-
II	-
III	-
IV	-

NEW



as illustr. v. versa Price gr.	980034 980134
I	-
II	-
III	-
IV	-

Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.



as illustr. v. versa	980009 980109
Price gr.	
I	-
II	-
III	-
IV	-



as illustr. v. versa	980010 980110
Price gr.	
I	-
II	-
III	-
IV	-



as illustr. v. versa	980011 980111
Price gr.	
I	-
II	-
III	-
IV	-



as illustr. v. versa	980012 980112
Price gr.	
I	-
II	-
III	-
IV	-



as illustr. v. versa	980004 980104
Price gr.	
I	-
II	-
III	-
IV	-



as illustr. v. versa	980014 980114
Price gr.	
I	-
II	-
III	-
IV	-

Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.



as illustr. v. versa	**980003** **980103**
Price gr.	
I	-
II	-
III	-
IV	-



as illustr. v. versa	**980016** **980116**
Price gr.	
I	-
II	-
III	-
IV	-



as illustr. v. versa	**980005** **980105**
Price gr.	
I	-
II	-
III	-
IV	-



as illustr. v. versa	**980006** **980106**
Price gr.	
I	-
II	-
III	-
IV	-



as illustr. v. versa	**980019** **980119**
Price gr.	
I	-
II	-
III	-
IV	-



as illustr. v. versa	**980020** **980120**
Price gr.	
I	-
II	-
III	-
IV	-

Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.



S = Drawer

as illustr. v. versa	980021 980121
Price gr.	
I	-
II	-
III	-
IV	-



S = Drawer

as illustr. v. versa	980022 980122
Price gr.	
I	-
II	-
III	-
IV	-



S = Drawer
K = Flap

as illustr. v. versa	980023 980123
Price gr.	
I	-
II	-
III	-
IV	-



S = Drawer
K = Flap

as illustr. v. versa	980024 980124
Price gr.	
I	-
II	-
III	-
IV	-



S = Drawer

as illustr. v. versa	980025 980125
Price gr.	
I	-
II	-
III	-
IV	-



S = Drawer

as illustr. v. versa	980018 980118
Price gr.	
I	-
II	-
III	-
IV	-

1 Raster units

Accessories and lamps:
see pages **88-93**

1 Raster units 17.6 cm high (19.4 cm high incl. 1.8 cm high plinth adjusters), **33.0 or 45.0 cm deep**		1 drawer 35.2 cm wide		1 drawer 52.8 cm wide		1 drawer 70.4 cm wide		1 drawer 105.6 cm wide	
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
		13831	**1381**	**15831**	**1581**	**17831**	**1781**	**110831**	**11081**
	Price gr.								
	I	-	-	-	-	-	-	-	-
	II	-	-	-	-	-	-	-	-
	III	-	-	-	-	-	-	-	-
	IV	-	-	-	-	-	-	-	-
		1 flap 35.2 cm wide		1 flap 52.8 cm wide		1 flap  70.4 cm wide		1 flap NEW  105.6 cm wide	
		Flap hinge at bottom		Flap hinge at bottom		Flap hinge at bottom		Flap hinge at bottom	
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
		13838	**1388**	**15838**	**1588**	**17838**	**1788**	**109838**	**10988**
When used as wall units or stacked units: Max. load 15 kg per metre: 35.2 cm width: 5.0 kg 52.8 cm width: 7.5 kg 70.4 cm width: 10.0 kg 105.6 cm width: 15.0 kg	**Price gr.**								
	I	-	-	-	-	-	-	-	-
	II	-	-	-	-	-	-	-	-
	III	-	-	-	-	-	-	-	-
	IV	-	-	-	-	-	-	-	-

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
	4352	**4528**	**4704**	**4105**
	-	-	-	-

1 Raster open glass compartments

1 Raster open glass compartments
17.6 cm high
33.0 or 45.0 cm deep

Further units resp. a cover shelf must be planned above and below the open glass compartments.

Please state the required version clearly in the order!



35.2 cm wide



52.8 cm wide



70.4 cm wide

with 1 glass partition



105.6 cm wide

	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	1395	**1394**	**1595**	**1594**	**1795**	**1794**	**11095**	**11094**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

with 1 glass partition



105.6 cm wide

with 1 glass partition



140.8 cm wide

with 2 glass partitions



140.8 cm wide

with 2 glass partitions



158.4 cm wide

	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
as illustr. v. versa	**110951 110952**	**110941 110942**	**11495**	**11494**	**114951 114952**	**114941 114942**	**11595**	**11594**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

with 2 glass partitions



176.0 cm wide

with 2 glass partitions



176.0 cm wide

with 3 glass partitions



211.2 cm wide

with 2 glass partitions



211.2 cm wide

	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
as illustr. v. versa	**11795**	**11794**	**117951 117952**	**117941 117942**	**12195**	**12194**	**121951**	**121941**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

2 Raster units

Accessories and lamps:
see pages **88-93**

2 Raster units
35.2 cm high
(37.0 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 door		1 door NEW				
	L		L				
	17.6 cm wide		35.2 cm wide				
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep			
	213311 L 213312 R	**21311 L 21312 R**	**233311 L 233312 R**	**23311 L 23312 R**			
Price gr.							
I	-	-	-	-			
II	-	-	-	-			
III	-	-	-	-			
IV	-	-	-	-			

	1 drawer	1 drawer	1 drawer	1 drawer
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	23831	**2381**	**25831**	**2581**	**27831**	**2781**	**210831**	**21081**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

	2 drawers	2 drawers	2 drawers	2 drawers
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	23931	**2391**	**25931**	**2591**	**27931**	**2791**	**210931**	**21091**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

When used as wall units or stacked units:
Max. load 15 kg per metre:
35.2 cm width: 5.0 kg
52.8 cm width: 7.5 kg
70.4 cm width: 10.0 kg
105.6 cm width: 15.0 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4170	**4352**	**4528**	**4704**	**4105**
-	-	-	-	-

L/R = Door hinge left/right

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter! 3 4

2 Raster units

2 Raster units
35.2 cm high
(37.0 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 flap	1 flap	1 flap	1 flap NEW 3
				
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	23838 / **2388**	**25838** / **2588**	**27838** / **2788**	**209838** / **20988**
Price gr.				
I	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -

	1 flap	1 flap	1 flap	1 flap NEW 3
				
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	Flap hinge at top	Flap hinge at top	Flap hinge at top	Flap hinge at top
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	23839 / **2389**	**25839** / **2589**	**27839** / **2789**	**209839** / **20989**
Price gr.				
I	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -

	1 glass flap	1 glass flap	1 glass flap	1 glass flap NEW 3
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	23834 / **2384**	**25834** / **2584**	**27834** / **2784**	**209834** / **20984**
Price gr.				
I	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -

	1 glass flap	1 glass flap	1 glass flap	1 glass flap NEW 3
				
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	Flap hinge at top	Flap hinge at top	Flap hinge at top	Flap hinge at top
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	23835 / **2385**	**25835** / **2585**	**27835** / **2785**	**209835** / **20985**
Price gr.				
I	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -

When used as wall units or stacked units:
Max. load 15 kg per metre:
35.2 cm width: 5.0 kg
52.8 cm width: 7.5 kg
70.4 cm width: 10.0 kg
105.6 cm width: 15.0 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4352	**4528**	**4704**	**4105**
-	-	-	-

L/R = Door hinge left/right

2 Raster open glass compartments

Accessories and lamps:
see pages **88-93**

2 Raster open glass compartments
35.2 cm high
33.0 or 45.0 cm deep

Further units resp. a cover shelf must be planned above and below the open glass compartments.

Please state the required version clearly in the order!

	35.2 cm wide		 52.8 cm wide		 70.4 cm wide		with 1 glass partition  105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	2395	**2394**	**2595**	**2594**	**2795**	**2794**	**21095**	**21094**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-
	with 1 glass partition  105.6 cm wide		with 1 glass partition  140.8 cm wide		with 2 glass partitions  140.8 cm wide		with 2 glass partitions  158.4 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
as illustr. v. versa	**210951 210952**	**210941 210942**	**21495**	**21494**	**214951 214952**	**214941 214942**	**21595**	**21594**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-
	with 2 glass partitions  176.0 cm wide		with 2 glass partitions  176.0 cm wide		with 3 glass partitions  211.2 cm wide		with 2 glass partitions  211.2 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
as illustr. v. versa	**21795**	**21794**	**217951 217952**	**217941 217942**	**22195**	**22194**	**221951**	**221941**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

3 Raster units

3 Raster units
52.8 cm high
(54.6 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

1 door

L

17.6 cm wide

Price gr.	33.0 cm deep	45.0 cm deep
	313311 L **313312 R**	**31311 L** **31312 R**
I	-	-
II	-	-
III	-	-
IV	-	-

1 drawer; 1 flap

35.2 cm wide

Price gr.	Flap hinge at bottom		33.0 cm deep	45.0 cm deep
			33831	**3381**
I			-	-
II			-	-
III			-	-
IV			-	-

1 drawer; 1 flap



52.8 cm wide

Price gr.	Flap hinge at bottom		33.0 cm deep	45.0 cm deep
			35831	**3581**
I			-	-
II			-	-
III			-	-
IV			-	-

1 drawer; 1 flap



70.4 cm wide

Price gr.	Flap hinge at bottom		33.0 cm deep	45.0 cm deep
			37831	**3781**
I			-	-
II			-	-
III			-	-
IV			-	-

1 drawer; 1 flap

NEW



105.6 cm wide

Price gr.	Flap hinge at bottom		33.0 cm deep	45.0 cm deep
			309831	**30981**
I			-	-
II			-	-
III			-	-
IV			-	-

2 drawers

35.2 cm wide

Price gr.	Flap hinge at bottom		33.0 cm deep	45.0 cm deep
			33931	**3391**
I			-	-
II			-	-
III			-	-
IV			-	-

2 drawers

52.8 cm wide

Price gr.	Flap hinge at bottom		33.0 cm deep	45.0 cm deep
			35931	**3591**
I			-	-
II			-	-
III			-	-
IV			-	-

2 drawers

70.4 cm wide

Price gr.	Flap hinge at bottom		33.0 cm deep	45.0 cm deep
			37931	**3791**
I			-	-
II			-	-
III			-	-
IV			-	-

2 drawers



105.6 cm wide

Price gr.	Flap hinge at bottom		33.0 cm deep	45.0 cm deep
			310931	**31091**
I			-	-
II			-	-
III			-	-
IV			-	-

1 flap; 1 drawer

35.2 cm wide

Price gr.	Flap hinge at bottom		33.0 cm deep	45.0 cm deep
			33631	**3361**
I			-	-
II			-	-
III			-	-
IV			-	-

1 flap; 1 drawer



52.8 cm wide

Price gr.	Flap hinge at bottom		33.0 cm deep	45.0 cm deep
			35631	**3561**
I			-	-
II			-	-
III			-	-
IV			-	-

1 flap; 1 drawer



70.4 cm wide

Price gr.	Flap hinge at bottom		33.0 cm deep	45.0 cm deep
			37631	**3761**
I			-	-
II			-	-
III			-	-
IV			-	-

1 flap; 1 drawer

NEW

105.6 cm wide

Price gr.	Flap hinge at bottom		33.0 cm deep	45.0 cm deep
			309631	**30961**
I			-	-
II			-	-
III			-	-
IV			-	-

When used as wall units or stacked units:
Max. load 15 kg per metre:
35.2 cm width: 5.0 kg
52.8 cm width: 7.5 kg
70.4 cm width: 10.0 kg
105.6 cm width: 15.0 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4170	**4352**	**4528**	**4704**	**4105**
-	-	-	-	-

L/R = Door hinge left/right

4 Raster units

Accessories and lamps:
see pages **88-93**

4 Raster units
70.4 cm high
(72.2 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 door		1 door		1 door		1 door		2 doors	
	L		L		L		L		 3	
	17.6 cm wide		35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	413311 L 413312 R	**41311 L 41312 R**	**433311 L 433312 R**	**43311 L 43312 R**	**453311 L 453312 R**	**45311 L 45312 R**	**473311 L 473312 R**	**47311 L 47312 R**	**410331**	**41031**
Price gr.										
I	-	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-	-
			2 drawers		2 drawers		2 drawers		2 drawers	
										
			35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
			33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
			43831	**4381**	**45831**	**4581**	**47831**	**4781**	**410831**	**41081**
Price gr.										
I			-	-	-	-	-	-	-	-
II			-	-	-	-	-	-	-	-
III			-	-	-	-	-	-	-	-
IV			-	-	-	-	-	-	-	-
			3 drawers		3 drawers		3 drawers		3 drawers	
										
			35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
			33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
			43931	**4391**	**45931**	**4591**	**47931**	**4791**	**410931**	**41091**
Price gr.										
I			-	-	-	-	-	-	-	-
II			-	-	-	-	-	-	-	-
III			-	-	-	-	-	-	-	-
IV			-	-	-	-	-	-	-	-
			1 glass door		1 glass door		1 glass door		2 glass doors	
			L		L		L		3	
			35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
			33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
			434311 L 434312 R	**43411 L 43412 R**	**454311 L 454312 R**	**45411 L 45412 R**	**474311 L 474312 R**	**47411 L 47412 R**	**410431**	**41041**
Price gr.										
I			-	-	-	-	-	-	-	-
II			-	-	-	-	-	-	-	-
III			-	-	-	-	-	-	-	-
IV			-	-	-	-	-	-	-	-

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
	4170	**4352**	**4528**	**4704**	**4105**
	-	-	-	-	-

L/R = Door hinge left/right

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter! 3 4

5 Raster units

5 Raster units
88.0 cm high
(89.8 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 door	1 door	1 door	1 door	2 doors
	L	 L	 L	 L	 3
	17.6 cm wide	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	513311 L 513312 R / **51311 L 51312 R**	**533311 L 533312 R** / **53311 L 53312 R**	**553311 L 553312 R** / **55311 L 55312 R**	**573311 L 573312 R** / **57311 L 57312 R**	**510331** / **51031**
Price gr.					
I	- / -	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -	- / -

	3 drawers	3 drawers	3 drawers	3 drawers
				
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	53931 / **5391**	**55931** / **5591**	**57931** / **5791**	**510931** / **51091**
Price gr.				
I	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -

	1 glass door	1 glass door	1 glass door	2 glass doors
	L	L	L	3
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	534311 L 534312 R / **53411 L 53412 R**	**554311 L 554312 R** / **55411 L 55412 R**	**574311 L 574312 R** / **57411 L 57412 R**	**510431** / **51041**
Price gr.				
I	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
	4170	**4352**	**4528**	**4704**	**4105**
	-	-	-	-	-

L/R = Door hinge left/right

6 Raster units

Accessories and lamps:
see pages **88-93**

6 Raster units
105.6 cm high
(107.4 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 door	1 door	1 door	1 door	2 doors
	 L	 L	 L	 L	3
	17.6 cm wide	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	613311 L 613312 R / **61311 L 61312 R**	**632311 L 632312 R** / **63211 L 63212 R**	**652311 L 652312 R** / **65211 L 65212 R**	**672311 L 672312 R** / **67211 L 67212 R**	**610231** / **61021**
Price gr.					
I	- / -	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -	- / -

	2 drawers; 1 door	2 drawers; 1 door	2 drawers; 1 door	2 drawers; 2 doors
	L	 L	 L	
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	634311 L 634312 R / **63411 L 63412 R**	**654311 L 654312 R** / **65411 L 65412 R**	**674311 L 674312 R** / **67411 L 67412 R**	**610431** / **61041**
Price gr.				
I	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -

	3 drawers	3 drawers	3 drawers	3 drawers
				
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	63631 / **6361**	**65631** / **6561**	**67631** / **6761**	**610631** / **61061**
Price gr.				
I	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -

	4 drawers	4 drawers	4 drawers	4 drawers
				
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	63731 / **6371**	**65731** / **6571**	**67731** / **6771**	**610731** / **61071**
Price gr.				
I	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4170	**4352**	**4528**	**4704**	**4105**
-	-	-	-	-

L/R = Door hinge left/right

Assembly notes for wall units: 3 4
Please be sure to note here the information and notes in the "Wall composition" chapter!

6 Raster units

6 Raster units
105.6 cm high
(107.4 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 glass door		1 glass door		1 glass door		2 glass doors	
	 L		L		 L		3	
	35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	635341 L 635342 R	**63541 L 63542 R**	**655341 L 655342 R**	**65541 L 65542 R**	**675341 L 675342 R**	**67541 L 67542 R**	**610534**	**61054**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

	1 door/glass door		1 door/glass door		1 door/glass door		2 doors/glass doors	
	 L		 L		 L		3	
	35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	633341 L 633342 R	**63341 L 63342 R**	**653341 L 653342 R**	**65341 L 65342 R**	**673341 L 673342 R**	**67341 L 67342 R**	**610334**	**61034**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

		1 door/glass door		1 door/glass door		2 doors/glass doors	
		 L		 L		3	
		52.8 cm wide		70.4 cm wide		105.6 cm wide	
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
as illustr. (L) v. versa (R)		**654341 L 654342 R**	**65441 L 65442 R**	**674341 L 674342 R**	**67441 L 67442 R**	**610434**	**61044**
Price gr.							
I		-	-	-	-	-	-
II		-	-	-	-	-	-
III		-	-	-	-	-	-
IV		-	-	-	-	-	-

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4352	**4528**	**4704**	**4105**
-	-	-	-

L/R = Door hinge left/right

8 Raster units

Accessories and lamps:
see pages **88-93**

8 Raster units
140.8 cm high
(142.6 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 door	1 door	1 door	1 door	2 doors
	 L	 L	 L	 L	1  3
	17.6 cm wide	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	813311 L 813312 R / **81311 L 81312 R**	**832311 L 832312 R** / **83211 L 83212 R**	**852311 L 852312 R** / **85211 L 85212 R**	**872311 L 872312 R** / **87211 L 87212 R**	**810231** / **81021**
Price gr.					
I	- / -	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -	- / -

	2 doors	2 doors	2 doors	2 doors	4 doors
	 L	 L	L	 L	1  3
	17.6 cm wide	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	814311 L 814312 R / **81411 L 81412 R**	**833311 L 833312 R** / **83311 L 83312 R**	**853311 L 853312 R** / **85311 L 85312 R**	**873311 L 873312 R** / **87311 L 87312 R**	**810331** / **81031**
Price gr.					
I	- / -	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -	- / -

		1 door; 3 drawers	1 door; 3 drawers	1 door; 3 drawers	2 doors; 3 drawers
		L	L	L	1  3
		35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
		33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
		834311 L 834312 R / **83411 L 83412 R**	**854311 L 854312 R** / **85411 L 85412 R**	**874311 L 874312 R** / **87411 L 87412 R**	**810431** / **81041**
Price gr.					
I		- / -	- / -	- / -	- / -
II		- / -	- / -	- / -	- / -
III		- / -	- / -	- / -	- / -
IV		- / -	- / -	- / -	- / -

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
	4170	**4352**	**4528**	**4704**	**4105**
	-	-	-	-	-

L/R = Door hinge left/right

Notes on delivery: 1 2
Please see here the information on range introduction pages.

Assembly notes for wall units: 3 4
Please be sure to note here the information and notes in the "Wall composition" chapter!

8 Raster units

8 Raster units
140.8 cm high
(142.6 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 glass door; 1 door		1 glass door; 1 door		1 glass door; 1 door		2 glass doors; 2 doors	
	L		 L		 L		1  3	
	35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	831341 L 831342 R	**83141 L 83142 R**	**851341 L 851342 R**	**85141 L 85142 R**	**871341 L 871342 R**	**87141 L 87142 R**	**810134**	**81014**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

	1 glass door; 3 drawers		1 glass door; 3 drawers		1 glass door; 3 drawers		2 glass doors; 3 drawers	
	 L		L		 L		1 3	
	35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	832341 L 832342 R	**83241 L 83242 R**	**852341 L 852342 R**	**85241 L 85242 R**	**872341 L 872342 R**	**87241 L 87242 R**	**810234**	**81024**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

	1 glass door		1 glass door		1 glass door		2 glass doors	
	 L		 L		 L		1 3	
	35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	835341 L 835342 R	**83541 L 83542 R**	**855341 L 855342 R**	**85541 L 85542 R**	**875341 L 875342 R**	**87541 L 87542 R**	**810534**	**81054**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4352	**4528**	**4704**	**4105**
-	-	-	-

L/R = Door hinge left/right

8 Raster units

Accessories and lamps:
see pages **88-93**

8 Raster units
140.8 cm high
(142.6 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 door/glass door		1 door/glass door		1 door/glass door		2 doors/glass doors	
	 L		L		 L		1  3	
	35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	833341 L **833342 R**	**83341 L** **83342 R**	**853341 L** **853342 R**	**85341 L** **85342 R**	**873341 L** **873342 R**	**87341 L** **87342 R**	**810334**	**81034**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

	1 door/glass door		1 door/glass door		2 doors/glass doors	
	 L		 L		1  3	
	52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	854341 L **854342 R**	**85441 L** **85442 R**	**874341 L** **874342 R**	**87441 L** **87442 R**	**810434**	**81044**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4352	**4528**	**4704**	**4105**
-	-	-	-

L/R = Door hinge left/right

Notes on delivery:
Please see here the information on range introduction pages. 1 2

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter! 3 4

10 Raster units

10 Raster units
176.0 cm high
(177.8 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 door	1 door	1 door	1 door	2 doors
	L	L	 L	 L	1 3
	17.6 cm wide	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	1013311 L 1013312 R / **101311 L 101312 R**	**1032311 L 1032312 R** / **103211 L 103212 R**	**1052311 L 1052312 R** / **105211 L 105212 R**	**1072311 L 1072312 R** / **107211 L 107212 R**	**1010231** / **101021**
Price gr.					
I	- / -	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -	- / -

	2 doors	2 doors	2 doors	2 doors	4 doors
	 L	 L	 L	 L	1 3
	17.6 cm wide	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	1014311 L 1014312 R / **101411 L 101412 R**	**1033311 L 1033312 R** / **103311 L 103312 R**	**1053311 L 1053312 R** / **105311 L 105312 R**	**1073311 L 1073312 R** / **107311 L 107312 R**	**1010331** / **101031**
Price gr.					
I	- / -	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -	- / -

		1 door; 3 drawers	1 door; 3 drawers	1 door; 3 drawers	2 doors; 3 drawers
		 L	 L	L	1  3
		35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
		33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
		1034311 L 1034312 R / **103411 L 103412 R**	**1054311 L 1054312 R** / **105411 L 105412 R**	**1074311 L 1074312 R** / **107411 L 107412 R**	**1010431** / **101041**
Price gr.					
I		- / -	- / -	- / -	- / -
II		- / -	- / -	- / -	- / -
III		- / -	- / -	- / -	- / -
IV		- / -	- / -	- / -	- / -

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
	4170	**4352**	**4528**	**4704**	**4105**
	-	-	-	-	-

L/R = Door hinge left/right

10 Raster units

Accessories and lamps:
see pages **88-93**

10 Raster units
176.0 cm high
(177.8 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 glass door; 1 door		1 glass door; 1 door		1 glass door; 1 door		2 glass doors; 2 doors	
	L		 L		 L		1 3	
	35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	1031341 L 1031342 R	**103141 L 103142 R**	**1051341 L 1051342 R**	**105141 L 105142 R**	**1071341 L 1071342 R**	**107141 L 107142 R**	**1010134**	**101014**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

	1 glass door; 3 drawers		1 glass door; 3 drawers		1 glass door; 3 drawers		2 glass doors; 3 drawers	
	 L		 L		 L		1 3	
	35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	1032341 L 1032342 R	**103241 L 103242 R**	**1052341 L 1052342 R**	**105241 L 105242 R**	**1072341 L 1072342 R**	**107241 L 107242 R**	**1010234**	**101024**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

	1 glass door		1 glass door		1 glass door		2 glass doors	
	L		 L		 L		1 3	
	35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	1035341 L 1035342 R	**103541 L 103542 R**	**1055341 L 1055342 R**	**105541 L 105542 R**	**1075341 L 1075342 R**	**107541 L 107542 R**	**1010534**	**101054**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4352	**4528**	**4704**	**4105**
-	-	-	-

L/R = Door hinge left/right

Notes on delivery:
Please see here the information on range introduction pages. 1 2

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter! 3 4

10 Raster units

10 Raster units
176.0 cm high
(177.8 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 door/glass door	1 door/glass door	1 door/glass door	2 doors/glass doors
	L	L	 L	1 3
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	1033341 L 1033342 R / **103341 L 103342 R**	**1053341 L 1053342 R** / **105341 L 105342 R**	**1073341 L 1073342 R** / **107341 L 107342 R**	**1010334** / **101034**
Price gr.				
I	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -

	1 door/glass door	1 door/glass door	2 doors/glass doors
	 L	 L	1 3
	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	1054341 L 1054342 R / **105441 L 105442 R**	**1074341 L 1074342 R** / **107441 L 107442 R**	**1010434** / **101044**
Price gr.			
I	- / -	- / -	- / -
II	- / -	- / -	- / -
III	- / -	- / -	- / -
IV	- / -	- / -	- / -

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4352	**4528**	**4704**	**4105**
-	-	-	-

L/R = Door hinge left/right

12 Raster units

Accessories and lamps:
see pages **88-93**

12 Raster units
211.2 cm high
(213.0 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 door	1 door	1 door	1 door	2 doors
	 L	 L	 L	 L	1  3
	17.6 cm wide	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	1213311 L 1213312 R / **121311 L 121312 R**	**1232311 L 1232312 R** / **123211 L 123212 R**	**1252311 L 1252312 R** / **125211 L 125212 R**	**1272311 L 1272312 R** / **127211 L 127212 R**	**1210231** / **121021**
Price gr.					
I	- / -	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -	- / -

	2 doors	2 doors	2 doors	2 doors	4 doors
	 L	L	 L	 L	1  3
	17.6 cm wide	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	1214311 L 1214312 R / **121411 L 121412 R**	**1233311 L 1233312 R** / **123311 L 123312 R**	**1253311 L 1253312 R** / **125311 L 125312 R**	**1273311 L 1273312 R** / **127311 L 127312 R**	**1210331** / **121031**
Price gr.					
I	- / -	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -	- / -

		1 door; 3 drawers	1 door; 3 drawers	1 door; 3 drawers	2 doors; 3 drawers
		 L	 L	 L	1  3
		35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
		33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
		1234311 L 1234312 R / **123411 L 123412 R**	**1254311 L 1254312 R** / **125411 L 125412 R**	**1274311 L 1274312 R** / **127411 L 127412 R**	**1210431** / **121041**
Price gr.					
I		- / -	- / -	- / -	- / -
II		- / -	- / -	- / -	- / -
III		- / -	- / -	- / -	- / -
IV		- / -	- / -	- / -	- / -

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4170	**4352**	**4528**	**4704**	**4105**
-	-	-	-	-

L/R = Door hinge left/right

Notes on delivery:
Please see here the information on range introduction pages. 1 2

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter! 3 4

12 Raster units

12 Raster units
211.2 cm high
(213.0 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 glass door; 1 door		1 glass door; 1 door		1 glass door; 1 door		2 glass doors; 2 doors	
	L		L		 L		1 3	
	35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	1231341 L 1231342 R	**123141 L 123142 R**	**1251341 L 1251342 R**	**125141 L 125142 R**	**1271341 L 1271342 R**	**127141 L 127142 R**	**1210134**	**121014**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

	1 glass door; 3 drawers		1 glass door; 3 drawers		1 glass door; 3 drawers		2 glass doors; 3 drawers	
	L		L		 L		1 3	
	35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	1232341 L 1232342 R	**123241 L 123242 R**	**1252341 L 1252342 R**	**125241 L 125242 R**	**1272341 L 1272342 R**	**127241 L 127242 R**	**1212234**	**121224**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

	1 glass door		1 glass door		1 glass door		2 glass doors	
	L		 L		 L		1  3	
	35.2 cm wide		52.8 cm wide		70.4 cm wide		105.6 cm wide	
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	1235341 L 1235342 R	**123541 L 123542 R**	**1255341 L 1255342 R**	**125541 L 125542 R**	**1275341 L 1275342 R**	**127541 L 127542 R**	**1210534**	**121054**
Price gr.								
I	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4352	**4528**	**4704**	**4105**
-	-	-	-

L/R = Door hinge left/right

12 Raster units

Accessories and lamps:
see pages **88-93**

12 Raster units
211.2 cm high
(213.0 cm high incl. 1.8 cm high plinth adjusters),
33.0 or 45.0 cm deep

	1 door/glass door	1 door/glass door	1 door/glass door	2 doors/glass doors
	 L	 L	 L	 1 3
	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	1233341 L **1233342 R** / **123341 L** **123342 R**	**1253341 L** **1253342 R** / **125341 L** **125342 R**	**1273341 L** **1273342 R** / **127341 L** **127342 R**	**1210334** / **121034**
Price gr.				
I	- / -	- / -	- / -	- / -
II	- / -	- / -	- / -	- / -
III	- / -	- / -	- / -	- / -
IV	- / -	- / -	- / -	- / -

	1 door/glass door	1 door/glass door	2 doors/glass doors
	 L	 L	 1 3
	52.8 cm wide	70.4 cm wide	105.6 cm wide
	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep	33.0 cm deep / 45.0 cm deep
	1254341 L **1254342 R** / **125441 L** **125442 R**	**1274341 L** **1274342 R** / **127441 L** **127442 R**	**1210434** / **121044**
Price gr.			
I	- / -	- / -	- / -
II	- / -	- / -	- / -
III	- / -	- / -	- / -
IV	- / -	- / -	- / -

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4352	**4528**	**4704**	**4105**
-	-	-	-

L/R = Door hinge left/right

1 Raster lowboards

Accessories: see pages **88-90**

1 Raster lowboards
17.6 cm high
(19.4 cm high incl. 1.8 cm high plinth adjusters),
33.0; 45.0 or 52.0 cm deep

incl. centre cable aperture behind flap in rear wall of each compartment

52.0 cm deep lowboards cannot be used as wall units!

When used as wall units or stacked units:
Max. load 15 kg per metre:
105.6 cm width: 15.0 kg
140.8 cm width: 20.0 kg
176.0 cm width: 25.0 kg
211.2 cm width: 30.0 kg
246.4 cm width: 30.0 kg

	1 drawer			2 drawers			3 drawers		
	NEW 105.6 cm wide			 70,4 70,4 **3** 140.8 cm wide			 52,8 70,4 52,8 **4** 176.0 cm wide		
	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**10311**	**10411**	**10511**	**144131**	**14411**	**14511**	**174131**	**17411**	**17511**
Price gr.									
I	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-

	2 drawers			1 drawer; 1 flap			1 drawer; 1 flap		
	 52,8 52,8 **3** NEW 105.6 cm wide			 70,4 70,4 **3** 140.8 cm wide			NEW  70,4 105,6 **4** 176.0 cm wide		
	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**104231**	**10421**	**10521**	**1442381 1442382**	**144281 144282**	**145281 145282**	**173211 173212**	**174211 174212**	**175211 175212**
Price gr.									
I	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-

	1 flap			1 flap			1 flap		
	NEW  105.6 cm wide			 70,4 70,4 **3** 140.8 cm wide			NEW 88,0 88,0 **4** 176.0 cm wide		
	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep
	10318	**10418**	**10518**	**144138**	**14418**	**14518**	**17318**	**17418**	**17518**
Price gr.									
I	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-

		2 flaps			2 flaps		
		 70,4 70,4 **3** 140.8 cm wide			NEW  70,4 105,6 **4** 176.0 cm wide		
		33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa		**144338**	**14438**	**14538**	**173281 173282**	**174281 174282**	**175281 175282**
Price gr.							
I		-	-	-	-	-	-
II		-	-	-	-	-	-
III		-	-	-	-	-	-
IV		-	-	-	-	-	-

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 105.6 cm width		for 140.8 cm width		for 176.0 cm width	
4105		**4140**		**4176**	
-		-		-	

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

Assembly notes for wall units: 3
Please be sure to note here the information and notes in the "Wall composition" chapter! 4

	2 drawers			3 drawers			1 drawer; 1 open compartment; 1 drawer			1 drawer; 1 open compartment; 1 flap		
	NEW 105,6 105,6 4			70,4 70,4 70,4 4 NEW			70,4 105,6 70,4 4			70,4 105,6 70,4 4		
	211.2 cm wide			211.2 cm wide			246.4 cm wide			246.4 cm wide		
	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep
	11311	**11411**	**11511**	**114331**	**11431**	**11531**	**13332**	**13432**	**13532**	**133321 133322**	**134321 134322**	**135321 135322**
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	1 drawer; 1 flap			1 drawer; 1 flap			1 drawer; 1 flap					
	70,4 140,8 4			NEW 105,6 105,6 4			NEW 105,6 140,8 4					
	211.2 cm wide			211.2 cm wide			246.4 cm wide					
	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep			
	1142311 1142312	**114211 114212**	**115211 115212**	**113311 113312**	**114311 114312**	**115311 115312**	**133311 133312**	**134311 134312**	**135311 135312**			
	-	-	-	-	-	-	-	-	-			
	-	-	-	-	-	-	-	-	-			
	-	-	-	-	-	-	-	-	-			
	-	-	-	-	-	-	-	-	-			
	1 flap						1 flap					
	NEW 105,6 105,6 4						70,4 105,6 70,4 4					
	211.2 cm wide						246.4 cm wide					
	33.0 cm deep	45.0 cm deep	52.0 cm deep				33.0 cm deep	45.0 cm deep	52.0 cm deep			
	11318	**11418**	**11518**				**13318**	**13418**	**13518**			
	-	-	-				-	-	-			
	-	-	-				-	-	-			
	-	-	-				-	-	-			
	-	-	-				-	-	-			
	2 flaps						2 flaps					
	70,4 140,8 4 NEW						105,6 140,8 4 NEW					
	211.2 cm wide						246.4 cm wide					
	33.0 cm deep	45.0 cm deep	52.0 cm deep				33.0 cm deep	45.0 cm deep	52.0 cm deep			
	1143381 1143382	**114381 114382**	**115381 115382**				**133331 133332**	**134331 134332**	**135331 135332**			
	-	-	-				-	-	-			
	-	-	-				-	-	-			
	-	-	-				-	-	-			
	-	-	-				-	-	-			

	for 211.2 cm width		for 211.2 cm width		for 246.4 cm width		for 246.4 cm width	
	4211		**4211**		**4246**		**4246**	
	-		-		-		-	

2 Raster lowboards

Accessories: see pages **88-90**

2 Raster lowboards
35.2 cm high
(37.0 cm high incl. 1.8 cm high plinth adjusters),
33.0; 45.0 or 52.0 cm deep

incl. centre cable aperture behind flap in rear wall of each compartment

52.0 cm deep lowboards cannot be used as wall units!

When used as wall units or stacked units:
Max. load 15 kg per metre:
105.6 cm width: 15.0 kg
140.8 cm width: 20.0 kg
176.0 cm width: 25.0 kg
211.2 cm width: 30.0 kg
246.4 cm width: 30.0 kg

1 drawer



NEW

105.6 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**204131**	**20411**	**20511**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

2 drawers



3

140.8 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**244131**	**24411**	**24511**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

1 drawer; 1 fabric covered flap



4

NEW

176.0 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**273161 273162**	**274161 274162**	**275161 275162**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

2 drawers



3

NEW

105.6 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**204331**	**20431**	**20531**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

1 drawer; 1 flap



3

140.8 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**2442381 2442382**	**244281 244282**	**245281 245282**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

1 drawer; 1 flap

NEW



4

176.0 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**273171 273172**	**274171 274172**	**275171 275172**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

2 drawers; 1 flap

NEW



4

176.0 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**273181 273182**	**274181 274182**	**275181 275182**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

1 flap



NEW

105.6 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**20318**	**20418**	**20518**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

1 flap



3

140.8 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**244138**	**24418**	**24518**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

1 flap



4

NEW

176.0 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**27318**	**27418**	**27518**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

4 drawers



3

140.8 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**244231**	**24421**	**24521**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

4 drawers



4

NEW

176.0 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**273211 273212**	**274211 274212**	**275211 275212**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

2 flaps

NEW



4

176.0 cm wide

	33.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**273191 273192**	**274191 274192**	**275191 275192**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 105.6 cm width		for 140.8 cm width		for 176.0 cm width		for 176.0 cm width	
4105		**4140**		**4176**		**4176**	
-		-		-		-	

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

Assembly notes for wall units: 3
Please be sure to note here the information and notes in the "Wall composition" chapter! 4

	1 drawer; 1 fabric covered flap; 1 flap  4 NEW 211.2 cm wide			1 drawer; 1 open compartment; 1 drawer  4 246.4 cm wide			1 drawer; 1 open compartment; 1 flap  4 246.4 cm wide		
	33.0 cm deep	45.0 cm deep	52.0 cm deep		33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep
	213161 **213162**	**214161** **214162**	**215161** **215162**		**23332**	**23432**	**23532**	**233321** **233322**	**234321** **234322**	**235321** **235322**
	- - - -	- - - -	- - - -		- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
	1 drawer; 1 flap  4 NEW 211.2 cm wide			2 drawers; 1 flap  4 NEW 211.2 cm wide			1 drawer; 1 flap  4 NEW 246.4 cm wide		
	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	
	2143311 **2143312**	**214311** **214312**	**215311** **215312**	**2144311** **2144312**	**214411** **214412**	**215411** **215412**	**2343311** **2343312**	**234311** **234312**	**235311** **235312**	
	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	
	1 flap  4 NEW 211.2 cm wide						1 flap  4 246.4 cm wide			
	33.0 cm deep	45.0 cm deep	52.0 cm deep				33.0 cm deep	45.0 cm deep	52.0 cm deep	
	21318	**21418**	**21518**				**23318**	**23418**	**23518**	
	- - - -	- - - -	- - - -				- - - -	- - - -	- - - -	
	4 drawers  4 NEW 211.2 cm wide			2 flaps  4 NEW 211.2 cm wide			2 flaps  4 NEW 246.4 cm wide			
	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	
	21321	**21421**	**21521**	**2143381** **2143382**	**214381** **214382**	**215381** **215382**	**233331** **233332**	**234331** **234332**	**235331** **235332**	
	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	

	for 211.2 cm width		for 211.2 cm width		for 246.4 cm width		for 246.4 cm width	
	4211 -		**4211** -		**4246** -		**4246** -	

3 Raster lowboards

Accessories: see pages **88-90**

3 Raster lowboards
52.8 cm high
(54.6 cm high incl. 1.8 cm high plinth adjusters),
45.0 cm or 52.0 cm deep

incl. centre cable aperture behind flap in rear wall of each compartment

52.0 cm deep lowboards cannot be used as wall units!

When used as wall units or stacked units:
Max. load 15 kg per metre:
105.6 cm width: 15.0 kg
140.8 cm width: 20.0 kg
176.0 cm width: 25.0 kg
211.2 cm width: 30.0 kg
246.4 cm width: 30.0 kg

	2 drawers		4 drawers	
	 3		 3	
	105.6 cm wide		140.8 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**30451**	**30551**	**34451**	**34551**
Price gr.				
I	-	-	-	-
II	-	-	-	-
III	-	-	-	-
IV	-	-	-	-

	1 flap; 1 drawer		2 flaps; 2 drawers	
	 3		 3	
	105.6 cm wide		140.8 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**30461**	**30561**	**34461**	**34561**
Price gr.				
I	-	-	-	-
II	-	-	-	-
III	-	-	-	-
IV	-	-	-	-

	1 open compartment; 1 drawer		2 open compartments; 2 drawers	
	 3		 3	
	105.6 cm wide		140.8 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**30471**	**30571**	**34471**	**34571**
Price gr.				
I	-	-	-	-
II	-	-	-	-
III	-	-	-	-
IV	-	-	-	-

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 105.6 cm width		for 140.8 cm width	
4105		**4140**	
-		-	

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

Assembly notes for wall units: 3
Please be sure to note here the information and notes in the “Wall composition” chapter! 4

	4 drawers		4 drawers		6 drawers	
	 4		 4		 4	
	176.0 cm wide		211.2 cm wide		246.4 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
	374251 **374252**	**375251** **375252**	**31451**	**31551**	**32451**	**32551**
	-	-	-	-	-	-
	-	-	-	-	-	-
	-	-	-	-	-	-
	-	-	-	-	-	-

	2 flaps; 2 drawers		2 flaps; 2 drawers		2 drawers; 1 flap, 1 drawer; 2 drawers	
	 4		 4		 4	
	176.0 cm wide		211.2 cm wide		246.4 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
	374261 **374262**	**375261** **375262**	**31461**	**31561**	**32461**	**32561**
	-	-	-	-	-	-
	-	-	-	-	-	-
	-	-	-	-	-	-
	-	-	-	-	-	-

	2 open compartments; 2 drawers		2 open compartments; 2 drawers		2 drawers; 1 open compartment, 1 drawer; 2 drawers	
	 4		 4		 4	
	176.0 cm wide		211.2 cm wide		246.4 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
	374271 **374272**	**375271** **375272**	**31471**	**31571**	**32471**	**32571**
	-	-	-	-	-	-
	-	-	-	-	-	-
	-	-	-	-	-	-
	-	-	-	-	-	-

	for 176.0 cm width		for 211.2 cm width		for 246.4 cm width	
	4176		**4211**		**4246**	
	-		-		-	

2 Raster media lowboards

2 Raster media lowboards
35.2 cm high
(37.0 cm high incl. 1.8 cm high plinth adjusters),
52.0 cm deep

Cover shelf with cable cover in high-gloss chrome on rear edge

incl. centre cable aperture behind flap in rear wall of each compartment

Max. load: 40 kg

2 Raster media lowboards cannot be used as wall units!

	1 fabric-covered flap, 1 drawer	1 drawer; 1 fabric-covered flap, 1 drawer
		
	105.6 cm wide	140.8 cm wide
as illustr. v. versa	**210075**	**2140751** **2140752**
Price gr.		
I	-	-
II	-	-
III	-	-
IV	-	-

	1 flap; 1 fabric-covered flap, 1 drawer
	
	140.8 cm wide
as illustr. v. versa	**2141751** **2141752**
Price gr.	
I	-
II	-
III	-
IV	-

K = Flap

Please observe the space requirements given by the electrical dealer (heat build-up)!

Price gr.
I
II
III
IV

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

	1 drawer; 1 fabric-covered flap, 1 drawer	1 drawer; 1 fabric-covered flap, 1 drawer; 1 drawer	1 drawer; 1 fabric-covered flap, 1 drawer; 1 drawer
			
	176.0 cm wide	211.2 cm wide	246.4 cm wide
	2170751 **2170752** - - - -	**221075** - - - -	**224075** - - - -
	1 flap; 1 fabric-covered flap, 1 drawer	1 drawer; 1 fabric-covered flap, 1 drawer; 1 flap	1 drawer; 1 fabric-covered flap, 1 drawer; 1 flap
			
	176.0 cm wide	211.2 cm wide	246.4 cm wide
	2171751 **2171752** - - - -	**2211751** **2211752** - - - -	**2241751** **2241752** - - - -
	1 flap; 1 fabric-covered flap, 1 drawer; 1 flap	1 flap; 1 fabric-covered flap, 1 drawer; 1 flap	1 flap; 1 fabric-covered flap, 1 drawer; 1 flap
			
	176.0 cm wide	211.2 cm wide	246.4 cm wide
	217275 - - - -	**221275** - - - -	**224275** - - - -

3 Raster media lowboards

3 Raster media lowboards
52.8 cm high
(54.6 cm high incl. 1.8 cm high plinth adjusters),
52.0 cm deep

Cover shelf with cable cover in high-gloss chrome on rear edge

incl. centre cable aperture behind flap in rear wall of each compartment

Max. load: 40 kg

3 Raster media lowboards cannot be used as wall units!

K = Flap
T = Door

Please observe the space requirements given by the electrical dealer (heat build-up)!

	1 fabric-covered flap, 1 drawer	2 drawers; 1 fabric-covered flap, 1 drawer
		
	105.6 cm wide	140.8 cm wide
as illustr. v. versa	**310075**	**3140751** **3140752**
Price gr.		
I	-	-
II	-	-
III	-	-
IV	-	-

	1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer
	
	140.8 cm wide
as illustr. v. versa	**3141751** **3141752**
Price gr.	
I	-
II	-
III	-
IV	-

	2 flaps; 1 fabric-covered flap, 1 drawer
	
	140.8 cm wide
as illustr. v. versa	**3142751** **3142752**
Price gr.	
I	-
II	-
III	-
IV	-

	1 door; 1 fabric-covered flap, 1 drawer
	
	140.8 cm wide
as illustr. v. versa	**3143751** **3143752**
Price gr.	
I	-
II	-
III	-
IV	-

	1 open compartment, 1 drawer; 1 fabric-covered flap, 1 drawer
	
	140.8 cm wide
as illustr. v. versa	**3144751** **3144752**
Price gr.	
I	-
II	-
III	-
IV	-

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

	2 drawers; 1 fabric-covered flap, 1 drawer; 2 drawers  176.0 cm wide	2 drawers; 1 fabric-covered flap, 1 drawer; 2 drawers  211.2 cm wide	2 drawers; 1 fabric-covered flap, 1 drawer; 2 drawers  246.4 cm wide
	317075 - - - -	**321075** - - - -	**324075** - - - -
	1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer; 2 drawers  176.0 cm wide	1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer; 2 drawers  211.2 cm wide	1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer; 2 drawers  246.4 cm wide
	3171751 **3171752** - - - -	**3211751** **3211752** - - - -	**3241751** **3241752** - - - -
	1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer; 1 flap, 1 drawer  176.0 cm wide	1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer; 1 flap, 1 drawer  211.2 cm wide	1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer; 1 flap, 1 drawer  246.4 cm wide
	317275 - - - -	**321275** - - - -	**324275** - - - -
	1 door; 1 fabric-covered flap, 1 drawer; 1 door  176.0 cm wide	1 door; 1 fabric-covered flap, 1 drawer; 1 door  211.2 cm wide	2 doors; 1 fabric-covered flap, 1 drawer; 2 doors  246.4 cm wide
	317375 - - - -	**321375** - - - -	**324375** - - - -
	1 open compartment, 1 drawer; 1 fabric-covered flap, 1 drawer; 1 open compartment, 1 drawer  176.0 cm wide	1 open compartment, 1 drawer; 1 fabric-covered flap, 1 drawer; 1 open compartment, 1 drawer  211.2 cm wide	1 open compartment, 1 drawer; 1 fabric-covered flap, 1 drawer; 1 open compartment, 1 drawer  246.4 cm wide
	317475 - - - -	**321475** - - - -	**324475** - - - -

Media accessories for lowboards



Rear wall with cable aperture and space for storing cables for lowboards with 2 Raster high compartments
Rear wall for feeding cables, plugs, etc. to make connections easier for all electrical media units in lowboards with 2 Raster high compartments. The standard real wall is omitted and the price has been deducted.

Usable dims. of lowboards:
Height: 31.4 cm
Depth (45.0): 35.9 cm
Depth (52.0): 42.9 cm

	for 105.6 cm width	for 140.8 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width
	109	**149**	**179**	**219**	**249**
Price gr.					
I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-



Subwoofer base cut-out section
Base cut-out section 12 x 23.2 cm
The sounds from the subwoofer pass out through the base cut-out section in the lowboard without hindrance.
The exact position in the carcase is predetermined ex-works and cannot be altered.

14

-



Cable aperture K1
silver-coloured; Ø 8.0 cm
It is possible to fit a cable aperture in the top shelf of the lowboard. The cable aperture can be made at the rear of the top shelf. The position is in the centre of the compartment, distance from centre of aperture to rear edge of unit: 10.0 cm.

If media panels are fitted on a lowboard, please state the exact position of the cable aperture in the order.

K1

-



Cable aperture K7
silver-coloured; 7.0 x 12.0 cm
It is possible to fit a cable aperture in the top shelf of the lowboard. The position is in the centre of the compartment, flush with the rear edge of the unit.

If media panels are fitted on a lowboard, please state the exact position of the cable aperture in the order.

K7

-



Cable aperture K8
silver-coloured; 12.8 x 3.2 cm
It is possible to fit a cable aperture in the top shelf of the lowboard. The cable aperture can be made at the rear rim of the top shelf. Positioned in centre of compartment.

If media panels are fitted on a lowboard, please state the exact position of the cable aperture in the order.

The cable aperture K8 cannot be fitted above an open compartment.

K8

-

NEW



Cable aperture K9
13.0 x 1.6 cm
It is possible to fit a cable aperture in a fitted shelf. The cable aperture can be made at the rear rim of the fitted shelf. Positioned in centre of compartment.

K9

-

Multiple socket

Multiple socket
7.4 cm high, 44.6 cm long, 5.7 cm deep
Can be fitted in the lowboard in front of the rear wall optionally left (L) or right (R) in the compartment behind the fabric-covered flap, switch can be fitted in wooden cover shelf optionally left or right (see sketch) or possible when fitting an optional glass or ceramic cover shelf in the left or right outer carcase side of the lowboards. Please state the required position clearly in the order!
If the multiple socket is planned into 45.0 cm deep lowboards, the drawer depth is reduced by 3.0 cm.



Multiple socket with on/off function continuous current all 6 sockets
291 L **292 R**
-

IR repeater set

IR repeater set
Infrared signal transmission set for operating media units behind wooden/lacquered fronts. You can operate all the units in one compartment with one set. The following applies:

- One set must be used in each compartment. 2 transmitters can also be installed in large compartments in order to increase performance. In this case only one additional transmitter needs to be ordered.
- The transmitter must be placed in the direct vicinity of the receiver eye.
- Transmittable IR frequency band 20 – 60 kHz
- Up to 3 transmitters can be combined with one receiver.

It is possible to use 3 transmitters via 1 receiver including Master box. This enables simultaneous operation of 3 different furniture compartments or in critical situations it allows fitting out one furniture compartment with several transmitters in order to increase the performance in this compartment or to operate 2 end units placed next to one another.

The IR repeater set consists of:
- 1 receiver eye (Ø 3.0 cm) incl. standing bracket
- 1 electrical transmitter
- 1 plug EVG 12 V
- Cable clips

Please note the details stated in the operating instructions!

IR repeater set 1 receiver eye and 1 transmitter incl. standing bracket
2001
-
Extra transmitter
2003
-

TV columns

TV columns can be rotated and adjusted in angle, for fitting on **floor lowboards with partition** (not possible with 2 Raster lowboards with 2 drawers on top of one another and wall lowboards).
The TV column can only be fitted above a partition in the centre. The partition is provided with a cut-out section for cables (no surcharge). No drawers are possible below the TV column.

TV column 52



The revolving TV column 52 is suitable for flat screens with a screen diagonal of 38“-52“ (96-132 cm), max. load: 35 kg
TV revolving column 52 compatible with VESA Norm standard:
min. 75 x 75 mm, max. 400 x 400 mm

The revolving TV column 65 is suitable for flat screens with a screen diagonal of 38“-65“ (96-165 cm), max. load: 40 kg
TV revolving column 65 compatible with VESA Norm standard:
min. 75 x 75 mm, max. 800 x 400 mm

TV column 65



TV column 52	TV column 65
9404	**9403**
-	-

Usable sizes for lowboards

Sufficient ventilation for hi-fi (media) units

Please observe the space requirements given by the electrical dealer (heat build-up)!

Usable sizes of 1 and 2 Raster lowboards



Usable sizes behind 52 cm wide flap:
Height 1 / 2 Raster: 13.8 / 31.4 cm
Width: 49 cm
Depth 33 / 45 cm: 28.3 / 40.3 cm



Usable sizes behind 70 cm wide flap:
Height 1 / 2 Raster: 13.8 / 31.4 cm
Width: 66.6 cm
Depth 33 / 45 cm: 28.3 / 40.3 cm



Usable sizes behind 105 cm wide flap:
Height 1 / 2 Raster: 13.8 / 31.4 cm
Width: 97 cm
Depth 33 / 45 cm: 28.3 / 40.3 cm



Usable sizes in 70 cm wide, open compartment:
Height: 9.4 cm
Width: 62.2 cm
Depth 33 / 45 cm: 26.2 / 38.2 cm



Usable sizes in 105 cm wide, open compartment:
Height: 9.4 cm
Width: 97.4 cm
Depth 33 / 45 cm: 26.2 / 38.2 cm

Usable sizes for 2 Raster media lowboards



For 105.6 and 140.8 cm wide media lowboards:

Usable sizes behind fabric-covered flap:
Height: 10.8 cm
Width: 97 cm
Depth: 38 cm

Usable sizes behind flap:
Height: 15.7 cm
Width: 97 cm
Depth: 47.3 cm

Usable sizes behind outer flap:
Height: 31.4 cm
Width: 31.4 cm
Depth: 47.3 cm



For 176.0 cm wide media lowboards:

Usable sizes behind fabric-covered flap:
Height: 10.8 cm
Width: 97 cm
Depth: 38 cm

Usable sizes behind centre flap:
Height: 15.7 cm
Width: 97 cm
Depth: 47.3 cm

Usable sizes behind outer flaps (per side):
Height: 31.4 cm
Width: 31.4 cm
Depth: 47.3 cm



For 211.2 cm wide media lowboards:

Usable sizes behind fabric-covered flap:
Height: 10.8 cm
Width: 97 cm
Depth: 38 cm

Usable sizes behind centre flap:
Height: 15.7 cm
Width: 97 cm
Depth: 47.3 cm

Usable sizes behind outer flaps (per side):
Height: 31.4 cm
Width: 49 cm
Depth: 47.3 cm



For 246.4 cm wide media lowboards:

Usable sizes behind fabric-covered flap:
Height: 10.8 cm
Width: 97 cm
Depth: 38 cm

Usable sizes behind centre flap:
Height: 15.7 cm
Width: 97 cm
Depth: 47.3 cm

Usable sizes behind outer flaps (per side):
Height: 31.4 cm
Width: 66.6 cm
Depth: 47.3 cm

Usable sizes for 3 Raster media lowboards



For 105.6 and 140.8 cm wide media lowboards:

Usable sizes behind fabric-covered flap:
Height: 10.8 cm
Width: 97 cm
Depth: 38 cm

Usable sizes behind flap:
Height: 33 cm
Width: 97 cm
Depth: 47.3 cm

Usable sizes behind outer flap:
Height: 31.4 cm
Width: 31.4 cm
Depth: 47.3 cm

Usable sizes behind outer flap:
Height: 9.4 cm
Width: 27 cm
Depth: 38.2 cm



For 176.0 cm wide media lowboards:

Usable sizes behind fabric-covered flap:
Height: 10.8 cm
Width: 97 cm
Depth: 38 cm

Usable sizes behind centre flap:
Height: 33 cm
Width: 97 cm
Depth: 47.3 cm

Usable sizes behind outer flaps (per side):
Height: 31.4 cm
Width: 31.4 cm
Depth: 47.3 cm

Usable sizes behind outer flaps (per side):
Height: 9.4 cm
Width: 27 cm
Depth: 38.2 cm



For 211.2 cm wide media lowboards:

Usable sizes behind fabric-covered flap:
Height: 10.8 cm
Width: 97 cm
Depth: 38 cm

Usable sizes behind flap:
Height: 33 cm
Width: 97 cm
Depth: 47.3 cm

Usable sizes behind outer flaps (per side):
Height: 31.4 cm
Width: 49 cm
Depth: 47.3 cm

Usable sizes behind outer flaps (per side):
Height: 9.4 cm
Width: 44.6 cm
Depth: 38.2 cm



For 246.4 cm wide media lowboards:

Usable sizes behind fabric-covered flap:
Height: 10.8 cm
Width: 97 cm
Depth: 38 cm

Usable sizes behind flap:
Height: 33 cm
Width: 97 cm
Depth: 47.3 cm

Usable sizes behind outer flaps (per side):
Height: 31.4 cm
Width: 66.6 cm
Depth: 47.3 cm

Usable sizes behind outer flaps (per side):
Height: 9.4 cm
Width: 62.2 cm
Depth: 38.2 cm

6 Raster media panels

6 Raster media panels
104.1 cm high;
9.6 cm thick incl. assembly space

for fitting anywhere on walls using invisible special bracket

broken lines = fixed position of optional media panel shelves (with LED lamps)



140.8 cm wide



176.0 cm wide



211.2 cm wide



246.4 cm wide

Price gr.	140.8 cm wide	176.0 cm wide	211.2 cm wide	246.4 cm wide
	6145	**6175**	**6215**	**6245**
I	-	-	-	-
II	-	-	-	-
III	-	-	-	-
IV	-	-	-	-

Accessories for media panels





Media panel shelves
23.4 cm deep; 2.9 cm thick

Can only be fitted at fixed positions at the left and/or right and top and/or bottom of the media panels (see the sketches at top). Please state clearly in the order.

Max. load: 15 kg

Price gr.	52.8 cm wide	70.4 cm wide
	55	**75**
I	-	-
II	-	-
III	-	-
IV	-	-

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).



LED lamps for media panel shelves

for 52.8 cm width	for 70.4 cm width
2.4 W	4.7 W
512	**812**
-	-



Top LED lamps for media panels
for fitting at top behind media panels

for 140.8 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width
9.8 W	12.5 W	15.3 W	17.5 W
914	**917**	**921**	**924**
-	-	-	-



R

Side LED lamps for media panels
for fitting left (**L**) and/or right (**R**) behind the media panels

6.3 W

691 L
692 R

-



Cable aperture K3
silver-coloured; Ø 7.2 cm (aperture 5.6 cm)
It is possible to fit a cable aperture in the media panels above the lower media panel shelves (see sketch on the left). The cable aperture is made 37.5 cm from the lower rim and 35.2 cm from the left and/or right side of the media panel. Please state the exact position (left and/or right) clearly in the order!

K3

-

14.2 cm high
93.0 cm wide
40.0 cm deep



Top glass section for TV
Glass top, 1.0 cm thick, of clear glass, fitted on lowboards.
Max. load: 50 kg

1917

-

IR repeater sets

IR repeater sets
Infrared signal transmission sets for operating media units behind wooden/lacquered fronts. You can operate all the units in one compartment with one set. The following applies:

- One set must be used in each compartment. 2 transmitters can also be installed in large compartments in order to increase performance. In this case only one additional transmitter needs to be ordered.
- The transmitter must be placed in the direct vicinity of the receiver eye of the media unit.
- Transmittable IR frequency band 20 – 60 kHz
- Up to 3 transmitters can be combined with one receiver.

It is possible to use 3 transmitters via 1 receiver including Master box. This enables simultaneous operation of 3 different furniture compartments or in critical situations it allows fitting out one furniture compartment with several transmitters in order to increase the performance in this compartment or to operate 2 end units placed next to one another.

The IR repeater set consists of:
- in the case of **IR repeater set 1:** 1 receiver eye (Ø 3.0 cm) incl. standing bracket
- in the case of **IR repeater set 2:** 1 receiver eye (Ø 3.0 cm)
- 1 electrical transmitter
- 1 plug EVG 12 V
- Cable clips

Standard fitting position of IR repeater set 2:
- in media panels: 4.0 cm from the lower rim and 12.0 cm from the left outer side of the media panels

Please note the details stated in the operating instructions!

IR repeater set 1 1 receiver eye and 1 transmitter incl. standing bracket	**IR repeater set 2** 1 receiver eye and 1 transmitter (always fitted at left of media panel)
2001	**2002**
-	-
Extra transmitter	
2003	
-	

Media accessories for lowboards

Column system, flat screen supports

Column system
consisting of a metal column (for fitting anywhere on wall) and of audio/DVD support(s), for fitting anywhere on column.

Example of use:



Columns
of metal; for fitting anywhere on walls above top rim of plinth slat; cables can be laid and hidden at any height; audio/DVD supports can be fitted anywhere on the column.

36.8 cm high	64.1 cm high
9201	**9202**
-	-

Audio/DVD support
of metal; can be positioned at any height on the column and be adjusted to suit audio/DVD players of any size; with rubber padding at front to prevent units from slipping; max. load: 10 kg

9203

-

Flat screen support WTL6
The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 102-216 cm (40“-85“); max. load: 45 kg.
Suitable for Curved TV’s.
Flat screen support compatible with VESA Norm standard:
min.: 200 x 200 mm
max.: 600 x 400 mm

for fitting anywhere on walls	for fitting at fixed positions on media panels (see below; later assembly not possible; incl. cable aperture in support and wall panel)
9704	**9705**
-	-

Flat screen support THIN 345, ideally adaptable
The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 81-140 cm (32“-55“) and a maximum depth of 4.5 cm; max. load: 25 kg.
Go to www.vogels.com to check if your flat screen can be fitted on this flat screen support. Enter the name THIN 345. After a few steps you can see if your flat screen TV is compatible with the flat screen support.
Not suitable for Curved TV’s.
Flat screen support compatible with VESA Norm standard:
min.: 100 x 100 mm
max.: 600 x 400 mm



for fitting anywhere on walls	for fitting at fixed positions on media panels (see below; later assembly not possible; incl. cable aperture in support and wall panel)
9304	**9305**
-	-

Flat screen support THIN 315
The flat screen support can be angled up to a max. 15°. It is suitable for flat screens with a screen diagonal of 102-165 cm (40“-65“) and a maximum depth of 5.0 cm; max. load: 25 kg.
Go to www.vogels.com to check if your flat screen can be fitted on this flat screen support. Enter the name THIN 315. After a few steps you can see if your flat screen TV is compatible with the flat screen support.
Not suitable for Curved TV’s.
Flat screen support compatible with VESA Norm standard:
min.: 100 x 100 mm
max.: 600 x 400 mm



for fitting anywhere on walls	for fitting anywhere on media panels (a cable aperture K1 is supplied and can be fitted on site)
9504	**9505**
-	-

Assembly positions of flat screen supports on media panels

Besides being able to mount the flat screen support anywhere on a wall, it is also possible to mount it in front of media panels in the range. For reasons of statics and construction, only the assembly positions shown below are possible for the **flat screen supports types 9705 and 9305**, other positions must not be used. Please state clearly in your order at which position the flat screen support is to be mounted, the media panels are then provided with mounting holes accordingly. Later assembly is not possible. The **flat screen support type 9505** can be mounted at any position - even at a later date. Height position: centrally in wall panel.

Possible width positions of flat screen supports on media panels



for 140.8 cm width

In sketch 1:
The centre of the flat screen support is 70.4 cm from the left and right side of the media panel.



for 176.0 cm width

In sketch 2:
The centre of the flat screen support in position 1 (or position 3) is 61.6 cm from the left (or right) side of the media panel. The centre of the flat screen support in position 2 is 88.0 cm from the left and right side of the media panel.



for 211.2 cm width

In sketch 3:
The centre of the flat screen support in position 1 (or position 3) is 70.4 cm from the left (or right) side of the media panel. The centre of the flat screen support in position 2 is 105.6 cm from the left and right side of the media panel.



for 246.4 cm width

In sketch 4:
The centre of the flat screen support in position 1 (or position 3) is 71.6 cm from the left (or right) side of the media panel. The centre of the flat screen support in position 2 is 123.2 cm from the left and right side of the media panel.

Note on measurements in sketches:
The size scale above the sketches is not true to scale. The sizes are always based on the centre of the flatscreen TV support in the given fitted position.

4 Raster sideboards

Accessories and lamps:
see pages **88-93**

4 Raster sideboards
70.4 cm high
(72.2 cm high incl. 1.8 cm high plinth adjusters),
45.0 or 52.0 cm deep

	6 drawers		1 door; 3 drawers		1 door; 3 drawers; 1 door	
	 176.0 cm wide		 176.0 cm wide		 176.0 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**417121 417122**	**417111 417112**	**417221 417222**	**417211 417212**	**41732**	**41731**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

	4 doors		1 door; 3 drawers; 1 door		1 door; 2 drawers, 1 open compartment; 1 door	
	 176.0 cm wide		 176.0 cm wide		 176.0 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
	41742	**41741**	**41752**	**41751**	**41762**	**41761**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

	1 door; 2 drawers, 1 open compartment; 1 door		2 drawers, 1 open compartment; 3 drawers		2 drawers, 1 open compartment; 1 door	
	 176.0 cm wide		 176.0 cm wide		 176.0 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**41772**	**41771**	**417721 417722**	**417711 417712**	**417421 417422**	**417411 417412**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 176.0 cm width
4176
-

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

Notes on delivery:
Please see here the information on range introduction pages. 1 2

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter! 3 4

4 Raster sideboards

4 Raster sideboards
70.4 cm high
(72.2 cm high incl. 1.8 cm high plinth adjusters),
45.0 or 52.0 cm deep

	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
	6 drawers		2 doors; 3 drawers		1 door; 3 drawers; 1 door	
	 211.2 cm wide		 211.2 cm wide		 211.2 cm wide	
as illustr. v. versa	**42112**	**42111**	**421221** **421222**	**421211** **421212**	**42132**	**42131**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-
	3 doors		1 door; 3 drawers; 1 door		1 door; 2 drawers, 1 open compartment; 1 door	
	 211.2 cm wide		 211.2 cm wide		 211.2 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
	42142	**42141**	**42152**	**42151**	**42162**	**42161**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-
	1 door; 2 drawers, 1 open compartment; 1 door		2 drawers, 1 open compartment; 3 drawers		4 drawers; 2 open compartments	
	 211.2 cm wide		 211.2 cm wide		 211.2 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**42172**	**42171**	**421721** **421722**	**421711** **421712**	**42192**	**42191**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 211.2 cm width
4211
-

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

4 Raster sideboards

Accessories and lamps:
see pages **88-93**

4 Raster sideboards
70.4 cm high
(72.2 cm high incl. 1.8 cm high plinth adjusters),
45.0 or 52.0 cm deep

	4 doors		1 door; 3 drawers; 1 door		2 doors; 3 drawers; 1 door	
						
	246.4 cm wide		246.4 cm wide		246.4 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**42442**	**42441**	**42452**	**42451**	**424521** **424522**	**424511** **424512**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

	1 door; 2 drawers, 1 open compartment; 1 door		2 doors; 2 drawers, 1 open compartment; 1 door		1 door; 6 drawers, 1 door	
						
	246.4 cm wide		246.4 cm wide		246.4 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**42462**	**42461**	**424621** **424622**	**424611** **424612**	**42472**	**42471**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 246.4 cm width
4246
-

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

Notes on delivery: 1 2
Please see here the information on range introduction pages.

Assembly notes for wall units: 3 4
Please be sure to note here the information and notes in the "Wall composition" chapter!

6 Raster highboards

6 Raster highboards
105.6 cm high
(107.4 cm high incl. 1.8 cm high plinth adjusters),
45.0 or 52.0 cm deep

	8 drawers		1 door; 4 drawers		1 door; 4 drawers; 1 door	
						
	176.0 cm wide		176.0 cm wide		176.0 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**617121 617122**	**617111 617112**	**617221 617222**	**617211 617212**	**61732**	**61731**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

	1 door; 4 drawers; 1 door		1 door; 3 drawers, 1 open compartment; 1 door		1 door; 3 drawers, 1 open compartment; 1 door	
						
	176.0 cm wide		176.0 cm wide		176.0 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
	61752	**61751**	**61762**	**61761**	**61772**	**61771**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

	3 drawers, 1 open compartment; 4 drawers		6 drawers; 2 open compartments		3 drawers, 1 open compartment; 1 door	
						
	176.0 cm wide		176.0 cm wide		176.0 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**617721 617722**	**617711 617712**	**617321 617322**	**617311 617312**	**617421 617422**	**617411 617412**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.	for 176.0 cm width
	4176
	-

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

6 Raster highboards

Accessories and lamps:
see pages **88-93**

6 Raster highboards
105.6 cm high
(107.4 cm high incl. 1.8 cm high plinth adjusters),
45.0 or 52.0 cm deep

	4 drawers; 4 doors		2 doors; 4 drawers		1 door; 4 drawers; 1 door	
	 211.2 cm wide		 211.2 cm wide		 211.2 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**62112**	**62111**	**621221 621222**	**621211 621212**	**62132**	**62131**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

	3 doors		1 door; 4 drawers; 1 door		1 door; 3 drawers, 1 open compartment; 1 door	
	 211.2 cm wide		 211.2 cm wide		 211.2 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
	62142	**62141**	**62152**	**62151**	**62162**	**62161**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

	1 door; 3 drawers, 1 open compartment; 1 door		3 drawers, 1 open compartment; 4 drawers		6 drawers; 2 open compartments	
	 211.2 cm wide		 211.2 cm wide		 211.2 cm wide	
	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**62172**	**62171**	**621721 621722**	**621711 621712**	**62192**	**62191**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 211.2 cm width
4211
-

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

Notes on delivery: 1 2
Please see here the information on range introduction pages.

Assembly notes for wall units: 3 4
Please be sure to note here the information and notes in the "Wall composition" chapter!

6 Raster highboards

6 Raster highboards
105.6 cm high
(107.4 cm high incl. 1.8 cm high plinth adjusters),
45.0 or 52.0 cm deep

4 doors



246.4 cm wide

	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**62442**	**62441**
Price gr.		
I	-	-
II	-	-
III	-	-
IV	-	-

1 door; 4 drawers; 1 door



246.4 cm wide

	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**62452**	**62451**
Price gr.		
I	-	-
II	-	-
III	-	-
IV	-	-

2 doors; 4 drawers; 1 door



246.4 cm wide

	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**624521** **624522**	**624511** **624512**
Price gr.		
I	-	-
II	-	-
III	-	-
IV	-	-

1 door; 3 drawers, 1 open compartment; 1 door



246.4 cm wide

	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**62462**	**62461**
Price gr.		
I	-	-
II	-	-
III	-	-
IV	-	-

2 doors; 3 drawers, 1 open compartment; 1 door



246.4 cm wide

	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**624621** **624622**	**624611** **624612**
Price gr.		
I	-	-
II	-	-
III	-	-
IV	-	-

1 door; 8 drawers, 1 door



246.4 cm wide

	45.0 cm deep	52.0 cm deep
as illustr. v. versa	**62472**	**62471**
Price gr.		
I	-	-
II	-	-
III	-	-
IV	-	-

When used as wall units or stacked units:
Max. load per unit: 40 kg

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 246.4 cm width
4246
-

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

2 Raster wall units

Accessories and lamps:
see pages **88-93**

2 Raster wall units
35.2 cm high,
33.0 cm deep

for fitting anywhere on walls

	1 flap	1 flap NEW	1 flap	
				
	70.4 cm wide	105.6 cm wide	140.8 cm wide	
	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	
	33.0 cm deep	33.0 cm deep	33.0 cm deep	
	2718	**2098**	**2148**	
Price gr.				
I	-	-	-	
II	-	-	-	
III	-	-	-	
IV	-	-	-	
	1 flap	1 flap NEW	1 flap	
				
	70.4 cm wide	105.6 cm wide	140.8 cm wide	
	Flap hinge at top	Flap hinge at top	Flap hinge at top	
	33.0 cm deep	33.0 cm deep	33.0 cm deep	
	2719	**2099**	**2149**	
Price gr.				
I	-	-	-	
II	-	-	-	
III	-	-	-	
IV	-	-	-	
	1 glass flap	1 glass flap NEW	1 glass flap	
				
	70.4 cm wide	105.6 cm wide	140.8 cm wide	
	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	
	33.0 cm deep	33.0 cm deep	33.0 cm deep	
	2714	**2094**	**2144**	
Price gr.				
I	-	-	-	
II	-	-	-	
III	-	-	-	
IV	-	-	-	
	1 glass flap	1 glass flap NEW	1 glass flap	
				
	70.4 cm wide	105.6 cm wide	140.8 cm wide	
	Flap hinge at top	Flap hinge at top	Flap hinge at top	
	33.0 cm deep	33.0 cm deep	33.0 cm deep	
	2715	**2095**	**2145**	
Price gr.				
I	-	-	-	
II	-	-	-	
III	-	-	-	
IV	-	-	-	

Max. load of wall units:
Max. load 15 kg per metre:
105.6 cm width: 15.0 kg
140.8 cm width: 20.0 kg
176.0 cm width: 25.0 kg
211.2 cm width: 30.0 kg

	1 flap NEW  176.0 cm wide	1 flap NEW  211.2 cm wide	1 flap  246.4 cm wide
	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom
	33.0 cm deep	33.0 cm deep	33.0 cm deep
	2168 - - - -	**2208** - - - -	**2248** - - - -
	1 flap NEW  176.0 cm wide	1 flap NEW  211.2 cm wide	1 flap  246.4 cm wide
	Flap hinge at top	Flap hinge at top	Flap hinge at top
	33.0 cm deep	33.0 cm deep	33.0 cm deep
	2169 - - - -	**2209** - - - -	**2249** - - - -
	1 glass flap NEW  176.0 cm wide	1 glass flap NEW  211.2 cm wide	
	Flap hinge at bottom	Flap hinge at bottom	
	33.0 cm deep	33.0 cm deep	
	2164 - - - -	**2204** - - - -	
	1 glass flap NEW  176.0 cm wide	1 glass flap NEW  211.2 cm wide	
	Flap hinge at top	Flap hinge at top	
	33.0 cm deep	33.0 cm deep	
	2165 - - - -	**2205** - - - -	

Planning and possible arrangements for free planning

Planning and possible arrangements for free planning with floor units

Planning step 1:

Choosing the carcase unit consisting of: carcase - on 1.8 cm high plinth adjusters (from 52.8 cm width also optionally on a metal substructure) or with a wall bracket - and rear wall; also with optional extra top cover shelf.



Position	Quantity	Components	Type no.
	1	**Carcase unit,** 8 Raster high (142.6 cm incl. 1.8 cm high plinth adjusters), 105.6 cm wide, 42.3 cm deep	**81040**

Step 2:

Choosing the interior fittings (partitions, constructional shelves, fitted shelves, accessories)

Note:
Partitions, constructional and fitted shelves can be fitted anywhere within the Raster system. Partitions must be included from 140.8 cm width, though no partitions can be fitted on glass shelves (please see sketch raster). If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a constructional shelf between the drawers. **Please also observe the additional notes on wall units on the following page.**



Position	Quantity	Components	Type no.
1	**1**	**Centre partition for carcase unit,** for 8 Raster height and 42.3 cm depth	**840**
2	**2**	**Constructional shelves for carcase unit,** for 35.2 cm width and 42.3 cm depth	**634**
3	**2**	**Constructional shelves for carcase unit,** for 70.4 cm width and 42.3 cm depth	**674**
4	**1**	**Fitted shelf for carcase unit,** for 35.2 cm width and 42.3 cm depth	**134**
5	**1**	**Fitted glass shelf for carcase unit,** for 70.4 cm width and 42.3 cm depth	**374**

Step 3:

Choosing the fronts (drawers, flaps, doors and open compartments for carcase units)

Note:
Drawer fronts and flaps must be fitted between constructional shelves and partitions/carcase sides. Each compartment must be fitted with a front or an open compartment for carcase units.



Position	Quantity	Components	Type no.
1	**1**	**Open compartment for carcase unit,** for 2 Raster height, 35.2 cm width and 42.3 cm depth	**2035**
2	**1**	**Door for carcase unit,** 4 Raster high for 35.2 cm width	**40311 L**
3	**1**	**2 drawers for carcase unit,** 2 Raster high for 35.2 cm width and 42.3 cm depth	**2301**
4	**1**	**Drawer for carcase unit,** 2 Raster high for 70.4 cm width and 42.3 cm depth	**2702**
5	**1**	**Glass door for carcase unit,** 4 Raster high for 70.4 cm width	**40742 R**
6	**1**	**2 drawers for carcase unit,** 2 Raster high for 70.4 cm width and 42.3 cm depth	**2701**

Planning and possible arrangements for free planning with wall units, wall low-, side- and highboards

Fixed partitions are necessary for several wall units, wall low-, side- and highboards for reasons of safety. As a general rule the maximum full-length compartment width for wall units, wall low-, side- and highboards is 105.6 cm. If wider units are to be included, fixed partitions must be fitted (see below).
Please also observe the notes on maximum loads and the notes on the quality of walls in the “Wall composition” chapter.

Widths:
140.8 cm
158.4 cm
176.0 cm
211.2 cm



1-2 Raster lowboards as well as 4-6 Raster side- and highboards in 140.8; 158.4; 176.0 and 211.2 cm width
At least 1 partition is essential.

Width:
246.4 cm



1-2 Raster lowboards as well as 4-6 Raster side- and highboards in 246.4 cm width
At least 2 partitions are essential.

Carcase units

1 Raster carcase units
17.6 cm high
(19.4 cm high incl. 1.8 cm high plinth adjusters)

2 Raster carcase units
35.2 cm high
(37.0 cm high incl. 1.8 cm high plinth adjusters)

3 Raster carcase units
52.8 cm high
(54.6 cm high incl. 1.8 cm high plinth adjusters)

Carcase unit depth:
for all widths:
30.3 and 42.3 cm;
from 105.6 cm width extra 49.3 cm

Carcase units consisting of carcase and rear wall

Partitions, constructional and fitted shelves can be fitted anywhere within the Raster system.

When used as wall units or stacked units:
Max. load 15 kg per metre:
17.6 cm width: 5.0 kg
35.2 cm width: 5.0 kg
52.8 cm width: 7.5 kg
70.4 cm width: 10.0 kg;
from 105.6 cm width:
Max. load per unit: 40 kg

1 Raster carcase units

49.3 cm deep 1 Raster carcase units cannot be fitted as wall units!

35.2 cm wide

52.8 cm wide

70.4 cm wide


105.6 cm wide

	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep
	13530	**13540**	**15230**	**15240**	**17030**	**17040**	**11030**	**11040**	**11047**		
Price gr.											
I	-	-	-	-	-	-	-	-	-		
II	-	-	-	-	-	-	-	-	-		
III	-	-	-	-	-	-	-	-	-		
IV	-	-	-	-	-	-	-	-	-		

2 Raster carcase units

49.3 cm deep 2 Raster carcase units cannot be fitted as wall units!

17.6 cm wide

35.2 cm wide

52.8 cm wide

70.4 cm wide

105.6 cm wide

	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep
	21830	**21840**	**23530**	**23540**	**25230**	**25240**	**27030**	**27040**	**21030**	**21040**	**21047**
Price gr.											
I	-	-	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-	-	-

3 Raster carcase units

49.3 cm deep 3 Raster carcase units cannot be fitted as wall units!

17.6 cm wide

35.2 cm wide

52.8 cm wide

70.4 cm wide

105.6 cm wide

	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep
	31830	**31840**	**33530**	**33540**	**35230**	**35240**	**37030**	**37040**	**31030**	**31040**	**31047**
Price gr.											
I	-	-	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-	-	-

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4170	**4352**	**4528**	**4704**	**4105**
-	-	-	-	-

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

Notes on delivery:
Please see here the information on range introduction pages. 1 2

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter! 3 4

49.3 cm deep 1 Raster carcase units cannot be fitted as wall units!

140.8 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
11430	**11440**	**11447**
-	-	-
-	-	-
-	-	-
-	-	-

158.4 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
11530	**11540**	**11547**
-	-	-
-	-	-
-	-	-
-	-	-

176.0 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
17630	**17640**	**17647**
-	-	-
-	-	-
-	-	-
-	-	-

211.2 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
12130	**12140**	**12147**
-	-	-
-	-	-
-	-	-
-	-	-

246.4 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
12430	**12440**	**12447**
-	-	-
-	-	-
-	-	-
-	-	-

49.3 cm deep 2 Raster carcase units cannot be fitted as wall units!



140.8 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
21430	**21440**	**21447**
-	-	-
-	-	-
-	-	-
-	-	-



158.4 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
21530	**21540**	**21547**
-	-	-
-	-	-
-	-	-
-	-	-



176.0 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
27630	**27640**	**27647**
-	-	-
-	-	-
-	-	-
-	-	-

211.2 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
22130	**22140**	**22147**
-	-	-
-	-	-
-	-	-
-	-	-



246.4 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
22430	**22440**	**22447**
-	-	-
-	-	-
-	-	-
-	-	-

49.3 cm deep 3 Raster carcase units cannot be fitted as wall units!



140.8 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
31430	**31440**	**31447**
-	-	-
-	-	-
-	-	-
-	-	-

158.4 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
31530	**31540**	**31547**
-	-	-
-	-	-
-	-	-
-	-	-



176.0 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
37630	**37640**	**37647**
-	-	-
-	-	-
-	-	-
-	-	-



211.2 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
32130	**32140**	**32147**
-	-	-
-	-	-
-	-	-
-	-	-



246.4 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
32430	**32440**	**32447**
-	-	-
-	-	-
-	-	-
-	-	-

for 140.8 cm width	for 158.4 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width
4140	**4150**	**4176**	**4211**	**4246**
-	-	-	-	-

Carcase units

4 Raster carcase units
70.4 cm high
(72.2 cm high incl. 1.8 cm high plinth adjusters)

5 Raster carcase units
88.0 cm high
(89.8 cm high incl. 1.8 cm high plinth adjusters)

6 Raster carcase units
105.6 cm high
(107.4 cm high incl. 1.8 cm high plinth adjusters)

Carcase unit depth:
for all widths:
30.3 and 42.3 cm;
from 105.6 cm width extra 49.3 cm

Carcase units consisting of carcase and rear wall

Partitions, constructional and fitted shelves can be fitted anywhere within the Raster system.

When used as wall units or stacked units:
Max. load 15 kg per metre:
17.6 cm width: 5.0 kg
35.2 cm width: 5.0 kg
52.8 cm width: 7.5 kg
70.4 cm width: 10.0 kg;
from 105.6 cm width:
Max. load per unit: 40 kg

4 Raster carcase units

17.6 cm wide

35.2 cm wide

52.8 cm wide

70.4 cm wide

105.6 cm wide

	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep
	41830	**41840**	**43530**	**43540**	**45230**	**45240**	**47030**	**47040**	**41030**	**41040**	**41047**
Price gr.											
I	-	-	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-	-	-

5 Raster carcase units

17.6 cm wide

35.2 cm wide

52.8 cm wide

70.4 cm wide

105.6 cm wide

	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep
	51830	**51840**	**53530**	**53540**	**55230**	**55240**	**57030**	**57040**	**51030**	**51040**	**51047**
Price gr.											
I	-	-	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-	-	-

6 Raster carcase units

17.6 cm wide

35.2 cm wide



52.8 cm wide

70.4 cm wide

105.6 cm wide

	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep
	61830	**61840**	**63530**	**63540**	**65230**	**65240**	**67030**	**67040**	**61030**	**61040**	**61047**
Price gr.											
I	-	-	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-	-	-

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4170	**4352**	**4528**	**4704**	**4105**
-	-	-	-	-

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

Notes on delivery: 1 2
Please see here the information on range introduction pages.

Assembly notes for wall units: 3 4
Please be sure to note here the information and notes in the "Wall composition" chapter!



140.8 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
41430	**41440**	**41447**
-	-	-
-	-	-
-	-	-
-	-	-



158.4 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
41530	**41540**	**41547**
-	-	-
-	-	-
-	-	-
-	-	-



176.0 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
47630	**47640**	**47647**
-	-	-
-	-	-
-	-	-
-	-	-



1

211.2 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
42130	**42140**	**42147**
-	-	-
-	-	-
-	-	-
-	-	-



1

246.4 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
42430	**42440**	**42447**
-	-	-
-	-	-
-	-	-
-	-	-

140.8 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
51430	**51440**	**51447**
-	-	-
-	-	-
-	-	-
-	-	-

158.4 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
51530	**51540**	**51547**
-	-	-
-	-	-
-	-	-
-	-	-



176.0 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
57630	**57640**	**57647**
-	-	-
-	-	-
-	-	-
-	-	-



1

211.2 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
52130	**52140**	**52147**
-	-	-
-	-	-
-	-	-
-	-	-



1

246.4 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
52430	**52440**	**52447**
-	-	-
-	-	-
-	-	-
-	-	-



1

140.8 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
61430	**61440**	**61447**
-	-	-
-	-	-
-	-	-
-	-	-



1

158.4 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
61530	**61540**	**61547**
-	-	-
-	-	-
-	-	-
-	-	-



1

176.0 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
61730	**61740**	**61747**
-	-	-
-	-	-
-	-	-
-	-	-



1

211.2 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
62130	**62140**	**62147**
-	-	-
-	-	-
-	-	-
-	-	-



1

246.4 cm wide

30.3 cm deep	42.3 cm deep	49.3 cm deep
62430	**62440**	**62447**
-	-	-
-	-	-
-	-	-
-	-	-

for 140.8 cm width	for 158.4 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width
4140	**4150**	**4176**	**4211**	**4246**
-	-	-	-	-

Notes on delivery:
Please see here the information on range introduction pages. 1 2

Carcase units

8 Raster carcase units
140.8 cm high
(142.6 cm high incl. 1.8 cm high plinth adjusters)

10 Raster carcase units
176.0 cm high
(177.8 cm high incl. 1.8 cm high plinth adjusters)

12 Raster carcase units
211.2 cm high
(213.0 cm high incl. 1.8 cm high plinth adjusters)

Carcase unit depth:
for all widths:
30.3 and 42.3 cm

Carcase units consisting of carcase and rear wall

Partitions, constructional and fitted shelves can be fitted anywhere within the Raster system.

When used as wall units or stacked units:
Max. load per unit: 40 kg

8 Raster carcase units

17.6 cm wide

35.2 cm wide

52.8 cm wide

70.4 cm wide

1 105.6 cm wide

	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep
	81830	**81840**	**83530**	**83540**	**85230**	**85240**	**87030**	**87040**	**81030**	**81040**
Price gr.										
I	-	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-	-

10 Raster carcase units

17.6 cm wide

35.2 cm wide

52.8 cm wide

70.4 cm wide

1 105.6 cm wide

	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep
	101830	**101840**	**103530**	**103540**	**105230**	**105240**	**107030**	**107040**	**101030**	**101040**
Price gr.										
I	-	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-	-

12 Raster carcase units

17.6 cm wide

35.2 cm wide

52.8 cm wide

70.4 cm wide

1 105.6 cm wide

	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep	30.3 cm deep	42.3 cm deep
	121830	**121840**	**123530**	**123540**	**125230**	**125240**	**127030**	**127040**	**121030**	**121040**
Price gr.										
I	-	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-	-

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket must only be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
4170	**4352**	**4528**	**4704**	**4105**
-	-	-	-	-

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

Carcase units for media lowboards

2 and 3 Raster carcases for media lowboards
35.2 or 52.8 cm high
(37.0 or 54.6 cm high incl. 1.8 cm high plinth adjusters),
52.0 cm deep

All carcase units incl. 1 fabric-covered flap and 1 drawer

Cover shelf with cable cover in high-gloss chrome on rear edge

Incl. cable aperture at centre of rear wall behind flap per compartment

Max. load: 40 kg

Carcase units for media lowboards cannot be used as wall units!

2 Raster carcase units



140.8 cm wide



176.0 cm wide



211.2 cm wide



246.4 cm wide

	140.8 cm wide	176.0 cm wide	211.2 cm wide	246.4 cm wide
as illustr. v. versa	**214491** **214492**	**276491** **276492**	**221491** **221492**	**224491** **224492**
Price gr.				
I	-	-	-	-
II	-	-	-	-
III	-	-	-	-
IV	-	-	-	-



176.0 cm wide



211.2 cm wide



246.4 cm wide

		176.0 cm wide	211.2 cm wide	246.4 cm wide
		27649	**22149**	**22449**
Price gr.				
I		-	-	-
II		-	-	-
III		-	-	-
IV		-	-	-

3 Raster carcase units

140.8 cm wide



176.0 cm wide



211.2 cm wide



246.4 cm wide

	140.8 cm wide	176.0 cm wide	211.2 cm wide	246.4 cm wide
as illustr. v. versa	**314491** **314492**	**376491** **376492**	**321491** **321492**	**324491** **324492**
Price gr.				
I	-	-	-	-
II	-	-	-	-
III	-	-	-	-
IV	-	-	-	-



176.0 cm wide



211.2 cm wide



246.4 cm wide

		176.0 cm wide	211.2 cm wide	246.4 cm wide
		37649	**32149**	**32449**
Price gr.				
I		-	-	-
II		-	-	-
III		-	-	-
IV		-	-	-

Metal substructures and cover shelves

Metal substructures and cover shelves see pages **90-91**

Centre partitions for carcase units

Centre partitions for carcase units
3.8 cm thick

Depths: 28.0 cm (for 30.3 cm depth), 40.0 cm (for 42.3 cm depth) or 47.0 cm (for 49.3 cm depth)

for fitting anywhere in carcase units within the Raster system

Cannot be fitted on or below fitted glass shelves!

for 1 Raster height

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	130	**140**	**147**
Price gr.			
I	–	–	–
II	–	–	–
III	–	–	–
IV	–	–	–

for 2 Raster height

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	230	**240**	**247**
Price gr.			
I	–	–	–
II	–	–	–
III	–	–	–
IV	–	–	–

for 3 Raster height

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	330	**340**	**347**
Price gr.			
I	–	–	–
II	–	–	–
III	–	–	–
IV	–	–	–

for 4 Raster height

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	430	**440**	**447**
Price gr.			
I	–	–	–
II	–	–	–
III	–	–	–
IV	–	–	–

for 5 Raster height

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	530	**540**	**547**
Price gr.			
I	–	–	–
II	–	–	–
III	–	–	–
IV	–	–	–

for 6 Raster height

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	630	**640**	**647**
Price gr.			
I	–	–	–
II	–	–	–
III	–	–	–
IV	–	–	–

for 8 Raster height

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	830	**840**	
Price gr.			
I	–	–	
II	–	–	
III	–	–	
IV	–	–	

for 10 Raster height

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	1030	**1040**	
Price gr.			
I	–	–	
II	–	–	
III	–	–	
IV	–	–	

for 12 Raster height

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	1230	**1240**	
Price gr.			
I	–	–	
II	–	–	
III	–	–	
IV	–	–	

Constructional shelves for carcase units

Constructional shelves for carcase units
3.8 cm thick

Depths: 28.0 cm (for 30.3 cm depth), 40.0 cm (for 42.3 cm depth) or 47.0 cm (for 49.3 cm depth)

for fitting anywhere in carcase units within the Raster system

If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a constructional shelf between the drawers.

for 17.6 cm width

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	623	**624**	**627**
Price gr.			
I	–	–	–
II	–	–	–
III	–	–	–
IV	–	–	–

for 35.2 cm width

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	633	**634**	**637**
Price gr.			
I	–	–	–
II	–	–	–
III	–	–	–
IV	–	–	–

for 52.8 cm width

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	653	**654**	**657**
Price gr.			
I	–	–	–
II	–	–	–
III	–	–	–
IV	–	–	–

for 70.4 cm width

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	673	**674**	**677**
Price gr.			
I	–	–	–
II	–	–	–
III	–	–	–
IV	–	–	–

for 105.6 cm width

	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	6103	**6104**	**6107**
Price gr.			
I	–	–	–
II	–	–	–
III	–	–	–
IV	–	–	–

Fitted shelves for carcase units – behind doors

Fitted shelves for carcase units – behind doors
1.9 cm thick (2.9 cm thick for 105.6 cm width)

Depths: 27.5 cm (for 30.3 cm depth), 39.5 cm (for 42.3 cm depth) or 46.5 cm (for 49.3 cm depth)

for fitting anywhere in carcase units within the Raster system

	for 17.6 cm width			for 35.2 cm width			for 52.8 cm width			for 70.4 cm width			for 105.6 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	123	**124**	**127**	**133**	**134**	**137**	**153**	**154**	**157**	**173**	**174**	**177**	**1103**	**1104**	**1107**
Price gr.															
I	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Fitted glass shelves for carcase units – behind doors

Fitted glass shelves (clear glass) for carcase units – behind doors
0.8 cm thick

Depths: 27.5 cm (for 30.3 cm depth), 39.5 cm (for 42.3 cm depth) or 46.5 cm (for 49.3 cm depth)

for fitting in carcase units. Glass shelves must be fitted between partitions and/or carcase sides. No partitions can be fitted on/under glass shelves.

	for 17.6 cm width			for 35.2 cm width			for 52.8 cm width			for 70.4 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	323	**324**	**327**	**333**	**334**	**337**	**353**	**354**	**357**	**373**	**374**	**377**
	–	–	–	–	–	–	–	–	–	–	–	–

NEW Fitted shelves for carcase units – behind flaps

Fitted shelves for carcase units – behind flaps
1.9 cm thick (2.9 cm thick for 105.6 cm width)

Depths: 21.5 cm (for 30.3 cm depth), 33.5 cm (for 42.3 cm depth) or 40.5 cm (for 49.3 cm depth)

for fitting anywhere in carcase units within the Raster system

	for 35.2 cm width			for 52.8 cm width			for 70.4 cm width			for 105.6 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	1338	**1348**	**1378**	**1538**	**1548**	**1578**	**1738**	**1748**	**1778**	**11038**	**11048**	**11078**
Price gr.												
I	–	–	–	–	–	–	–	–	–	–	–	–
II	–	–	–	–	–	–	–	–	–	–	–	–
III	–	–	–	–	–	–	–	–	–	–	–	–
IV	–	–	–	–	–	–	–	–	–	–	–	–

NEW Fitted glass shelves for carcase units – behind flaps

Fitted glass shelves (clear glass) for carcase units – behind flaps
0.8 cm thick

Depths: 21.5 cm (for 30.3 cm depth), 33.5 cm (for 42.3 cm depth) or 40.5 cm (for 49.3 cm depth)

for fitting in carcase units. Glass shelves must be fitted between partitions and/or carcase sides. No partitions can be fitted on/under glass shelves.

	for 35.2 cm width			for 52.8 cm width			for 70.4 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	3338	**3348**	**3378**	**3538**	**3548**	**3578**	**3738**	**3748**	**3778**
	–	–	–	–	–	–	–	–	–

Open compartments for carcase units

LED light strip for open compartments see page **92**

Open compartments for carcase units

for fitting in **1 Raster (or 2, 4 or 6 Raster) open sections** of 30.3; 42.3 and 49.3 cm deep carcase units

1 Raster high = 17.2 cm
2 Raster high = 34.8 cm
4 Raster high = 70.0 cm
6 Raster high = 105.2 cm

incl. inside carcase with rear wall

for fitting between constructional shelves and partitions/ carcase sides

1 Raster high

		Usable inside dims: Height: 9.4 cm Width: 27.0 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 9.4 cm Width: 44.5 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 9.4 cm Width: 62.2 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 9.4 cm Width: 97.4 cm Depth: 26.2; 38.2; 45.2 cm		
		for 35.2 cm width			for 52.8 cm width			for 70.4 cm width			for 105.6 cm width		
		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
		1835	**1035**	**1535**	**1852**	**1052**	**1552**	**1870**	**1070**	**1570**	**18105**	**10105**	**15105**
Price gr.													
I		–	–	–	–	–	–	–	–	–	–	–	–
II		–	–	–	–	–	–	–	–	–	–	–	–
III		–	–	–	–	–	–	–	–	–	–	–	–
IV		–	–	–	–	–	–	–	–	–	–	–	–

2 Raster high

	Usable inside dims: Height: 27.0 cm Width: 9.4 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 27.0 cm Width: 27.0 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 27.0 cm Width: 44.5 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 27.0 cm Width: 62.2 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 27.0 cm Width: 97.4 cm Depth: 26.2; 38.2; 45.2 cm		
	for 17.6 cm width			for 35.2 cm width			for 52.8 cm width			for 70.4 cm width			 for 105.6 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	2825	**2025**	**2525**	**2835**	**2035**	**2535**	**2852**	**2052**	**2552**	**2870**	**2070**	**2570**	**28105**	**20105**	**25105**
Price gr.															
I	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

4 Raster high

	Usable inside dims: Height: 62.2 cm Width: 9.4 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 62.2 cm Width: 27.0 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 62.2 cm Width: 44.5 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 62.2 cm Width: 62.2 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 62.2 cm Width: 97.4 cm Depth: 26.2; 38.2; 45.2 cm		
	for 17.6 cm width			for 35.2 cm width			for 52.8 cm width			 for 70.4 cm width			 for 105.6 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	4825	**4025**	**4525**	**4835**	**4035**	**4535**	**4852**	**4052**	**4552**	**4870**	**4070**	**4570**	**48105**	**40105**	**45105**
Price gr.															
I	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

6 Raster high

	Usable inside dims: Height: 97.4 cm Width: 9.4 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 97.4 cm Width: 27.0 cm Depth: 26.2; 38.2; 45.2 cm			Usable inside dims: Height: 97.4 cm Width: 44.5 cm Depth: 26.2; 38.2; 45.2 cm		
	for 17.6 cm width			for 35.2 cm width			 for 52.8 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	6825	**6025**	**6525**	**6835**	**6035**	**6535**	**6852**	**6052**	**6552**
Price gr.									
I	–	–	–	–	–	–	–	–	–
II	–	–	–	–	–	–	–	–	–
III	–	–	–	–	–	–	–	–	–
IV	–	–	–	–	–	–	–	–	–

Fitted shelves for open compartment

Fitted shelves for open compartment
1.9 cm thick

Depths: 26.2 cm (for 30.3 cm depth), 38.2 cm (for 42.3 cm depth) or 45.2 cm (for 49.3 cm depth)

for fitting anywhere in open compartments within the Raster system

	for 17.6 cm width			for 35.2 cm width			for 52.8 cm width			for 70.4 cm width			for 105.6 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	523	**524**	**527**	**533**	**534**	**537**	**553**	**554**	**557**	**573**	**574**	**577**	**513**	**514**	**517**
Price gr.															
I	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Fitted glass shelves for open compartment

Fitted glass shelves (clear glass) for open compartment
0.8 cm thick

Depths: 26.0 cm (for 30.3 cm depth), 38.0 cm (for 42.3 cm depth) or 45.0 cm (for 49.3 cm depth)

for fitting anywhere in open compartments within the Raster system

	for 17.6 cm width			for 35.2 cm width			for 52.8 cm width			for 70.4 cm width			for 105.6 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	223	**224**	**227**	**233**	**234**	**237**	**253**	**254**	**257**	**273**	**274**	**277**	**213**	**214**	**217**
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Metal substructures

Metal substructure A
12.8 cm high; for 42.3 cm and 49.3 cm depth;
High-gloss chrome

Units, lowboards, side-/highboards and carcase units can be fitted optionally on a metal substructure (for room dividers up to max. 6 Raster carcase height). In this case the plinth adjusters are omitted.

for 105.6 cm width		for 140.8 cm width	
for 42.3 cm depth	for 49.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
4012	**5012**	**4412**	**5412**
-	-	-	-

for 158.4 cm width		for 176.0 cm width		for 211.2 cm width		for 246.4 cm width	
for 42.3 cm depth	for 49.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
4512	**5512**	**4712**	**5712**	**4112**	**5112**	**4612**	**5612**
-	-	-	-	-	-	-	-

Metal substructure B **NEW**
24.5 cm high; for 30.3 cm, 42.3 cm and 49.3 cm depth;
optionally in anthracite structured lacquer (price group I) or in high-gloss chrome (price group II)

Units, lowboards, side-/highboards and carcase units can be fitted optionally on a metal substructure (for room dividers up to max. 6 Raster carcase height). In this case the plinth adjusters are omitted.

	for 17.6 / 35.2 / 52.8 / 70.4 cm width			for 105.6 cm width			for 140.8 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
Price gr.	**3703**	**4703**	**5703**	**3013**	**4013**	**5013**	**3413**	**4413**	**5413**
I	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-

	for 158.4 cm width			for 176.0 cm width			for 211.2 cm width			for 246.4 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
Price gr.	**3513**	**4513**	**5513**	**3713**	**4713**	**5713**	**3113**	**4113**	**5113**	**3613**	**4613**	**5613**
I	-	-	-	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-	-	-	-

Cover shelves

Cover shelf
2.9 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf. We recommend fitting an extra cover shelf for visual reasons, if the (carcase) units, low-, side- and highboards are fitted between side-panels/converted with side-panels.
The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 268.0 cm width.

Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3515	**3510**	**3517**	**3610**	**3617**
Price gr.					
I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-

Cover shelf
1.0 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

NEW

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf.
The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 268.0 cm width.

Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3525	**3520**	**3527**	**3620**	**3627**
Price gr.					
I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-

Cover shelf of rear-lacquered glass
optionally rear-lacquered in pure white, white, grey or silk grey
0.8 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf.
The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.

Please be sure to state the required version in the order!

Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3535	**3530**	**3537**	**3630**	**3637**
	-	-	-	-	-

Cover shelf of ceramic
optionally in zaha stone, storm nero, white, grey, calacatta, concrete or pulpis
0.6 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

NEW

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf.
The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.

Please be sure to state the required version in the order!

Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3545	**3540**	**3547**	**3640**	**3647**
	-	-	-	-	-

1 and 2 Raster drawers

Drawers
1 Raster high = 17.2 cm
2 Raster high = 34.8 cm

Front thickness: 2.3 cm

for fitting between constructional shelves and partitions/ carcase sides

If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a constructional shelf between the drawers.

1 Raster high

	1 drawer for 35.2 cm width			1 drawer for 52.8 cm width			1 drawer for 70.4 cm width			1 drawer for 105.6 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	1331	**1301**	**1371**	**1531**	**1501**	**1571**	**1731**	**1701**	**1771**	**11031**	**11001**	**11071**
Price gr.												
I	–	–	–	–	–	–	–	–	–	–	–	–
II	–	–	–	–	–	–	–	–	–	–	–	–
III	–	–	–	–	–	–	–	–	–	–	–	–
IV	–	–	–	–	–	–	–	–	–	–	–	–

2 Raster high

	1 drawer for 35.2 cm width			1 drawer for 52.8 cm width			1 drawer for 70.4 cm width			1 drawer for 105.6 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	2332	**2302**	**2372**	**2532**	**2502**	**2572**	**2732**	**2702**	**2772**	**21032**	**21002**	**21072**
Price gr.												
I	–	–	–	–	–	–	–	–	–	–	–	–
II	–	–	–	–	–	–	–	–	–	–	–	–
III	–	–	–	–	–	–	–	–	–	–	–	–
IV	–	–	–	–	–	–	–	–	–	–	–	–

2 Raster high

	bottom 1 Raster drawer with 2 Raster front panel, top 1 Raster inside drawer for 35.2 cm width			bottom 1 Raster drawer with 2 Raster front panel, top 1 Raster inside drawer for 52.8 cm width			bottom 1 Raster drawer with 2 Raster front panel, top 1 Raster inside drawer for 70.4 cm width			bottom 1 Raster drawer with 2 Raster front panel, top 1 Raster inside drawer for 105.6 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	431	**401**	**471**	**432**	**402**	**472**	**433**	**403**	**473**	**434**	**404**	**474**
Price gr.												
I	–	–	–	–	–	–	–	–	–	–	–	–
II	–	–	–	–	–	–	–	–	–	–	–	–
III	–	–	–	–	–	–	–	–	–	–	–	–
IV	–	–	–	–	–	–	–	–	–	–	–	–

2 Raster high

	2 drawers for 35.2 cm width			2 drawers for 52.8 cm width			2 drawers for 70.4 cm width			2 drawers for 105.6 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	2331	**2301**	**2371**	**2531**	**2501**	**2571**	**2731**	**2701**	**2771**	**21031**	**21001**	**21071**
Price gr.												
I	–	–	–	–	–	–	–	–	–	–	–	–
II	–	–	–	–	–	–	–	–	–	–	–	–
III	–	–	–	–	–	–	–	–	–	–	–	–
IV	–	–	–	–	–	–	–	–	–	–	–	–

Fronts for carcase units

1 and 2 Raster flaps

Flaps
1 Raster high = 17.2 cm
2 Raster high = 34.8 cm

Front thickness: 2.3 cm

for fitting between constructional shelves and partitions/ carcase sides

If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a constructional shelf between the drawers.

1 Raster high	1 flap for 35.2 cm width	1 flap for 52.8 cm width	1 flap for 70.4 cm width	1 flap for 105.6 cm width	1 fabric-covered flap for 105.6 cm width	
	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	
	1308	**1508**	**1708**	**11008**	**1188**	
Price gr.						
I	-	-	-	-	-	
II	-	-	-	-	-	
III	-	-	-	-	-	
IV	-	-	-	-	-	
2 Raster high	1 flap for 35.2 cm width	1 flap for 52.8 cm width	1 flap for 70.4 cm width	1 flap  for 105.6 cm width	1 fabric-covered flap  for 105.6 cm width	
	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	
	2308	**2508**	**2708**	**21008**	**2188**	
Price gr.						
I	-	-	-	-	-	
II	-	-	-	-	-	
III	-	-	-	-	-	
IV	-	-	-	-	-	
2 Raster high	1 flap for 35.2 cm width	1 flap for 52.8 cm width	1 flap for 70.4 cm width	1 flap  for 105.6 cm width		
	Flap hinge at top	Flap hinge at top	Flap hinge at top	Flap hinge at top		
	2309	**2509**	**2709**	**21009**		
Price gr.						
I	-	-	-	-		
II	-	-	-	-		
III	-	-	-	-		
IV	-	-	-	-		
2 Raster high	1 glass flap for 35.2 cm width	1 glass flap for 52.8 cm width	1 glass flap for 70.4 cm width	1 glass flap  for 105.6 cm width		
	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom		
	2304	**2504**	**2704**	**21004**		
	-	-	-	-		
2 Raster high	1 glass flap for 35.2 cm width	1 glass flap for 52.8 cm width	1 glass flap for 70.4 cm width	1 glass flap  for 105.6 cm width		
	Flap hinge at top	Flap hinge at top	Flap hinge at top	Flap hinge at top		
	2305	**2505**	**2705**	**21005**		
	-	-	-	-		

	1 flap for 140.8 cm width		1 flap for 176.0 cm width	1 flap for 211.2 cm width	1 flap for 246.4 cm width
	Flap hinge at bottom		Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom
	11408 - - - -		**11708** - - - -	**12108** - - - -	**12408** - - - -
	1 flap for 140.8 cm width		1 flap for 176.0 cm width	1 flap for 211.2 cm width	1 flap for 246.4 cm width
	Flap hinge at bottom		Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom
	21408 - - - -		**21708** - - - -	**22108** - - - -	**22408** - - - -
	1 flap  for 140.8 cm width		1 flap  for 176.0 cm width	1 flap  for 211.2 cm width	1 flap  for 246.4 cm width
	Flap hinge at top		Flap hinge at top	Flap hinge at top	Flap hinge at top
	21409 - - - -		**21709** - - - -	**22109** - - - -	**22409** - - - -
	1 glass flap for 140.8 cm width		1 glass flap  for 176.0 cm width	1 glass flap  for 211.2 cm width	
	Flap hinge at bottom		Flap hinge at bottom	Flap hinge at bottom	
	21404 -		**21704** -	**22104** -	
	1 glass flap  for 140.8 cm width		1 glass flap  for 176.0 cm width	1 glass flap  for 211.2 cm width	
	Flap hinge at top		Flap hinge at top	Flap hinge at top	
	21405 -		**21705** -	**22105** -	

Fronts for carcase units

2 - 4 Raster doors

Doors
2 Raster high = 34.8 cm
3 Raster high = 52.4 cm
4 Raster high = 70.0 cm

Front thickness: 2.3 cm

for fitting between constructional shelves and partitions/ carcase sides

If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a constructional shelf between the drawers.

2 Raster high		1 door **L** for 17.6 cm width	1 door NEW **L** for 35.2 cm width		
Price gr.		**20111 L** **20112 R**	**20311 L** **20312 R**		
I		-	-		
II		-	-		
III		-	-		
IV		-	-		
3 Raster high		1 door **L** for 17.6 cm width	1 door **L** for 35.2 cm width	1 door **L** for 52.8 cm width	
Price gr.		**30111 L** **30112 R**	**30311 L** **30312 R**	**30511 L** **30512 R**	
I		-	-	-	
II		-	-	-	
III		-	-	-	
IV		-	-	-	
4 Raster high		1 door **L** for 17.6 cm width	1 door **L** for 35.2 cm width	1 door **L** for 52.8 cm width	1 door  **L** for 70.4 cm width
Price gr.		**40111 L** **40112 R**	**40311 L** **40312 R**	**40511 L** **40512 R**	**40711 L** **40712 R**
I		-	-	-	-
II		-	-	-	-
III		-	-	-	-
IV		-	-	-	-
4 Raster high			1 glass door **L** for 35.2 cm width	1 glass door **L** for 52.8 cm width	1 glass door **L** for 70.4 cm width
			40341 L **40342 R**	**40541 L** **40542 R**	**40741 L** **40742 R**
			-	-	-

L/R = Door hinge left/right

5 Raster doors

5 Raster high = 87.6 cm

Front thickness: 2.3 cm

for fitting between constructional shelves and partitions/ carcase sides

If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a constructional shelf between the drawers.

		1 door **L** for 17.6 cm width	1 door  **L** for 35.2 cm width	1 door **L** for 52.8 cm width	1 door  **L** for 70.4 cm width
Price gr.		**50111 L** **50112 R**	**50311 L** **50312 R**	**50511 L** **50512 R**	**50711 L** **50712 R**
I		-	-	-	-
II		-	-	-	-
III		-	-	-	-
IV		-	-	-	-
			1 glass door **L** for 35.2 cm width	1 glass door **L** for 52.8 cm width	1 glass door **L** for 70.4 cm width
			50341 L **50342 R**	**50541 L** **50542 R**	**50741 L** **50742 R**
			-	-	-

L/R = Door hinge left/right

Fronts for carcase units

6 Raster doors

Doors
6 Raster high = 105.2 cm

Front thickness: 2.3 cm

for fitting between construc-tional shelves and partitions/ carcase sides

If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a constructional shelf between the drawers.

		1 door **L** for 17.6 cm width	1 door  **L** for 35.2 cm width	1 door **L** for 52.8 cm width	1 door  **L** for 70.4 cm width
Price gr.		**60111 L** **60112 R**	**60311 L** **60312 R**	**60511 L** **60512 R**	**60711 L** **60712 R**
I		-	-	-	-
II		-	-	-	-
III		-	-	-	-
IV		-	-	-	-
			1 glass door **L** for 35.2 cm width	1 glass door **L** for 52.8 cm width	1 glass door **L** for 70.4 cm width
			60341 L **60342 R**	**60541 L** **60542 R**	**60741 L** **60742 R**
			-	-	-
			1 glass door/door **L** for 35.2 cm width	1 glass door/door **L** for 52.8 cm width	1 glass door/door **L** for 70.4 cm width
Price gr.			**61341 L** **61342 R**	**61541 L** **61542 R**	**61741 L** **61742 R**
I			-	-	-
II			-	-	-
III			-	-	-
IV			-	-	-
				1 glass door/door **L** for 52.8 cm width	1 glass door/door **L** for 70.4 cm width
as illustr. (L) v. versa (R)				**62541 L** **62542 R**	**62741 L** **62742 R**
Price gr.					
I				-	-
II				-	-
III				-	-
IV				-	-

L/R = Door hinge left/right

8 Raster doors

Doors
8 Raster high = 140.4 cm

Front thickness: 2.3 cm

for fitting between constructional shelves and partitions/ carcase sides

If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a constructional shelf between the drawers.

		1 door **L** for 17.6 cm width	1 door **L** for 35.2 cm width	1 door **L** for 52.8 cm width	1 door  **L** for 70.4 cm width
		80111 L **80112 R**	**80311 L** **80312 R**	**80511 L** **80512 R**	**80711 L** **80712 R**
Price gr.					
I		-	-	-	-
II		-	-	-	-
III		-	-	-	-
IV		-	-	-	-
			1 glass door **L** for 35.2 cm width	1 glass door **L** for 52.8 cm width	1 glass door **L** for 70.4 cm width
			80341 L **80342 R**	**80541 L** **80542 R**	**80741 L** **80742 R**
			-	-	-
			1 glass door/door **L** for 35.2 cm width	1 glass door/door **L** for 52.8 cm width	1 glass door/door **L** for 70.4 cm width
Price gr.			**81341 L** **81342 R**	**81541 L** **81542 R**	**81741 L** **81742 R**
I			-	-	-
II			-	-	-
III			-	-	-
IV			-	-	-
				1 glass door/door **L** for 52.8 cm width	1 glass door/door **L** for 70.4 cm width
as illustr. (L) v. versa (R)				**82541 L** **82542 R**	**82741 L** **82742 R**
Price gr.					
I				-	-
II				-	-
III				-	-
IV				-	-

L/R = Door hinge left/right

10 Raster doors

Doors
10 Raster high = 175.6 cm

Front thickness: 2.3 cm

for fitting between construc-tional shelves and partitions/ carcase sides

If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a constructional shelf between the drawers.

		1 door **L** for 17.6 cm width	1 door **L** for 35.2 cm width	1 door **L** for 52.8 cm width	1 door **L** for 70.4 cm width
		100111 L **100112 R**	**100311 L** **100312 R**	**100511 L** **100512 R**	**100711 L** **100712 R**
Price gr.					
I		-	-	-	-
II		-	-	-	-
III		-	-	-	-
IV		-	-	-	-
			1 glass door **L** for 35.2 cm width	1 glass door **L** for 52.8 cm width	1 glass door **L** for 70.4 cm width
			100341 L **100342 R**	**100541 L** **100542 R**	**100741 L** **100742 R**
			-	-	-
			1 glass door/door **L** for 35.2 cm width	1 glass door/door **L** for 52.8 cm width	1 glass door/door **L** for 70.4 cm width
Price gr.			**101341 L** **101342 R**	**101541 L** **101542 R**	**101741 L** **101742 R**
I			-	-	-
II			-	-	-
III			-	-	-
IV			-	-	-
				1 glass door/door **L** for 52.8 cm width	1 glass door/door  **L** for 70.4 cm width
as illustr. (L) v. versa (R)				**102541 L** **102542 R**	**102741 L** **102742 R**
Price gr.					
I				-	-
II				-	-
III				-	-
IV				-	-

L/R = Door hinge left/right

12 Raster doors

Doors
12 Raster high = 210.8 cm

Front thickness: 2.3 cm

for fitting between constructional shelves and partitions/ carcase sides

If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a constructional shelf between the drawers.

		1 door **L** for 17.6 cm width	1 door **L** for 35.2 cm width	1 door **L** for 52.8 cm width	1 door  **L** for 70.4 cm width
		120111 L **120112 R**	**120311 L** **120312 R**	**120511 L** **120512 R**	**120711 L** **120712 R**
Price gr.					
I		-	-	-	-
II		-	-	-	-
III		-	-	-	-
IV		-	-	-	-
			1 glass door **L** for 35.2 cm width	1 glass door **L** for 52.8 cm width	1 glass door **L** for 70.4 cm width
			120341 L **120342 R**	**120541 L** **120542 R**	**120741 L** **120742 R**
			-	-	-
			1 glass door/door **L** for 35.2 cm width	1 glass door/door **L** for 52.8 cm width	1 glass door/door **L** for 70.4 cm width
Price gr.			**121341 L** **121342 R**	**121541 L** **121542 R**	**121741 L** **121742 R**
I			-	-	-
II			-	-	-
III			-	-	-
IV			-	-	-
				1 glass door/door  **L** for 52.8 cm width	1 glass door/door  **L** for 70.4 cm width
as illustr. (L) v. versa (R)				**122541 L** **122542 R**	**122741 L** **122742 R**
Price gr.					
I				-	-
II				-	-
III				-	-
IV				-	-

L/R = Door hinge left/right

Rear wall panelling (room dividers)

Rear wall panelling (room dividers)
(Carcase) units, low-, side- and highboards can also be used optionally as room dividers. In this case extra rear wall panelling must be ordered.

Horizontal veneer direction for 1 and 2 Raster high units and vertical direction from 3 Raster high units.

Rear wall panelling

1 Raster high = 17.2 cm
2 Raster high = 34.8 cm
3 Raster high = 52.4 cm
4 Raster high = 70.0 cm
5 Raster high = 87.6 cm
6 Raster high = 105.2 cm

Units which are placed centrally in the room (room dividers) must be fitted with rear wall panelling.

1 Raster high		for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
		1930	**1950**	**1970**	**19100**	
Price gr.						
I		-	-	-	-	
II		-	-	-	-	
III		-	-	-	-	
IV		-	-	-	-	
2 Raster high		for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
	2910	**2930**	**2950**	**2970**	**29100**	
Price gr.						
I	-	-	-	-	-	
II	-	-	-	-	-	
III	-	-	-	-	-	
IV	-	-	-	-	-	
2 Raster high		for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
		2931	**2951**	**2971**	**29101**	
Price gr.						
I		-	-	-	-	
II		-	-	-	-	
III		-	-	-	-	
IV		-	-	-	-	
3 Raster high		for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
	3910	**3930**	**3950**	**3970**	**39100**	
Price gr.						
I	-	-	-	-	-	
II	-	-	-	-	-	
III	-	-	-	-	-	
IV	-	-	-	-	-	

4-6 Raster rear wall panelling:
see following double page

Important notes:
Low-, side- and highboards in 45.0 and 52.0 cm depth and 1 to 6 Raster (carcase) units, which are at least 140.8 cm wide themselves or put together in a combination of several units, can be used as room dividers. The rear walls of clearly defined room-divider single units are panelled to look like a door if not otherwise stated in the order. The rear wall panelling is split in the middle in the case of 6 Raster high units from a width of 105.6 cm. If required, the rear walls can be designed separately for each unit when placing units anywhere (free planning). This must be stated clearly in the order.

	for 140.8 cm width	For 158.4 cm width please use the rear wall panelling in 52.8; 70.4 and 105.6 cm width. for 158.4 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width
	19140 - - - -		**19170** - - - -	**19210** - - - -	**19240** - - - -
	 for 140.8 cm width	For 158.4 cm width please use the rear wall panelling in 52.8; 70.4 and 105.6 cm width. for 158.4 cm width	 for 176.0 cm width	 for 211.2 cm width	 for 246.4 cm width
	29140 - - - -		**29170** - - - -	**29210** - - - -	**29240** - - - -
	 for 140.8 cm width	For 158.4 cm width please use the rear wall panelling in 52.8; 70.4 and 105.6 cm width. for 158.4 cm width	 for 176.0 cm width	 for 211.2 cm width	 for 246.4 cm width
	39140 - - - -		**39170** - - - -	**39210** - - - -	**39240** - - - -

Rear wall panelling (room dividers)

Rear wall panelling (room dividers)
(Carcase) units, low-, side- and highboards can also be used optionally as room dividers. In this case extra rear wall panelling must be ordered.

Horizontal veneer direction for 1 and 2 Raster high units and vertical direction from 3 Raster high units.

Rear wall panelling

1 Raster high = 17.2 cm
2 Raster high = 34.8 cm
3 Raster high = 52.4 cm
4 Raster high = 70.0 cm
5 Raster high = 87.6 cm
6 Raster high = 105.2 cm

Units which are placed centrally in the room (room dividers) must be fitted with rear wall panelling.

4 Raster high

for 17.6 cm width

for 35.2 cm width

for 52.8 cm width

for 70.4 cm width

for 105.6 cm width

Price gr.	4910	4930	4950	4970	49100
I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-

5 Raster high

for 17.6 cm width

for 35.2 cm width

for 52.8 cm width

for 70.4 cm width


for 105.6 cm width

Price gr.	5910	5930	5950	5970	59100
I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-

6 Raster high

for 17.6 cm width

for 35.2 cm width

for 52.8 cm width

for 70.4 cm width


for 105.6 cm width

Price gr.	6910	6930	6950	6970	69100
I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-

1-3 Raster rear wall panelling:
see previous double page

Important notes:
Low-, side- and highboards in 45.0 and 52.0 cm depth and 1 to 6 Raster (carcase) units, which are at least 140.8 cm wide themselves or put together in a combination of several units, can be used as room dividers. The rear walls of clearly defined room-divider single units are panelled to look like a door if not otherwise stated in the order. The rear wall panelling is split in the middle in the case of 6 Raster high units from a width of 105.6 cm. If required, the rear walls can be designed separately for each unit when placing units anywhere (free planning). This must be stated clearly in the order.

	For 158.4 cm width please use the rear wall panelling in 52.8; 70.4 and 105.6 cm width.				
for 140.8 cm width	for 158.4 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width	
49140		**49170**	**49210**	**49240**	
-		-	-	-	
-		-	-	-	
-		-	-	-	
-		-	-	-	
	For 158.4 cm width please use the rear wall panelling in 52.8; 70.4 and 105.6 cm width.				
for 140.8 cm width	for 158.4 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width	
59140		**59170**	**59210**	**59240**	
-		-	-	-	
-		-	-	-	
-		-	-	-	
-		-	-	-	
	For 158.4 cm width please use the rear wall panelling in 52.8; 70.4 and 105.6 cm width.				
for 140.8 cm width	for 158.4 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width	
69140		**69170**	**69210**	**69240**	
-		-	-	-	
-		-	-	-	
-		-	-	-	
-		-	-	-	

Side-panels

Side-panels
2.9 cm thick;
33.0 cm deep

Side-panels incl. 1.8 cm high plinth adjusters

Please allow 2.5 cm gap to the ceiling and at the side for assembly in each project!

With ceiling-high side-panels: please state true room height!

Height reductions of ceiling high side-panels (max. 263.9 cm) down to 12 Raster (215.9 cm) without surcharge.

The extra high side-panels (max. 424.2 cm) are always split at 12 Raster height (215.9 cm). Height reductions without surcharge.



	8 Raster (145.5 cm high)	**10 Raster** (180.7 cm high)	**12 Raster** (215.9 cm high)	**Ceiling-high side-panel** (up to max. 263.9 cm)	**Extra-high side-panel** (up to max. 424.2 cm)
	836	**1036**	**1236**	**1636**	**2436**
Price gr.					
I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-

Wall side-panels

Wall side-panels
2.9 cm thick;
33.0 cm deep

Please allow 2.5 cm gap to the ceiling and at the side for assembly in each project!

The wall side-panels may only be fitted on absolutely solid walls. Gypsum or other light masonry is not suitable for this purpose. Max. load of a wall side-panel column (consisting of 2 wall side-panels and fitted shelves): 125 kg.

Lamps cannot be fitted on wall side-panels.



	2 Raster (38.1 cm high)	**4 Raster** (73.3 cm high)	**6 Raster** (108.5 cm high)	**8 Raster** (143.7 cm high)	**10 Raster** (178.9 cm high)
	235	**435**	**635**	**835**	**135**
Price gr.					
I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-

Corner solutions for side-panels

Cannot be fitted in combinations with wall side-panels!

Fitted corner shelf
2.9 cm thick;
74.3 x 74.3 cm

	774
Price gr.	
I	-
II	-
III	-
IV	-



Corner slat for fitted corner shelves
3.9 x 3.9 cm

Height:	**8 Raster**	**10 Raster**	**12 Raster**	**ceiling high**	**for extra heights**
	86	**106**	**126**	**166**	**246**
Price gr.					
I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-

Fitted wooden shelves for (wall) side-panels

Fitted wooden shelves for (wall) side-panels
2.9 cm thick;
33.0 cm deep

	17.6 cm wide	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide	140.8 cm wide
	1703	**3503**	**5203**	**7003**	**10503**	**14003**
Price gr.						
I	-	-	-	-	-	-
II	-	-	-	-	-	-
III	-	-	-	-	-	-
IV	-	-	-	-	-	-

Fitted glass shelves for (wall) side-panels

Fitted glass shelves (clear glass) for (wall) side-panels
0.8 cm thick;
32.8 cm deep

If fitted glass shelves are fitted in side-panels, fitted wooden shelves must be included at the top and bottom of this side-panel column for constructional reasons.

	17.6 cm wide	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide	140.8 cm wide
	1733	**3533**	**5233**	**7033**	**10533**	
	-	-	-	-	-	

Niche rear walls for side-panels

Niche rear walls for side-panels
Niche rear walls – 1.1 cm thick – (space required 2.7 cm), can be fitted between side-panels, 1-12 Raster high. Fitted shelves can be planned anywhere. It is not possible to fit a rear wall later. **Rear walls with all-round brush seal.**

When integrated LED spotlamps are fitted, the niche rear wall must be split at the height of the lamps. Please remember this when planning!

Floor plan for a rear wall in a side-panel column



Side view for a rear wall in a side-panel column



		for 1 Raster height (17.6 cm high)	**for 2 Raster height** (35.2 cm high)	**for 3 Raster height** (52.8 cm high)	**for 4 Raster height** (70.4 cm high)	**for 6 Raster height** (105.6 cm high)	**for 8 Raster height** (140.8 cm high)	**for 10 Raster height** (176.0 cm high)	**for 12 Raster height** (211.2 cm high)
		1199	**2199**	**3199**	**4199**	**6199**	**8199**	**10199**	**12199**
	Price gr.								
for 17.6 cm width	**I**	-	-	-	-	-	-	-	-
	II	-	-	-	-	-	-	-	-
	III	-	-	-	-	-	-	-	-
	IV	-	-	-	-	-	-	-	-
		1399	**2399**	**3399**	**4399**	**6399**	**8399**	**10399**	**12399**
	Price gr.								
for 35.2 cm width	**I**	-	-	-	-	-	-	-	-
	II	-	-	-	-	-	-	-	-
	III	-	-	-	-	-	-	-	-
	IV	-	-	-	-	-	-	-	-
		1599	**2599**	**3599**	**4599**	**6599**	**8599**	**10599**	**12599**
	Price gr.								
for 52.8 cm width	**I**	-	-	-	-	-	-	-	-
	II	-	-	-	-	-	-	-	-
	III	-	-	-	-	-	-	-	-
	IV	-	-	-	-	-	-	-	-
		1799	**2799**	**3799**	**4799**	**6799**	**8799**	**10799**	**12799**
	Price gr.								
for 70.4 cm width	**I**	-	-	-	-	-	-	-	-
	II	-	-	-	-	-	-	-	-
	III	-	-	-	-	-	-	-	-
	IV	-	-	-	-	-	-	-	-
		11099	**21099**	**31099**	**41099**	**61099**	**81099**	**101099**	**121099**
	Price gr.								
for 105.6 cm width	**I**	-	-	-	-	-	-	-	-
	II	-	-	-	-	-	-	-	-
	III	-	-	-	-	-	-	-	-
	IV	-	-	-	-	-	-	-	-
		11499	**21499**	**31499**	**41499**	**61499**	**81499**	**101499**	**121499**
	Price gr.								
for 140.8 cm width (split in the middle)	**I**	-	-	-	-	-	-	-	-
	II	-	-	-	-	-	-	-	-
	III	-	-	-	-	-	-	-	-
	IV	-	-	-	-	-	-	-	-

Lamps for side-panels

Lamps cannot be fitted on wall side-panels.

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).

	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 140.8 cm width
LED light strip 1.0 cm thick, 1.1 cm deep	1.6 W	2.4 W	4.7 W	6.3 W	10.2 W
	322	**522**	**822**	**112**	**142**
	-	-	-	-	-
LED light panel 1.9 cm thick; 3.0 cm deep	2.4 W	3.9 W	5.1 W	7.8 W	
behind wooden shelves  under glass shelves	**328**	**528**	**828**	**118**	
	-	-	-	-	
Integrated power LED spotlamp Ø 7.1 cm			2.9 W		
			7941		
			-		

NEW Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the “all on” or “all off” buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

2119

-

Accessories for carcase units

Fitted shelves for carcase units – behind doors

Fitted shelves for carcase units – behind doors
1.9 cm thick (2.9 cm thick for 105.6 cm width)

Depths: 27.5 cm (for 30.3 cm depth), 39.5 cm (for 42.3 cm depth) or 46.5 cm (for 49.3 cm depth)

for fitting anywhere in carcase units within the Raster system

	for 17.6 cm width			for 35.2 cm width			for 52.8 cm width			for 70.4 cm width			for 105.6 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	123	**124**	**127**	**133**	**134**	**137**	**153**	**154**	**157**	**173**	**174**	**177**	**1103**	**1104**	**1107**
Price gr.															
I	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Fitted glass shelves for carcase units – behind doors

Fitted glass shelves (clear glass) for carcase units – behind doors
0.8 cm thick

Depths: 27.5 cm (for 30.3 cm depth), 39.5 cm (for 42.3 cm depth) or 46.5 cm (for 49.3 cm depth)

for fitting in carcase units. Glass shelves must be fitted between partitions and/or carcase sides. No partitions can be fitted on/under glass shelves.

	for 17.6 cm width			for 35.2 cm width			for 52.8 cm width			for 70.4 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	323	**324**	**327**	**333**	**334**	**337**	**353**	**354**	**357**	**373**	**374**	**377**
	–	–	–	–	–	–	–	–	–	–	–	–

NEW Fitted shelves for carcase units – behind flaps

Fitted shelves for carcase units – behind flaps
1.9 cm thick (2.9 cm thick for 105.6 cm width)

Depths: 21.5 cm (for 30.3 cm depth), 33.5 cm (for 42.3 cm depth) or 40.5 cm (for 49.3 cm depth)

for fitting anywhere in carcase units within the Raster system

	for 35.2 cm width			for 52.8 cm width			for 70.4 cm width			for 105.6 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	1338	**1348**	**1378**	**1538**	**1548**	**1578**	**1738**	**1748**	**1778**	**11038**	**11048**	**11078**
Price gr.												
I	–	–	–	–	–	–	–	–	–	–	–	–
II	–	–	–	–	–	–	–	–	–	–	–	–
III	–	–	–	–	–	–	–	–	–	–	–	–
IV	–	–	–	–	–	–	–	–	–	–	–	–

NEW Fitted glass shelves for carcase units – behind flaps

Fitted glass shelves (clear glass) for carcase units – behind flaps
0.8 cm thick

Depths: 21.5 cm (for 30.3 cm depth), 33.5 cm (for 42.3 cm depth) or 40.5 cm (for 49.3 cm depth)

for fitting in carcase units. Glass shelves must be fitted between partitions and/or carcase sides. No partitions can be fitted on/under glass shelves.

	for 35.2 cm width			for 52.8 cm width			for 70.4 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	3338	**3348**	**3378**	**3538**	**3548**	**3578**	**3738**	**3748**	**3778**
	–	–	–	–	–	–	–	–	–

Accessories for drawers

		for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
Tableau lined with grey fabric	for 33.0 cm depth	**8620** -	**8621** -	**8622** -	**8623** -
	for 45.0 cm depth	**8624** -	**8625** -	**8626** -	**8627** -
	for 52.0 cm depth	**8628** -	**8629** -	**8630** -	**8631** -
 **USB charging station** with two double USB connections (for mobiles, tablets, etc.); current strength per double USB connection: 1x max. 2.100 mA or 2x 1.050 mA. The USB charging station is only suitable for devices that are compatible with the above power level data. Connection cable between USB charging station and device is not supplied.	for 33.0 cm depth	**8520** -	**8521** -	**8522** -	
	for 45.0 cm depth	**8524** -	**8525** -	**8526** -	
	for 52.0 cm depth	**8528** -	**8529** -	**8530** -	
CD holder for drawers Please state exactly in your order and drawing in which 2 Raster drawer the CD holder is to be fitted.	for 33.0 cm depth	for 24 CD's **8420** -	for 36 CD's **8421** -	for 48 CD's **8422** -	for 84 CD's **8423** -
	for 45.0 cm depth	for 32 CD's **8424** -	for 48 CD's **8425** -	for 64 CD's **8426** -	for 112 CD's **8427** -
	for 52.0 cm depth	for 40 CD's **8428** -	for 60 CD's **8429** -	for 80 CD's **8430** -	for 140 CD's **8431** -
DVD holder for drawers Please state exactly in your order and drawing in which 2 Raster drawer the DVD holder is to be fitted.	for 33.0 cm depth	for 8 DVD's **8320** -	for 16 DVD's **8321** -	for 24 DVD's **8322** -	for 40 DVD's **8323** -
	for 45.0 cm depth	for 11 DVD's **8324** -	for 22 DVD's **8325** -	for 33 DVD's **8326** -	for 55 DVD's **8327** -
	for 52.0 cm depth	for 14 DVD's **8328** -	for 28 DVD's **8329** -	for 42 DVD's **8330** -	for 70 DVD's **8331** -
Cutlery box of metal, lined with grey fabric inside; incl. compartments		17.6 cm wide		35.2 cm wide	
	for 45.0 cm depth	**845** -		**846** -	
	for 52.0 cm depth	**855** -		**856** -	
 **Cutlery holder** lined with grey fabric, for fitting in drawers Set 1: for 60 pieces of cutlery Set 2: for 17 serving utensils		**Set 1:** for standard cutlery like spoons, forks, knives, etc.		**Set 2:** for sauce ladles, cake forks, cake servers, etc.	
		116 -		**117** -	

Cover shelves

Cover shelf
2.9 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf. We recommend fitting an extra cover shelf for visual reasons, if the (carcase) units, low-, side- and highboards are fitted between side-panels/converted with side-panels.
The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 268.0 cm width.

Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3515	**3510**	**3517**	**3610**	**3617**
Price gr.					
I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-

Cover shelf
1.0 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

NEW

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf.
The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 268.0 cm width.

Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3525	**3520**	**3527**	**3620**	**3627**
Price gr.					
I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-

Cover shelf of rear-lacquered glass
optionally rear-lacquered in pure white, white, grey or silk grey
0.8 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf.
The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.

Please be sure to state the required version in the order!

Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3535	**3530**	**3537**	**3630**	**3637**
	-	-	-	-	-

Cover shelf of ceramic
optionally in zaha stone, storm nero, white, grey, calacatta, concrete or pulpis
0.6 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

NEW

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf.
The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.

Please be sure to state the required version in the order!

Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3545	**3540**	**3547**	**3640**	**3647**
	-	-	-	-	-

Metal substructures

Metal substructure A
12.8 cm high; for 42.3 cm and 49.3 cm depth;
High-gloss chrome

Units, lowboards, side-/highboards and carcase units can be fitted optionally on a metal substructure (for room dividers up to max. 6 Raster carcase height). In this case the plinth adjusters are omitted.

for 105.6 cm width		for 140.8 cm width	
for 42.3 cm depth	for 49.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
4012 -	**5012** -	**4412** -	**5412** -

	for 158.4 cm width		for 176.0 cm width		for 211.2 cm width		for 246.4 cm width	
	for 42.3 cm depth	for 49.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	4512 -	**5512** -	**4712** -	**5712** -	**4112** -	**5112** -	**4612** -	**5612** -

Metal substructure B
24.5 cm high; for 30.3 cm, 42.3 cm and 49.3 cm depth;
optionally in anthracite structured lacquer (price group I) or in high-gloss chrome (price group II)

NEW

Units, lowboards, side-/highboards and carcase units can be fitted optionally on a metal substructure (for room dividers up to max. 6 Raster carcase height). In this case the plinth adjusters are omitted.

	for 17.6 / 35.2 / 52.8 / 70.4 cm width			for 105.6 cm width			for 140.8 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
Price gr.	**3703**	**4703**	**5703**	**3013**	**4013**	**5013**	**3413**	**4413**	**5413**
I	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-



	for 158.4 cm width			for 176.0 cm width			for 211.2 cm width			for 246.4 cm width		
	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
Price gr.	**3513**	**4513**	**5513**	**3713**	**4713**	**5713**	**3113**	**4113**	**5113**	**3613**	**4613**	**5613**
I	-	-	-	-	-	-	-	-	-	-	-	-
II	-	-	-	-	-	-	-	-	-	-	-	-

Corner units

Corner shelf incl. vertical cover panel
If NEO combinations are planned round corners with units (carcase units, single units, low-, side- or highboards), it is possible to include corner shelves incl. vertical cover panel. Only units of the same height can be planned round corners.

		for 2 Raster height (35.2 cm high)	**for 3 Raster height** (52.8 cm high)	**for 4 Raster height** (70.4 cm high)	**for 5 Raster height** (88.0 cm high)	**for 6 Raster height** (105.6 cm high)	**for 8 Raster height** (140.8 cm high)	**for 10 Raster height** (176.0 cm high)	**for 12 Raster height** (211.2 cm high)
Corner shelf for floor units	**Price gr.**	**2004**	**3004**	**4004**	**5004**	**6004**	**8004**	**10004**	**12004**
	I	-	-	-	-	-	-	-	-
	II	-	-	-	-	-	-	-	-
	III	-	-	-	-	-	-	-	-
	IV	-	-	-	-	-	-	-	-
Corner shelf for wall units	**Price gr.**	**2009**	**3009**	**4009**	**5009**	**6009**	**8009**	**10009**	**12009**
	I	-	-	-	-	-	-	-	-
	II	-	-	-	-	-	-	-	-
	III	-	-	-	-	-	-	-	-
	IV	-	-	-	-	-	-	-	-

Lamps

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).

		for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 140.8 cm width	for 158.4 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width
LED light strip 1.0 cm thick, 1.1 cm deep	for fitting in **(carcase) units**	1.6 W **322** -	2.4 W **522** -	4.7 W **822** -	6.3 W for 105.6 cm wide units with glass doors include 2x type 522! **112** -		10.6 W **152** -			
	for fitting in **open compartments for carcase units**	1.0 W **352** -	2.4 W **522** -	4.7 W **722** -	6.3 W **112** -					
	for fitting in **lower cover shelves of wall units**	1.6 W **322** -	2.4 W **522** -	4.7 W **822** -	6.3 W **112** -	10.2 W **142** -	10.6 W **152** -	12.5 W **172** -	15.3 W **212** -	17.5 W **242** -
Glass rim lamp 1.0 cm thick, 1.1 cm deep; LED light strip in aluminium profile, for fitting behind fitted glass shelves Later fitting is not possible.	for fitting in **carcase units behind glass shelves**	2.4 W **321** -	3.6 W **521** -	5.1 W **821** -	for 105.6 cm wide units with glass doors include 2x type 521!					
	for fitting in **open compartments behind glass shelves**	2.0 W **329** -	3.2 W **529** -	4.7 W **829** -	7.5 W **119** -					
LED light panel 1.9 cm thick; 3.0 cm deep  behind wooden shelves under glass shelves	for fitting in **carcase units behind fitted wooden shelves or under fitted glass shelves**	2.4 W **325** -	3.6 W **525** -	5.1 W **825** -	7.8 W **125** -					
Integrated power LED spotlamp Ø 7.1 cm 	for fitting in **(carcase) units, wall shelves, open compartments for carcase units, lower cover shelves of wall units**	2.9 W **7941** -								

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).

Aluminium frame lighting
LED lighting fitted behind the rim-side lacquering of the aluminium frame of the door/glass door.



	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
for 4 Raster high glass door	8.2 W **4392** -	10.1 W **4592** -	11.6 W **4792** -
for 5 Raster high glass door	9.6 W **5392** -	11.6 W **5592** -	13.0 W **5792** -
for 6 Raster high glass door	11.6 W **6392** -	13.5 W **6592** -	14.9 W **6792** -
for 8 Raster high glass door	14.8 W **8392** -	16.8 W **8592** -	18.2 W **8792** -
for 10 Raster high glass door	18.3 W **10392** -	20.2 W **10592** -	21.6 W **10792** -
for 12 Raster high glass door	21.6 W **12392** -	23.6 W **12592** -	25.0 W **12792** -
for 6 Raster high door/ glass door	4.8 W **6390** -	6.8 W **6590** -	8.2 W **6790** -
for 8 Raster high door/ glass door	8.2 W **8390** -	10.1 W **8590** -	11.6 W **8790** -
for 10 Raster high door/ glass door	11.6 W **10390** -	13.5 W **10590** -	14.9 W **10790** -
for 12 Raster high door/ glass door	14.8 W **12390** -	16.8 W **12590** -	18.2 W **12790** -
for 6 Raster high door/ glass door		4.8 W **6591** -	6.8 W **6791** -
for 8 Raster high door/ glass door		8.2 W **8591** -	10.1 W **8791** -
for 10 Raster high door/ glass door		11.6 W **10591** -	13.5 W **10791** -
for 12 Raster high door/ glass door		14.8 W **12591** -	16.8 W **12791** -

NEW Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the “all on” or “all off” buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

2119
-

Wall shelves

Wall shelves
2.9 cm thick;
23.4 cm deep

for fitting anywhere on walls

LED lamps for wall shelves: see below!

	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide	140.8 cm wide
	3524	**5224**	**7024**	**1024**	**1424**
Price gr.					
I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-

LED lamps for wall shelves

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).

LED lamps for wall shelves

			4.7 W	6.3 W	10.2 W
	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 140.8 cm width
			822	**112**	**142**
			-	-	-

Angled shelves

The angled shelves may only be fitted on absolutely solid walls. Gypsum or other light masonry is not suitable for this purpose. Please be sure to note here the information and notes in the “Wall composition” chapter!

Angled shelves
22.6 cm high;
22.6 cm deep

for fitting anywhere on walls

Max. load: 15 kg

LED lamps for angled shelves: see below!



	51.2 cm wide	70.0 cm wide	128.0 cm wide
	550	**570**	**5100**
Price gr.			
I	-	-	-
II	-	-	-
III	-	-	-
IV	-	-	-

LED lamps for angled shelves

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).

LED lamps for angled shelves



	2.7 W	3.9 W	8.6 W
	for 51.2 cm width	for 70.0 cm width	for 128.0 cm width
	5001	**5002**	**5003**
	-	-	-

DINING

hülsta offers a room concept to meet all requirements in comfort, beauty of form and attractiveness with a comprehensive collection of dining room tables and chairs.

The **dining tables** in a wide variety of sizes (with and without pullout function) in all wood surface versions and in contemporary designs, as well as the **dining chairs** that can be combined individually using different armrests, comfort features, high-grade cover fabrics (leather, textiles) and metal surfaces can all be found in the **“DINING”** type list.



Coffee tables CT 90

Coffee tables CT 90

The **CT 90 coffee table** is available in many different versions and in sizes of 80 x 80 cm and 110 x 110 cm. The top glass surface is rear-lacquered, the lower surface in matt lacquer. The CT 90 is also fitted with an optional veneered revolving drawer – optionally with LED lamp – in a number of different versions.

You will find the CT 90 coffee table as well as other coffee tables in the **“Coffee tables“** type list.

Coffee tables

Coffee tables

hülsta offers a comprehensive **collection of coffee tables**, which not only match the hülsta furniture ranges perfectly but can also be combined with other products that are available on the market. You will find these coffee tables in a number of designs, sizes and versions in the **“Coffee tables”** type list.

Possible arrangements

Sketch raster for the NEO range

Please superimpose unlined paper and write firmly. In order to avoid slipping, use 2 paper clips or fold the edge of the drawing sheet.

Note on calculating widths!
The width table states all widths up to 492.8 cm (wider units always in steps of 17.6 cm). In order to calculate the exact width of a combination with side-panels, 2.9 cm must be added for each side-panel.

Dims. in cm	Raster
264,8	
211,2	12
193,6	11
176,0	10
158,4	9
140,8	8
123,2	7
105,6	6
88,0	5
70,4	4
52,8	3
35,2	2
17,6	1
1,8 Legs	
12,8 / 24,5	

17,6 | 35,2 | 52,8 | 70,4 | 88,0 | 105,6 | 123,2 | 140,8 | 158,4 | 176,0 | 193,6 | 211,2 | 228,8 | 246,4 | 264,0 | 281,6 | 299,2 | 316,8 | 334,4 | 352,0 | 369,6 | 387,2 | 404,8 | 422,4 | 440,0 | 457,6 | 475,2 | 492,8

Metal substructure

Scale 1 : 25

Check list

1.) Do the sketch and the order match? Do the dimensions and the sketch match the type number? Are all type numbers correctly stated in the sketch? Can one see the position of door hinges?

2.) Are all type numbers correct? Have you perhaps confused price and type numbers?

3.) For side-panel assembly: please state the exact ceiling height. If units are not fitted right up to the ceiling, please state the exact side-panel size.

4.) Has the width been calculated correctly?

5.) Are all fitted accessories or spotlamps and LED light strips included in the sketch?

6.) Are these units to be employed as side-panel, wall or stacked units?

7.) Is this an additional order? If so, when was the original order? If possible, include a sketch where the existing and new units are clearly marked.



Base sketch

Important note! Please do not forget to include the following details with each order. This avoids time-consuming correspondence and unnecessary delays in delivery.

Model no.	Version(s)	Customer	Date	Commission

Special-sized products

Notes on calculating sizes of sloping units





Side sloping

Sloping is only possible on single-door units. The door hinge (left or right) is positioned on the taller outer side of the unit.

Measurements required:
H 1 = Room height
H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
B 1 = Width of slope
B 2 = Width of slope
G = Total width
S = Wardrobe width

Please note!
- As floors, ceilings and walls are never exactly straight, the exact room size must be measured using a spirit level.





Rear sloping

Measurements required:
H 1 = Room height
H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
T 1 = Depth of slope
T 2 = Depth of slope

NEO

Height reductions (not possible on drawers, flaps and glass doors with aluminium frame):		
Side-panel below 12 Raster (below 215.9 cm; not below 10.0 cm)	**99901**	-
Carcase	**99902**	-
Wooden/lacquer/high-gloss lacquer door	**99903**	-
Rear wall	**99906**	-
Corner shelf	**99908**	-
Width reductions:		
Carcase (not possible on glass doors and glass flaps with aluminium frame and fabric-covered flaps)	**999120**	-
Wooden/lacquer/high-gloss lacquer door	**999130**	-
Wooden/lacquer/high-gloss lacquer drawer	**999170**	-
Wooden/lacquer/high-gloss lacquer flap	**999180**	-
Fitted wooden shelf (for units)	**999141**	-
Fitted glass shelf (for units)	**999144**	-
Wooden shelf (for side-panels; not below 15.0 cm)	**99914**	-
Glass shelf (for side-panels; not below 15.0 cm)	**999143**	-
Rear wall	**99920**	-
Wall shelf (not below 50.0 cm, with spotlamps not below 70.4 cm)	**99915**	-
Depth reductions (not possible on drawers):		
Carcase (carcase with drawers not below 33.0 cm)	**99932**	-
Wooden cover shelf	**99939**	-
Glass cover shelf	**999394**	-
Ceramic cover shelf	**999395**	-
Fitted wooden shelf (for units)	**999341**	-
Fitted glass shelf (for units)	**999344**	-
Wooden shelf (for side-panels; not below 15.0 cm)	**99934**	-
Glass shelf (for side-panels; not below 15.0 cm)	**999343**	-
Corner shelf	**99918**	-
Wall shelf (not below 20.0 cm)	**99935**	-
Side-panel	**99931**	-
Side sloping:		
Please observe the notes on making exact measurements on the previous page as these are essential!		
Side-panel	**99944**	-
Rear sloping:		
Please observe the notes on making exact measurements on the previous page as these are essential!		
Side-panel	**99956**	-

Special-sized products are not possible for: media panels, media panel shelves, media lowboards, top glass section for TV, open glass compartments, open compartments for carcase units, angled shelves, metal substructures, cutlery box.

More special-sized products are possible.
Please get in touch with your customer advisor.

Special articles

Cover panels
for side and top panelling of fitted wardrobes (support construction and fitting materials must be acquired on site).

Basic price per order	**9901**	-
+ price per m^2 in price group I	**990**	-
+ price per m^2 in price group II	**990**	-
+ price per m^2 in price group III	**990**	-
+ price per m^2 in price group IV	**990**	-

Veneer match with fronts can not be guaranteed.

Rim veneer
superimposed ex works or rims lacquered
for veneer and lacquer versions per m. length

in price group I	**9902**	-
in price group II	**9902**	-
in price group III	**9902**	-
in price group IV	**9902**	-

High-gloss care set
Polish, polishing sponge and polishing cloth (incl. instructions) for protecting and maintaining the high-gloss surfaces **36** -

Individual special-sized products
If the special-sized product that you require is so unusual that it cannot be illustrated with the many special sized products that we already provide and charge for, then we will quote you the price using a HK unit type factor. In your order please state for us the relevant enquiry number and the HK unit type factor stated.

HK -

Special colours; Note on „Blue Angel“ / Emissions label of DGM

Special colours
All the hülsta lacquer colours are possible for nearly all the hülsta ranges. Availability and prices on request.

Note on „Blue Angel“ (RAL-UZ 38) and Emissions label of DGM (Class A)
It is possible that the requirements of the „Blue Angel“ and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV, depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the “all on” or “all off” buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

The following points must be noted with the radio remote control:
- The receiver must be positioned behind a rear wall or under plinth shelves (at least 20 mm space required under plinth shelves).
- The total wattage power of all lamps included per receiver must not exceed 30 W.
- 4 channels = 4 light groups
- 1 light group = x lights
- All lamps within a light group can be dimmed to the same brightness.
- The change of the colour temperature takes place for all lamps in all light groups.
- The radio remote control is not suitable for equipment operating on 110 V.

Please be sure to note the operating and programming instructions!

4-channel radio remote control with change of color temperature



Light colour warmer
Light colour colder
Channel 1 to 4
(with dimmer function)
All off
All on

4-channel radio remote control with change of color temperature

Type	**2119**	-

Examples of use (schematic diagrams)

Example 1

Lights inside a unit

Channel 1 operates (and dims) all the lights in light group 1,
i.e. the LED spotlamp in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2,
i.e. the LED spotlamps in the open compartment

Channel 3 operates (and dims) all the lights in light group 3,
i.e. the LED spotlamp in the right cabinet

Notes:
The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 2

Lights in units set apart

Channel 1 operates (and dims) all the lights in light group 1,
i.e. the LED spotlamp and the LED light panels in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2,
i.e. the LED spotlamps and the LED light panels in the centre cabinet

Channel 3 operates (and dims) all the lights in light group 3,
i.e. the LED spotlamp and the LED light panels in the right cabinet

Notes:
The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 3

Lights in units set apart

Channel 1 operates (and dims) all the lights in light group 1,
i.e. the LED spotlamps in the left, centre and right cabinet

Channel 2 operates (and dims) all the lights in light group 2,
i.e. the top LED light panels in the left, centre and right cabinet

Channel 3 operates (and dims) all the lights in light group 3,
i.e. the bottom LED light panels in the left, centre and right cabinet

Notes:
The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Cable apertures

It is possible to provide the cover shelves, side sections, shelves, etc, in units from nearly all the hülsta living room ranges with cable apertures so it is easier to feed cables of electronic equipment through these units. There are four different types of cable apertures to choose from, as listed here. **Please be sure to follow the important notes.**

Cable aperture K1

Cable aperture for 80 mm hole, silver colour
Standard cable aperture; particularly suitable for cover shelves, side sections and shelves

Sizes:
Assembly height: 21 mm
Outside diameter: 92 mm
Inside diameter: 74 mm
Diameter of hole: 80 mm



K1
-

Cable aperture K2

Cable aperture for 80 mm hole, silver colour
particularly suitable for rear walls and side sections

Sizes:
Assembly height: 8 mm
Outside diameter: 92 mm
Inside diameter: 74 mm
Diameter of hole: 80 mm



K2
-

Cable aperture K3

Cable aperture for 60 mm hole, silver colour
particularly suitable for shelves and constructional shelves (suitable to an extent for scart cables)

Sizes:
Assembly height: 21 mm
Outside diameter: 72 mm
Inside diameter: 54 mm
Diameter of hole: 60 mm



K3
-

Cable aperture K20

Cable aperture for 80 mm hole, silver colour
particularly suitable for side-panels and centre partitions

Sizes:
Assembly height: 2x 8 mm
Outside diameter: 92 mm
Inside diameter: 74 mm
Diameter of hole: 80 mm



K20
-

IMPORTANT NOTES Please be sure to note!
Please be sure to state the **exact position** of the cable aperture in your order (always measure distances from the centre of the cable aperture). For **wall units** the cable aperture is only possible in the bottom position (due to the suspension brackets). With **cover shelves**, the position of the cable aperture is determined in the factory, in accordance with factors specific to the given range. The same applies to technical exceptions because of custom-based planning. The K 20 is positioned in the centre (depthwise) in the **side-panel**. Please state the exact height (centre of hole of cable aperture from bottom rim of side-panel)! Subject to technical progress.

The **minimum distance** for the cable aperture (measured from the inside): 100 mm from the side and 70 mm from the rear (for horizontal surfaces) or 100 mm from the side and 70 mm from the base (for vertical surfaces). Please state if the aperture is to be fitted at the left, at the right or in the centre.
Standard position: If no details of the exact position of the cable aperture are given in your order, the cable aperture is always fitted at the bottom centre or at the rear centre of the relevant surface, whereby the distances stated above still apply.
Caution! Please note that the cable aperture can not be fitted where there is an integrated or front spotlamp, centre partitions or a split rear wall. **Please be sure to observe the following explanatory diagrams!**

for vertical surfaces

Minimum distance
100 mm from the side and 70 mm from the base



Standard position
at the centre of the surface and 70 mm from the base



Please note!
If there is an integrated or front spotlamp in a shelf, for example, the cable aperture cannot be fitted at this position!



for horizontal surfaces

Minimum distance
100 mm from the side and 70 mm from the rear



Standard position
at the centre of the surface and 70 mm from the rear



Please note!
If there is a centre partition, for example, between two shelves, the cable aperture cannot be fitted at this position!



Wall composition / assembly instruction

Important notes:
The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.

Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete ≥ C12/15, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

Materials table

with a description of which sets are to be used with the following types of walls:

Standard set	**Assembly mortar set** only suitable for the materials stated below!
Concrete C12/15 Compression strength ≥ 15 N/mm² 	Building bricks Mz 12 Compression strength ≥ 12 N/mm² Limestone blocks KS 12 Compression strength ≥ 12 N/mm² Perforated sand lime bricks KSL12 Compression strength ≥ 12 N/mm²  Vertically perforated bricks HLz 12 Compression strength ≥ 12 N/mm² Bulk density ≥ 1.0 kg/dm³  Solid blocks of light concrete V2 Compression strength ≥ 2 N/mm² Perforated blocks of light concrete Hbl 2 Compression strength ≥ 2 N/mm² Aerated concrete PP2 Compression strength ≥ 2 N/mm²

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.

Mounting sets

Labelling in type list drawings / assembly notes for wall units
The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.

3 = 3 support boards
4 = 4 support boards, etc.

One **assembly mortar set** is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.

Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard trade mastic tool which are the basic essentials for safe and clean workmanship.

Standard set
The standard set consists of 4 plastic Rawl plugs and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.

Assembly mortar set for up to a maximum of 3 support boards consisting of:

9x injection retaining sleeve
9x screw-in sleeve
1x injection cartridge
2x static mixer
1x assembly instructions

Please use the mounting screws from the standard set (supplied free of charge).

Example of order:

- Add up number of support boards for all existing unit types
- Divide the sum by “3”
- Round up the result to a full number

= Number of assembly mortar sets required

M2
-

Your Hotline to hülsta

Do you have any questions or require any alterations to your order confirmation?
Do you have any questions on our products or your current order?
Do you have any complaints about supplied goods or required replacement parts?
Contact Telephone: +49 (0) 2563 / 86-1627 • email: orders@huelsta.com

Do you have any questions, suggestions or wishes for the **hülsta product seminars**?
Contact Telephone: +49 (0) 2563 / 86-1493 • email: produktschulungen@huelsta.de

hülsta Planning Service

Lots to do? A customer wants his project finished and you haven't got enough time? Or the project is so complex that it will take too much time?

This is exactly the kind of situation we created the hülsta Planning Service for. hülsta's employees create the required project for you at short notice. Based on your information, we implement the project perfectly with all views and a complete order list ready for immediate forwarding to the customer.

The hülsta check list (available at **https://www.huelsta.com/einrichtungsberatung/**) makes it all really easy for you. You won't forget anything with this list and the customer receives a project he will be thrilled about as quickly as possible.

hülsta Planning Service
Tel.: +49 (0) 2563 / 86-1060
Fax: +49 (0) 2563 / 86-1000
Mail: Planungsservice-Handel@huelsta.de
Workdays from 8.00 a.m. until 6.00 p.m.

Special wishes? Come to us!

Maximum individuality! – Maximal flexibility! – hülsta makes most of your special wishes possible. And if you do have a wish which is not quite so easy to implement, just give us a call or send us a mail or a fax. We have our own hülsta "Special Wishes Team" who are there to help you realise just these customer requests. These colleagues are professionals when it comes to special products. They plan and calculate the products possible for you and even develop an alternative suggestion if the idea should turn out to be technically impossible.

Here is an overview of the hülsta range of special wishes:
- A lot of special products can be ordered simply via the type list
- Special-sized products are planned simply and professionally
- Competent colleagues advise you by phone, by fax and by mail
- You will be sent alternative suggestions if the idea is technically impossible
- Many special-sized products are available without a surcharge
- Specially qualified carpenters and technicians implement your plans perfectly

hülsta Special Wishes Team
Tel.: +49 (0) 2563 / 86-1060
Fax: +49 (0) 2563 / 86-1417
Mail: Sonderwunsch@huelsta.com

We are open Saturdays for you, too!

Our **Saturday hotline** is available at the following times and periods:
• **15th April – 15th September** from **10.00 a.m. until 4.00 p.m.**
• **16th September – 14th April** from **10.00 a.m. until 6.00 p.m.**

Telephone: +49 (0) 2563 / 86-1800

On **working days** the hülsta Sales Department is available all day from **8.00 a.m. until 6.00 p.m**.

hülsta NEO Wohnen

Stand: E 12. 2019

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress.

hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadtlohn
Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000
www.huelsta.com

hülsta