
9/21 E

hülsta 👭





TETRIM Sleeping

Contents

Page Range introduction, lists of versions 2-5 Special combinations Wardrobes: Hinge-door wardrobes 8-9 Design units, intermediate units 10-11 Beds: Beds, accessories for beds 12-14 **Ancillary units:** 2 - 4 Raster consoles 15 3 Raster lowboards 16-17 Media accessories for lowboards. 18-19 flat screen supports 4 - 5 Raster sideboards 20-22 8 Raster highboards 23 24 6 - 8 Raster units Wall units, writing/dressing table 25-26 Wall shelves, cover shelves 27 Accessories: fitted shelves, lamps 28-29 **General information:** Special-sized products, special articles 30-31 Switch options for lamps 32-33 Usable bed inside height and space under bed 34 Important notes: wall composition / assembly instruction 35 Tetrim brings clarity into bedrooms with its graphical units. The bed fits neatly in between cubes of lacquer and wood: in classical versions on legs or with a central arched support under the lying surface, and there is an upholstered neck cushion or an upholstered headboard for resting on. The L-shaped Tetrim compartment provides modest lighting, either in the form of a wall unit, a sideboard or an eye-catching unit in the wardrobe. Together with the console, mirror and illuminated shadow joints, it becomes a timeless dressing area.

Lists of versions

Wardrobes

Model no.	Carcase and front	Price group	Model no.	Open compartments *: Frame version / inside carcase version
648 641 663	Pure white lacquer Grey lacquer Silk grey lacquer		940 941	bronze-colour / satinised glass, rear- lacquered grey-brown silver-colour / satinised mirror glass

Wardrobe interior carcase and wardrobe interior fittings in standard white lacquer version

^{*} Open compartments and rear-lacquered glass fronts of the intermediate and design units with aluminium frame; frame bronze-colour and interior carcase of satinised glass, rear-lacquered grey-brown or with silver-colour frame and interior carcase of satinised mirror glass. It is not possible to change the colours of the frame or interior carcase.

Range introduction

Lists of versions

Beds

Model no.	Bed headboard	Price group	Model no.	Top bed frame * Bed legs **	Price group	Model no.	Lower bed frame *** Bed legs **
648 641 663	Pure white lacquer Grey lacquer Silk grey lacquer hülsta cover collection		648 641 663 685 833	Pure white lacquer Grey lacquer Silk grey lacquer Natural oak * Core walnut *		940 941	bronze-colour silver-colour

- Top bed frame in wooden version only possible for beds with upholstered headboard (against surcharge)
 Bed legs of beds with headboard in lacquer version and upholstered cushion always in the same version as the top bed frame;
 bed legs of beds with upholstered headboard of metal, bronze- or silver-coloured, powder-coated
- *** Lower bed frame of beds with headboard in lacquer version and upholstered cushion of metal, bronze- or silver-coloured, powder-coated

Model no.	Bed corner/mitre connectors of the bed with upholstered headboard
648 641 663 685 833 940 941	Pure white lacquer Grey lacquer Silk grey lacquer Natural oak Core walnut bronze-colour silver-colour

Please state the required version of the bed corner/mitre connectors of the bed with upholstered headboard clearly in the order!

Ancillary units, wall shelves, cover shelves

Model no.	Carcase and front, wall shelves	Price group	Model no.	Open compartments **: Frame version / inside carcase version	Model no.	Cover shelves	Price group
648 046 663	Pure white lacquer Grey lacquer Silk grey lacquer	-	940 941	bronze-colour / satinised glass, rear-lacquered grey-brown silver-colour / satinised mirror glass	648 046 663	Pure white lacquer Grey lacquer Silk grey lacquer	:
051 053 610 049 614	Natural oak Core walnut High-gloss pure white lacquer * High-gloss grey lacquer * High-gloss silk grey lacquer *	# # # #			051 053 610 049 614	Natural oak Core walnut High-gloss pure white lacquer High-gloss grey lacquer High-gloss silk grey lacquer	
NCS	Free choice of colours acc. to the NCS index - Matt lacquer	III			NCS	Free choice of colours acc. to the NCS index - Matt lacquer	III
NCS	Free choice of colours acc. to the NCS index - High-gloss lacquer	IV			NCS	Free choice of colours acc. to the NCS index - High-gloss lacquer	IV
				case of satinised glass, rear-	730 723 733 164 165 188 143 145 146	Rear-lacquered glass pure white Rear-lacquered glass grey Rear-lacquered glass silk grey Ceramic zaha stone Ceramic storm nero Ceramic white Ceramic grey Ceramic concrete Ceramic pulpis	

Changing versionsColour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.

Range introduction

NCS - the Natural Colour System®©



The NCS index includes all the 1950 standard colours in the NCS system. The Natural Colour System is a logically organised colour classification system which is based on the natural colour perception of people.

With NCS you can describe every imaginable colour visually and classify it. The NCS is based on 100 years of colour research and is today one of the most widely and frequently used colour designation systems in the world.

Note on "Blue Angel" (RAL-UZ 38) and Emissions label of DGM (Class A)

It is possible that the requirements of the "Blue Angel" and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV, depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

Important notes

Changing versions:

Colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged

Glass cover shelves:

Please be sure to state the required version of the rear-lacquered glass cover shelves in the order!

Ceramic cover shelves:

Please be sure to state the required version of the ceramic cover shelves in the order!

Open compartments:

Open compartments and rear-lacquered glass fronts of the intermediate and design units with aluminium frame; frame bronze-colour and interior carcase of satinised glass, rear-lacquered grey-brown or with silver-colour frame and interior carcase of satinised mirror glass. It is not possible to change the colours of the frame and interior carcase. Please be sure to state the required version in the order!

Bed frames, bed legs:

Bed legs of beds with headboard in lacquer version and upholstered cushion always in the same version as the top bed frame, lower bed frame of metal, bronze- or silver-coloured, powder-coated. Bed legs of beds with upholstered headboard of metal, bronze- or silver-coloured, powdercoated. Please be sure to state the required version in the order

Bed corner/mitre connectors:

Bed corner/mitre connectors are available in various versions. Please state the required version of the bed corner/mitre connectors of the bed with upholstered headboard clearly in the order!

Standard interior fittings (for ancillary units):

Fitted wooden shelves are included behind doors at 2 Raster intervals.

Switch cable (when using a foot switch in combination with open compartments with a bronzecoloured frame):
The lamps are normally operated by an external foot switch. The colour temperature of the LED

lamps is cold white if a foot switch is used. If the warm white start colour is desired for open compartments with a bronze-coloured frame, the switch cable supplied in fittings bag 2907 must also be used in accordance with the assembly instructions. 1 switch cable is supplied per open compartment with a bronze-coloured frame. The use of a radio remote control with change of colour temperature is also possible (at a surcharge).

Drawer frames in standard grey

Wall units:

If units are to be included as wall units, a wall bracket must be ordered.

If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position.

Combinations of floor and wall units:

If floor and wall units are combined within an arrangement, there must not be any skirting boards in the room near the floor units, otherwise they must be removed.

Max. load of wooden shelves (up to 70.4 cm width) as well as drawers: 25 kg Max. load of wooden shelves (between 70.4 and 105.6 cm width): 15 kg

Max. load of wooden shelves (from 105.6 cm width): 10 kg

Max. load of cover shelves: 35 kg per metre length for floor units


Please also note any existing maximum load information for individual units which may be stated later, the general load information for wall units as well as the important notes on the quality of walls at the end of this type list.

hülsta-Push-to-open:Drawers, flaps and hinge-doors with hülsta-Push-to-open device. All drawers on hidden bearings as fully pull-out units.

Information on the sketches

Partitions behind flaps

Partitions are used behind flaps in front widths from 123.2 cm. In the sketches the partitions are shown by dotted lines.




Split drawer frames:

Split drawer frames are used for drawers in front widths from 123.2 cm (the partitions are shown by dotted lines in the sketches). The front widths of the drawers are illustrated at the sketches of the units so that you can order suitable accessories for the drawers.

Order of markings

The markings for the fronts go from left to right and/or from top to bottom.



1 open compartment: 2 doors



Range introduction TETRIM

Wall fitting

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15. For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over — especially when alternative mounting materials acquired on site have been used.

For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Wall units / stacked units

If the 1 to 3 Raster units as well as lowboards are included as wall units, a maximum load per unit of 15 kg per metre must not be exceeded for reasons of stability! Max. load 15 kg per metre:

 17.6 cm width: 5.0 kg
 140.8 cm width: 20.0 kg

 35.2 cm width: 5.0 kg
 158.4 cm width: 20.0 kg

 52.8 cm width: 7.5 kg
 176.0 cm width: 25.0 kg

 70.4 cm width: 10.0 kg
 193.6 cm width: 25.0 kg

 88.0 cm width: 12.5 kg
 211.2 cm width: 30.0 kg

 105.6 cm width: 15.0 kg
 246.4 cm width: 30.0 kg

 123.2 cm width: 15.0 kg

If the 4 to 10 Raster units, side- or highboards are included as wall units, a maximum load per unit of 40 kg must not be exceeded for reasons of stability!

The wall units can only be fitted on absolutely solid walls. Light masonry is not suitable for this purpose.

For each project please remember to leave a 2.0 cm gap at the top to be able to mount units.

If units are planned as wall units, a wall bracket must be ordered

If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position.

Labelling in type list drawings / assembly notes for wall units

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes. Please be sure to note here the information and notes in the "Wall composition" beneficial.

Notes on delivery

Notes on delivery:

4

The majority of the units are delivered standard as **fully connected units (glued)** so that the carcase **cannot be disassembled**. There are however some **exceptions** to this rule:

Some carcases are delivered as complete units but can be **disassembled into individual sections** in the final customer's home. These types are marked with a **1** in the type list.

Some carcases are delivered in individual sections because of their size. These types are marked with a $\bf 2$ in the type list.

The fronts with the number **2** are delivered separately and can therefore always be (dis-) assembled.



Special combinations

Please also note the mattresses and base frames in the "Sleeping systems" type list!

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

Special combinations

consisting of:

- one bed with upholstered headboard
- two 2 Raster high consoles or one console type 37021 and 37022 each
- one of the hinge-door wardrobes listed below

The price of the entire special combination (bed unit and wardrobe) can be found in the grey shaded boxes!

Important notes:

- The consoles are only available in the carcase/front versions of the wardrobe.
- Price group II or III for the special combinations is charged depending on whether the upholstered headboard of the bed is ordered in a cover from the hülsta cover collection in price group II or III.

Special-sized products for special combinations are possible!

Pricing: special combination + 15% plus all the required special-sized products (see "Special-sized products")!

Please note: Height reductions of wardrobes remain free of charge!

Important note: Please be sure to state the type numbers of the required bed and consoles (see later) in the

Bed with upholstered headboard



Surcharge for bed frame in wooden

		version: Type 3000 -
4-door hinge-door wardrobe 202 cm wide		A8606
	Price gr.	- - -
5-door hinge-door wardrobe (centre door with right hinges) 252 cm wide		A8616
	Price gr. I II	- - -
5-door hinge-door wardrobe with integrated intermediate unit (centre door with right hinges) 252 cm wide	Duine au	A86116
	Price gr.	- - -
7-door hinge-door wardrobe with integrated design unit 252 cm wide	as illustr. v. versa Price gr.	A8676 A8686
		- - -
6-door hinge-door wardrobe 302 cm wide	Duine au	A8636
	Price gr.	- - -
6-door hinge-door wardrobe with integrated intermediate unit 302 cm wide	as illustr. v. versa	A8696 A86106
	Price gr.	- - -
6-door hinge-door wardrobe with integrated design unit 302 cm wide	as illustr. v. versa Price gr.	A8626 A8646
	I II III	- - -
8-door hinge-door wardrobe with integrated design unit 302 cm wide	as illustr. v. versa Price gr.	A8656 A8666
	I II III	- - -

Please also note the mattresses and base frames in the "Sleeping systems" type list!

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

Special combinations

consisting of:

- one bed with upholstered headboard or with headboard in lacquer version and upholstered cushion
- two 2 or 3 Raster high consoles
- one of the hinge-door wardrobes listed below

The price of the entire special combination (bed unit and wardrobe) can be found in the grey shaded boxes!

Important notes:

- The consoles are only available in the carcase/front versions of the wardrobe.

Special-sized products for special combinations are possible!

Pricing: special combination + 15% plus all the required special-sized products (see "Special-sized products")!

Please note: Height reductions of wardrobes remain free of charge!

Important note: Please be sure to state the type numbers of the required bed and consoles (see later) in the

 The consoles are only available in the carcase/front versions of the wardrob Price group II or III for the special combinations is charged depending on whether upholstered headboard resp. the upholstered cushion of the bed is ordered cover from the hülsta cover collection in price group II or III. 	Bed with upholstered headboard	Bed with headboard in lacquer version and upholstered cushion	
4-door hinge-door wardrobe 202 cm wide		A8706	A8406
	Price gr.	- - -	- - -
5-door hinge-door wardrobe (centre door with right hinges) 252 cm wide	Price gr.	A8716 - -	A8416 - - -
5-door hinge-door wardrobe with integrated intermediate unit (centre door with right hinges) 252 cm wide	Price gr.	A87116 - - -	A84116 - - -
7-door hinge-door wardrobe with integrated design unit 252 cm wide	as illustr. v. versa Price gr. I	A8776 A8786 - - -	A8476 A8486 - - -
6-door hinge-door wardrobe 302 cm wide	Price gr.	A8736 - - -	A8436 - - -
6-door hinge-door wardrobe with integrated intermediate unit 302 cm wide	as illustr. v. versa Price gr.	A8796 A87106 - - -	A8496 A84106 - - -
6-door hinge-door wardrobe with integrated design unit 302 cm wide	as illustr. v. versa Price gr. II	A8726 A8746 - - -	A8426 A8446 - - -
8-door hinge-door wardrobe with integrated design unit 302 cm wide Schlafen: TETRIM E 9. 2021	as illustr. v. versa Price gr.	A8756 A8766 - - -	A8456 A8466 - - -

Hinge-door wardrobes

Notes on planning hinge-door wardrobes according to the endless assembly principle

Hinge-door wardrobes can be planned endlessly and combined with one another. Due to the various element widths one can create many total wardrobe widths. In this way the available floor space can be exploited to the full. For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination. In the case of single-door hinge-door units one can choose between left- and right-hand hinges. The graphics shown below give you an excerpt from our wardrobe

Standard interior fittings per unit: 2 fitted shelves, 1 clothes rod. All interior surfaces are in white lacquer

Dimensions

	without top LED lamp	with top LED lamp			
	229.6 cm	234.6 cm			
Heights incl. plinth	Height reductions at intervals of 1.0 cm without surcharge				
Depths	61.4 cm	74.2 cm			
Widths	see pages 9-11				

Examples of wardrobes

3-door hinge-door wardrobe


152 cm wide



5-door hinge-door wardrobe (centre door with right hinges)

252 cm wide






6-door hinge-door wardrobe

with integrated intermediate unit 302 cm wide







6-door hinge-door wardrobe

with integrated design unit

302 cm wide





Hinge-door wardrobes

- Hinge-door wardrobes can be planned endlessly and combined with one another
- 3 intermediate units
- 2 design units
- Front mirrors and lamps against surcharge
- Unit outside widths: 42, 52, 82, 102 cm (basic units) 40, 50, 80, 100 cm (extension units)
- Unit inside widths: 38, 48, 78, 98 cm
- Wardrobe outside depth: 61.4 cm
- Wardrobe inside depth: 56.0 cm
- Door opening angle: approx. 94°

All hinge-door wardrobes are available with top LED lamps. One top LED lamp is fitted standard above each element – 1 or 2 door – 12 V; 2.4 W. If required, a top LED lamp can be fitted centrally above each door. Please include a sketch in all cases. Switching is done by an external foot switch. A radio remote control is also available as an alternative, which is charged extra. The radio remote control incorporates one transmitter and one receiver which operate all the LED lamps. The foot switch is omitted when the radio remote control is employed.

Radio remote control

Surcharge for radio remote control with change of

colour temperature (transmitter + receiver) type

2119

Top LED lamp

Surcharge for each additional lamp (2.4 W)

395

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

For each project please remember to leave a 2 cm gap to the ceiling and at the side for assembly!

TETRIM

Height 223.6 cm (height with top LED lamp; 234.8 cm); height roductions at histories of 1.0 cm without servicing at histories at 1.0 cm without servicing at 1.0 cm without servic	illige-addi w	al ul ubus		assembly:		ILIMI
Hispath 28.5 cm (highly the St by LED large, 28.6 cm), highly recipitative at limited of 1.0 cm wildow contributes a filter of 1.0 cm wildow contributes the state of 1.0 cm wildow contributes the 1.0 cm wildow contributes the state of 1.0 cm wildow contributes the 1.	Hinge-door wardrobes					Surcharge for mirror Each wardrobe door can
Single-door unit, for right, and the size of the size	reductions at intervals of 1 Width: see table	.0 cm without surcharge	n); height			be optionally fitted with a mirror (vertical facette) for which a surcharge is made.
Twin-door unit, left or right, 22 cm wide Twin-door unit, left or right, 102 cm wide Twin-door unit, left or right, 103 cm wide Twin-door unit,	nterior fittings per unit: 2 ittings in standard white I	fitted shelves, 1 clothes rod; acquer.	interior	energy classes A++	to A. The lamps cannot be	
A02012 R Single-door unit, left or right, left o	or each wardrobe combination be the basic unit, incorpora	on, the first element on the left is ting both outer side-sections. Or combination. When adding on e	s considered ne can only extension	in the "Wardrobe interior fittings" type list as	lity wardrobe interior fitt s well as the special article	tings s and
Twin-door unit, 82 cm wide Price gr. Twin-door unit, 82 cm wide Price gr. Twin-door unit, 102 cm wide Price gr. Twin-door unit, 102 cm wide Price gr. A202 395 Surcharge for mirr hinge-door: **Cottension units with 1 centre partition (2 cm thick) **Cottension units with 1 centre partition (2 cm thick) **Cottension units with 1 centre partition (2 cm thick) **Cottension units with 1 centre partition (2 cm thick) **Cottension units with 1 centre partition (2 cm thick) **Cottension units with 1 centre partition (2 cm thick) **Cottension units with 1 centre partition (2 cm thick) **Cottension units with 1 centre partition (2 cm thick) **Cottension units with 1 centre partition (2 cm thick) **A00011 L A00012 R **Cottension units with 1 centre partition (2 cm thick) **A00012 R **Total and the price gr.	+ 42+ L	left or right,				
Twin-door unit, 82 cm wide Price gr. Twin-door unit, 102 cm wide Price gr. Twin-door unit, 102 cm wide Price gr. A202 395 Surcharge for mirry hinge-door: A00011 L A00012 R A0011 L A0012 R Twin-door unit, left or right, 40 cm wide Price gr. Twin-door unit, left or right, 50 cm wide Price gr. Twin-door unit, left or right, 80 cm wide Price gr. A0002	+ + + 19 + -52 -	left or right,				
Twin-door unit, 102 cm wide Price gr. Single-door unit, left or right, 40 cm wide Price gr. A00011 L A00012 R A0011 L A0012 R Twin-door unit, left or right, 50 cm wide Price gr. Twin-door unit, 80 cm wide Price gr. A0002	+ 82 + 82			A0202 -	2.4 W	Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fifted with a mirror.
Single-door unit, left or right, 40 cm wide Price gr. Single-door unit, left or right, 50 cm wide Price gr. Price gr. Price gr. A00011 L A0011 L A0012 R A0011 L A0012 R Price gr. I A0002			1 1	A202	395	Surcharge for mirror p
Single-door unit, left or right, 40 cm wide Price gr. Single-door unit, left or right, 50 cm wide Price gr. Twin-door unit, 80 cm wide Price gr. A00012 R	extension units with 1 ce	ntre partition (2 cm thick)				
A0012 R Price gr. Twin-door unit, 80 cm wide Price gr. Price gr. A0002	+ 40+ L	left or right,				
Twin-door unit, 80 cm wide Price gr	L	left or right,				
Twin-door unit.	41.0			A0002 -		
100 cm wide Price gr.	100	Twin-door unit, 100 cm wide	Price gr.	A002		

Design units

For each project please remember to leave a 2 cm gap to the ceiling and at the side for assembly!

Design units		assembly!			
Design units Height: 229.6 cm (height with top LED lamp: 234.6 cm) Width: see table Depth: 61.4 cm (depth with top LED lamp: 74.2 cm) Design units are not possible as standalone units.			LED frame lamps for fitting in frame of intermediate and design units	Surcharge for top LED lamp 1 lamp per unit	Surcharge for mirror Each wardrobe door can be optionally fitted with a mirror (vertical facette) for which a surcharge is made.
Height reductions (done on upper doors) are possible do total height of 201 cm. Width and depth reductions are not possible.	wn to a		This luminaire contains	built-in LED lamps of the	
			energy classes A++ to	A. The lamps cannot be luminaire. 12 V	
Basic units with 2 outer side-sections (each 2 cm thick)		Please also note the	functional and high-qual	ity wardrobe interior fitti	nge
For each wardrobe combination, the first element on the left is c to be the basic unit, incorporating both outer side-sections. One include one basic unit in each combination. When adding on externity, the right-hand side-section is employed as the end side-section.	can only ension	in the "Wardrobe int possible special-siz	erior fittings" type list as	well as the special articles	s and
Basic unit 2 doors with 3 fitted shelves; 3 drawers; drawers with rear-lacquered glass front			23.0 W		
100.7	drice or	A221 L	7955		
100.7 cm wide Basic unit 4 doors with 4 fitted shelves and 2 clothes rods; 5 drawers; 4 drawers with rear-lacquered glass front	Price gr.	-	- 26.0 W	2.4 W	
			TO THE PARTY OF TH		Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fitted with a mirror.
202.0 cm wide	Price gr.	A2702	7955	395	Surcharge for mirror per hinge-door:
End and extension units with 1 centre partition (2 cm t	hick)				
Extension unit 4 doors with 4 fitted shelves and 2 clothes rods; 5 drawers; 4 drawers with rear-lacquered glass front; type A0702 is not possible as an end unit			26.0 W		
			7777 - 777 - 777		
AL 5	as illustr. v. versa Price gr.	A0701 A0702	7955		
200.0 cm wide End unit 2 doors with 3 fitted shelves; 3 drawers; drawers with rear-lacquered glass front		-	- 23.0 W		
R 52.0	Price gr.	A022 R	7955		
100.7 cm wide	9"	-	-	E 0.20	21 Cohlofon, TETDIA

Intermediate units TETRIM

intermediate units					IEIKIM
Intermediate units Height: 229.6 cm (height with top LED lamp: 234.6 cm Width: see table Depth: 61.4 cm (depth with top LED lamp: 74.2 cm)	n)		LED frame lamps for fitting in frame of intermediate and design units	Surcharge for top LED lamp 1 lamp per unit	Surcharge for mirror Each wardrobe door can be optionally fitted with a mirror (vertical facette) for which a surcharge is made.
Intermediate units are not possible as basic and end u standalone units. Height reductions (done on upper doors; not possible f mediate unit A901 L, A902 R and A910) are possible d total height of 201 cm. Width and depth reductions are not possible.	or inter-		This luminaire contains t	built-in LED lamps of the	is liaue.
			energy classes A++ to a changed in the	A. The lamps cannot be luminaire. 12 V	
		Please also note the in the "Wardrobe in possible special-si ;	e functional and high-qualiterior fittings" type list as vized products.	ty wardrobe interior fitti well as the special articles	ngs s and
Intermediate unit 1 door with 3 fitted shelves; 4 drawers;			40.0 W	2.4 W	
door and drawers with rear-lacquered glass front					
F + 19		A901 L A902 R	7952	395	
50 cm wide	Price gr.	-	-	-	
Intermediate unit 2 doors with 3 fitted shelves; 4 drawers; doors and drawers with rear-lacquered glass front		A910	50.0 W		
100 cm wide	Price gr.	-	-		\backslash
Intermediate unit 4 doors with 2 fitted shelves; 4 drawers; drawers with rear-lacquered glass front			26.0 W	2.4 W	Please mark exactly in the front sketch or state in the
			THE WAY		order (from the left) which hinge-doors are to be fitted with a mirror.
100,0	as illustr. v. versa Price gr.	A921 A922	7955	395	Surcharge for mirror per hinge-door:
100 cm wide	I IIII gi.	_	-	-	-

Beds

Please also note the mattresses and base frames in the "Sleeping systems" type list!					
Beds with upholstered headboard Bed frame in lacquer version, bed legs of metal, bronze- or silver-coloured, powder-coated, bed corner/mitre connectors available in various versions.		Inside dims. (in cm)	Outside dims. (in cm)	Type no.	
Please state all the versions clearly in the order!		140 x 200 160 x 200 180 x 200 200 x 200	186.5 x 215.1 206.5 x 215.1 226.5 x 215.1 246.5 x 215.1	725 726 727 728	- - -
Important note: A 2 Raster console or a console type 37021 and 37022 must be fitted to the left and right of this bed under the cutout section of the headboard!	Upholstered headboard in cover price group I	140 x 210 160 x 210 180 x 210 200 x 210	186.5 x 225.1 206.5 x 225.1 226.5 x 225.1 246.5 x 225.1	735 736 737 738	- - -
		140 x 220 160 x 220 180 x 220 200 x 220	186.5 x 235.1 206.5 x 235.1 226.5 x 235.1 246.5 x 235.1	745 746 747 748	- - -
		140 x 200 160 x 200 180 x 200 200 x 200	186.5 x 215.1 206.5 x 215.1 226.5 x 215.1 246.5 x 215.1	725 726 727 728	- - -
	Upholstered headboard in cover price group II	140 x 210 160 x 210 180 x 210 200 x 210	186.5 x 225.1 206.5 x 225.1 226.5 x 225.1 246.5 x 225.1	735 736 737 738	- - -
Bed sizes: Headboard height: 96.5 cm Height of top rim of bed side: 46.0 cm Space to floor: 19.6 cm Usable bed inside height (when support slats in bottom position): 18.0 cm		140 x 220 160 x 220 180 x 220 200 x 220	186.5 x 235.1 206.5 x 235.1 226.5 x 235.1 246.5 x 235.1	745 746 747 748	- - -
үттөл өсүрөгс айы нь оосонь роокоону. 10.0 он		140 x 200 160 x 200 180 x 200 200 x 200	186.5 x 215.1 206.5 x 215.1 226.5 x 215.1 246.5 x 215.1	725 726 727 728	- - - -
	Upholstered headboard in cover price group III	140 x 210 160 x 210 180 x 210 200 x 210	186.5 x 225.1 206.5 x 225.1 226.5 x 225.1 246.5 x 225.1	735 736 737 738	- - -
Surcharge for bed frame in wooden version: Type 3000 -	Genuine leather	140 x 220 160 x 220 180 x 220 200 x 220	186.5 x 235.1 206.5 x 235.1 226.5 x 235.1 246.5 x 235.1	745 746 747 748	- - -
Beds with upholstered headboard Bed frame in lacquer version, bed legs of metal, bronze- or silver-coloured, powder-coated, bed corner/mitre connectors available in various versions.		Inside dims. (in cm)	Outside dims. (in cm)	Type no.	
Please state all the versions clearly in the order!		140 x 200 160 x 200 180 x 200 200 x 200	156.7 x 215.1 176.7 x 215.1 196.7 x 215.1 216.7 x 215.1	825 826 827 828	- - - -
	Upholstered headboard in cover price group I	140 x 210 160 x 210 180 x 210 200 x 210	156.7 x 225.1 176.7 x 225.1 196.7 x 225.1 216.7 x 225.1	835 836 837 838	- - -
		140 x 220 160 x 220 180 x 220 200 x 220	156.7 x 235.1 176.7 x 235.1 196.7 x 235.1 216.7 x 235.1	845 846 847 848	- - -
		140 x 200 160 x 200 180 x 200 200 x 200	156.7 x 215.1 176.7 x 215.1 196.7 x 215.1 216.7 x 215.1	825 826 827 828	- - - -
Bed sizes: Headboard height: 96.5 cm Height of ton im of hed side: 46.0 cm	Upholstered headboard in cover price group II	140 x 210 160 x 210 180 x 210 200 x 210	156.7 x 225.1 176.7 x 225.1 196.7 x 225.1 216.7 x 225.1	835 836 837 838	- - -
Height of top rim of bed side: 46.0 cm Space to floor: 19.6 cm Usable bed inside height (when support slats in bottom position): 18.0 cm		140 x 220 160 x 220 180 x 220 200 x 220	156.7 x 235.1 176.7 x 235.1 196.7 x 235.1 216.7 x 235.1	845 846 847 848	- - -
		140 x 200 160 x 200 180 x 200 200 x 200	156.7 x 215.1 176.7 x 215.1 196.7 x 215.1 216.7 x 215.1	825 826 827 828	- - - -
	Upholstered headboard in cover price group III	140 x 210 160 x 210 180 x 210 200 x 210	156.7 x 225.1 176.7 x 225.1 196.7 x 225.1 216.7 x 225.1	835 836 837 838	- - -
Surcharge for bed frame in wooden version: Type 3000 -	Genuine leather	140 x 220 160 x 220 180 x 220 200 x 220	156.7 x 235.1 176.7 x 235.1 196.7 x 235.1 216.7 x 235.1	845 846 847 848	- - -

Bed accessories: see page 14!

TETRIM

Please also note the mattresses and base frames in the "Sleeping systems" type list!

Beds with headboard in lacquer version and upholstered cushion Top bed frame and bed legs in lacquer version, lower bed frame of metal, bronze- or silver-coloured, powder-coated.		Inside dims. (in cm)	Outside dims. (in cm)	Type no.	
Please state all the versions clearly in the order!		140 x 200 160 x 200 180 x 200 200 x 200	154.6 x 221.8 174.6 x 221.8 194.6 x 221.8 214.6 x 221.8	625 626 627 628	- - -
	Upholstered cushion in cover price group I	140 x 210 160 x 210 180 x 210 200 x 210	154.6 x 231.8 174.6 x 231.8 194.6 x 231.8 214.6 x 231.8	635 636 637 638	- - -
Bed sizes: Side protrusion of upholstered cushion: 34.4 cm each side Headboard height: 93.0 cm Height of top rim of bed side: 36.8 cm Space to floor: 19.8 cm Usable bed inside height (when support slats in bottom position): 14.5 cm		140 x 220 160 x 220 180 x 220 200 x 220	154.6 x 241.8 174.6 x 241.8 194.6 x 241.8 214.6 x 241.8	645 646 647 648	- - -
		140 x 200 160 x 200 180 x 200 200 x 200	154.6 x 221.8 174.6 x 221.8 194.6 x 221.8 214.6 x 221.8	625 626 627 628	- - -
	Upholstered cushion in cover price group II	140 x 210 160 x 210 180 x 210 200 x 210	154.6 x 231.8 174.6 x 231.8 194.6 x 231.8 214.6 x 231.8	635 636 637 638	- - -
		140 x 220 160 x 220 180 x 220 200 x 220	154.6 x 241.8 174.6 x 241.8 194.6 x 241.8 214.6 x 241.8	645 646 647 648	- - -
		140 x 200 160 x 200 180 x 200 200 x 200	154.6 x 221.8 174.6 x 221.8 194.6 x 221.8 214.6 x 221.8	625 626 627 628	- - -
	Upholstered cushion in cover price group III	140 x 210 160 x 210 180 x 210 200 x 210	154.6 x 231.8 174.6 x 231.8 194.6 x 231.8 214.6 x 231.8	635 636 637 638	- - -
	Genuine leather	140 x 220 160 x 220 180 x 220 200 x 220	154.6 x 241.8 174.6 x 241.8 194.6 x 241.8 214.6 x 241.8	645 646 647 648	- - -

Accessories for beds

Additional fittings for beds


Two different surface heights

Beds with headboard in lacguer version and upholstered cushion are available in two different surface heights, optionally:


with 19.8 cm high legs = surface height 1 (standard height) or with 30.5 cm high legs = surface height 2 = type **3004**

If surface height 2 is required, please state clearly in the order!

Not possible for beds with upholstered headboard!




Surface height 2 (without surcharge)



Surcharge for arched support

Beds with headboard in lacquer version and upholstered cushion normally stand on rectangular legs. They are also available optionally on an arched support with a hovering look at a surcharge. Please state clearly in the order! Arched support always in same version as top bed frame.

Not possible for beds with upholstered headboard!




3003

without surcharge

Surcharge for bed surround in wood version

The beds with upholstered headboard have a standard bed surround in a lacquer version. They are also available optionally in a wood version against a surcharge. Please state the required version clearly in the order!

Not possible for beds with a headboard in lacquer version and upholstered cushion!




3000

Bed corner/mitre connectors of beds with upholstered headboard

Bed corner/mitre connectors are available in various versions (see list of versions on the range introductory page).

Please state the required version of the bed corner/mitre connectors of the bed with upholstered headboard clearly in the order!

Not possible for beds with a headboard in lacquer version and upholstered cushion!



without surcharge

22.0 W

8920


Lamps

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps LED lamps incl. foot switch. A radio remote control is possible for operation (against a cannot be changed in the luminaire. 12 V

LED light strip

for fitting on bed with headboard in lacquer version and upholstered cushion

Later fitting is not possible.



for 140 cm bed for 160 cm bed for 180 cm bed for 200 cm bed width width width

20.0 W

8918

18.0 W

8916

LED ambience lamp

for fitting behind the headboard of the beds with upholstered headboard

Later fitting is not possible.

	-	-	-	-
	20.0 W	22.0 W	24.0 W	26.0 W
W W W W				
	8814	8816	8818	8820
υ	-	-	-	-
<u> </u>	20.0 W	22.0 W	24.0 W	26.0 W
	88140	88160	88180	88200

16.0 W

Consoles TETRIM


2 and 3 Raster wall consoles	3		2 Raster wall console	3 Raster wall console
5.2 resp. 52.8 cm high; 5.0 cm deep				
			70.4 cm wide	70.4 cm wide
Max. load: 25 kg	as illustr.		1 open compartment; 1 drawer	1 open compartment; 1 drawer
	v. versa Price gr.		27001 27002	37001 37002
Mall mite on mall accombine	II		-	-
Wall units or wall assembly: Please see here the information	III IV		- -	-
on page 4. 2 Raster consoles	IV		<u> </u>	-
35.2 cm high (37.0 cm high incl. 1.8 cm high plinth adjusters); 45.0 cm deep				
		52.8 cm wide	70.4 cm wide	70.4 cm wide
		2 drawers	2 drawers	1 open compartment; 1 drawer
	as illustr. v. versa	2700	270121	27021 27022
	Price gr.	-	-	-
		- -	<u>-</u> -	-
	iv	-	-	-
3 Raster consoles 52.8 cm high (54.6 cm high incl. 1.8 cm high plinth adjusters); 45.0 cm deep				
		52.8 cm wide		70.4 cm wide
		2 drawers		1 open compartment; 1 drawer
	as illustr. v. versa	3700		37021 37022
	Price gr.	-		-
	III	- -		-
4 Raster consoles 70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters); 45.0 cm deep	IV	-		-
		52.8 cm wide		70.4 cm wide
		3 drawers		1 open compartment; 2 drawers
	as illustr. v. versa	4700		47001 47002
	Price gr.	-		-
		-		-
	liv	-		-

3 Raster lowboards:

Floor units


3 Raster lowboards: Floor units

52.8 cm high (54.6 cm high incl. 1.8 cm high plinth adjusters), 52.0 cm deep




3 Raster lowboards:

Floor units or as wa	II units											
3 Raster lowboards: Floor units or as wall units 52.8 cm high (54.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep							70,4	3		88,0	38,0	
				105.6 cm wide	е		140.8 cm wide	е		176.0 cm wid	е	
When used as wall units or stacked units: Max. load 15 kg per metre:			2 drawers	Top: 1 flap Bottom: 1 drawer	Top: 1 drawer Bottom: 1 flap	2 drawers	Top: 1 flap Bottom: 1 drawer	Top: 1 drawer Bottom: 1 flap	2 drawers	Top: 1 flap Bottom: 1 drawer	Top: 1 drawer Bottom: 1 flap	
105.6 cm width: 15.0 kg 140.8 cm width: 20.0 kg 176.0 cm width: 25.0 kg 211.2 cm width: 30.0 kg	Florida	Price gr.	310411	310412	310413	314411	314412	314413	317411	317412	317413	
Wall units or wall assembly: Please see here the information on page 4.	Flap hinge at bottom	I II III IV	- - -	- - -	- - -	- - -	- - -	- - - -	- - - -	- - - -	- - -	
Wall bracket If units are to be included as wall units or top of one another, a wall bracket must b				4105 -			4140 -			4176 -		
3 Raster lowboards: Floor units or as wall units 52.8 cm high (54.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep				70,4	3		105,6 70,4	3		70,4	0,4	
				140.8 cm wide	е		176.0 cm wid	е	:	211.2 cm wid	е	
When used as wall units or stacked units: Max. load 15 kg per metre:			1 open com- partment; 2 drawers	1 open compartment; Top: 1 flap Bottom: 1 drawer	1 open compartment; Top: 1 drawer Bottom: 1 flap	1 open com- partment; 2 drawers	1 open compartment; Top: 1 flap Bottom: 1 drawer	1 open compartment; Top: 1 drawer Bottom: 1 flap	1 open com- partment; 2 drawers	1 open compartment; Top: 1 flap Bottom: 1 drawer	1 open compartment; Top: 1 drawer Bottom: 1 flap	
105.6 cm width: 15.0 kg 140.8 cm width: 20.0 kg 176.0 cm width: 25.0 kg 211.2 cm width: 30.0 kg Wall units or wall assembly: Pleases see here the information	Flap hinge at bottom	as illustr. v. versa Price gr. I	3144211 3144212 - - - -	3144221 3144222 - - - -	3144231 3144232 - - - -	3174211 3174212 - - - -	3174221 3174222 - - - -	3174231 3174232 - - - -	3214211 3214212 - - - -	3214221 3214222 - - - -	3214231 3214232 - - - -	
on page 4. Wall bracket If units are to be included as wall units or top of one another, a wall bracket must b		14		4140	1 -		4176	1 -	_	4211		




211.2 cm wide


	2 drawers	Top: 1 flap Bottom: 1 drawer
	321511	321512
Price gr.		
1	-	- 1
l II	-	-
III	-	- 1
l IV	-	-



211.2 cm wide

	2 drawers	Top: 1 flap Bottom: 1 drawer	Top: 1 drawer Bottom: 1 flap
Price gr. I II III	321411 - - - -	321412 - - - -	321413 - - - -
		4211 -	





1/	6.0	cm	wide

21	1.2	cm	wide

	1 open compart- ment; 2 drawers	1 open compartment; Top: 1 flap Bottom: 1 drawer	1 open compartment; Top: 1 drawer Bottom: 1 flap	1 open compart- ment; 2 drawers	1 open compartment; Top: 1 flap Bottom: 1 drawer	1 open compartment; Top: 1 drawer Bottom: 1 flap
as illustr. v. versa Price gr. I III	3174311 3174312 - - - -	3174321 3174322 - - - -	3174331 3174332 - - - -	3214311 3214312 - - - -	3214321 3214322 - - - -	3214331 3214332 - - - -
	4176 Schlafen: TETRIM F. 9. 2021				4211 -	

Media accessories for lowboards

Cable apertures

		
	Cable aperture K1 silver-coloured; Ø 8.0 cm It is possible to fit a cable aperture in the top and bottom shelf of the lowboard as well in constructional shelves. The cable aperture can be made at the rear of the shelf. The position is in the centre of the compartment, distance from centre of aperture to rear edge of unit: 10.0 cm.	K1 -
0	Cable aperture K2 silver-coloured; Ø 8.0 cm It is possible to fit a cable aperture in the rear wall of the lowboard. Positioned in centre of compartment.	K2 -
	Cable aperture K7 silver-coloured; 7.0 x 12.0 cm It is possible to fit a cable aperture in the top shelf of the lowboard. The position is in the centre of the compartment, flush with the rear edge of the unit.	K7 -
	Cable aperture K8 silver-coloured; 12.8 x 3.2 cm It is possible to fit a cable aperture in the top shelf of the lowboard. The cable aperture can be made at the rear rim of the top shelf. Positioned in centre of compartment.	K8 -
	Cable aperture K9 13.0 x 1.6 cm It is possible to fit a cable aperture in a fitted shelf or in the bottom shelf. The cable aperture can be made at the rear rim of the fitted shelf or at the rear rim of the bottom shelf behind the rear wall. Positioned in centre of compartment.	K9 -
	Cable aperture K11 4.0 cm high It is possible to fit a cable aperture in the rear wall of the lowboard. The rear wall is milled out below the top shelf. Positioned in centre of compartment. Usable width: compartment width minus 26.8 cm.	K11 -
	Cable aperture K20 silver-coloured; Ø 8.0 cm It is possible to fit a cable aperture in the partitions of the lowboard.	K20 -

IR repeater set

IR repeater set

Infrared signal transmission set for operating media units behind wooden/lacquered fronts. You can operate all the units in one compartment with one set. The following applies:

- One set must be used in each compartment. 2 transmitters can also be installed in large compartments in order to increase performance. In this
 case only one additional transmitter needs to be ordered.
- The transmitter must be placed in the direct vicinity of the receiver eye.
- Transmittable IR frequency band 20 60 kHz
- Up to 3 transmitters can be combined with one receiver.

It is possible to use 3 transmitters via 1 receiver including Master box. This enables simultaneous operation of 3 different furniture compartments or in critical situations it allows fitting out one furniture compartment with several transmitters in order to increase the performance in this compartment or to operate 2 end units placed next to one another.

The IR repeater set consists of:

- 1 receiver eye (Ø 3.0 cm) incl. standing bracket
- 1 electrical transmitter
- 1 plug EVG 12 V
- Cable clips

Please note the details stated in the operating instructions!

IR repeater set 1 receiver eye and 1 transmitter incl. standing bracket

2001

Extra transmitter

2003

Flat screen supports

Flat screen support WTL6

The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 102-216 cm (40"-85"); max. load: 45 kg.

Suitable for Curved TV's.

Flat screen support compatible with VESA Norm standard: min.: $200 \times 200 \text{ mm}$

max.: 600 x 400 mm

Flat screen support THIN 545, ideally adaptable

The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 81-140 cm (32"-55") and a maximum depth of 4.5 cm; max. load: 25 kg.

Go to www.vogels.com to check if your flat screen can be fitted on this flat screen support. Enter the name THIN 545. After a few steps you can see if your flat screen TV is compatible with the flat screen support.

Not suitable for Curved TV's.

Flat screen support compatible with VESA Norm standard: min.: 100 x 100 mm

max.: 600 x 400 mm

Flat screen support THIN 515

The flat screen support can be angled up to a max. 15°. It is suitable for flat screens with a screen diagonal of 102-165 cm (40"-65") and a maximum depth of 5.0 cm; max. load: 25 kg.

Go to www.vogels.com to check if your flat screen can be fitted on this flat screen support. Enter the name THIN 515. After a few steps you can see if your flat screen TV is compatible with the flat screen support. Not suitable for Curved TV's.

Flat screen support compatible with VESA Norm standard:

min.: 100 x 100 mm max.: 600 x 400 mm



for fitting anywhere on walls



for fitting anywhere on walls




for fitting anywhere on walls

9504


4 Raster sideboards: Floor units


4 Raster sideboards: Floor units 70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep






	140.8 cm wide	176.0 cm wide
	1 open compartment; 3 drawers	1 open compartment; 3 drawers
as illustr. v. versa Price gr. I II III	4144111 4144112 - - - - -	4174111 4174112 - - - - -






	176.0 cm wide	176.0 cm wide
	6 drawers	8 drawers
Price gr.	4174211	4174221
I II III	- - -	- - -
IV	-	-





176.0 cm wide



211.2 cm wide

	1 open compartment; 4 drawers	1 open compartment; 4 drawers
as illustr. v. versa Price gr.	4174121 4174122	4214111 4214112
I	-	-
	-	-
l III	-	-
l IV	-	-






		70,4	52,8
		211.2 cm wide	211.2 cm wide
		2 doors; 3 drawers	2 doors; 4 drawers
		4214211	4214221
	ı	- - -	- - -
l IV	<i>i</i>	_	-


5 Raster sideboards:

Floor units TETRIM



5 Raster sideboards: Floor units

5 Raster sideboards: Floor units 88.0 cm high



8 Raster highboards: Floor units

TETRIM

8 Raster highboards: Floor units 140.8 cm high (142.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep 70.4 cm wide 70.4 cm wide 70.4 cm wide 1 open compartment; **Top:** 1 flap **Bottom:** 2 drawers Top: 1 flap Bottom: 4 drawers 1 open compartment; 1 open compartment; 2 doors 5 drawers 3 drawers as illustr. v. versa 874111 87421 87422 87431 87432 874112 Flap hinge at bottom Price gr. || ||| IV 105.6 cm wide 105.6 cm wide 105.6 cm wide 1 open compartment; 3 doors; 1 drawer 1 open compartment; 4 drawers 5 drawers as illustr. 814111 814211 81431 814112 814212 Price gr. I II

23

IV

6 - 8 Raster units:

Floor units or as wall units

6 Raster high Wall unit 6 - 8 Raster units: Floor units or as wall units 6 Raster high 105.6 cm high (107.4 cm high incl. 1.8 cm high plinth adjusters) 7 Raster high 123.2 cm high (125.0 cm high incl. 1.8 cm high plinth adjusters) 8 Raster high 140.8 cm high (142.6 cm high incl. 1.8 cm high plinth 35.2 cm wide 35.2 cm wide 35.2 cm wide 70.4 cm wide adjusters) 1 door 1 door; 1 open compartment 1 door; 1 open compartment 2 doors; 1 open compartment 33.0 or 45.0 cm deep 33.0 cm deep 45.0 cm deep 63031 L 63131 L 63041 L 63141 L 63231 L 63241 L 67013 67014 63032 R 63042 R 63132 R 63142 R 63232 R 63242 R Price gr. Ш Ш I۷ Wall unit 7 Raster high 35.2 cm wide 35.2 cm wide 35.2 cm wide 70.4 cm wide 1 door 1 door; 1 open compartment 1 door; 1 open compartment 2 doors; 1 open compartment 33.0 cm deep 45.0 cm deep 73041 L 73031 L 73131 L 73141 L 73231 L 73241 L 77013 77014 73032 R 73042 R 73132 R 73142 R 73232 R 73242 R Price gr. II Ш IV 8 Raster high Wall unit 35.2 cm wide 35.2 cm wide 35.2 cm wide 70.4 cm wide 2 doors; 1 open compartment 1 door 1 door; 1 open compartment 1 door; 1 open compartment When used as wall units: 33.0 cm deep 45.0 cm deep 33.0 cm deep 45.0 cm deep 45.0 cm deep 45.0 cm deep 33.0 cm deep 33.0 cm deep Max. load: 40 kg 83031 L 83041 L 83131 L 83141 L 83231 L 83241 L 87003 87004 83032 R 83042 R 83132 R 83142 R 83232 R 83242 R Price gr. Ш Wall units or wall assembly: Please see here the information Ш on page 4. IV Wall bracket
If units are to be included as wall units or stacked on top 4352 of one another, a wall bracket must be ordered.

Accessories: see page 28 Lamps: see page 29

2 Raster wall units

TETRIM

2 Raster wall units 35.2 cm high; 33.0 or 45.0 cm deep

for fitting anywhere on walls

					3		3		3
	1	105.6 c	m wide	140.8 c	m wide	176.0 c	m wide	211.2 0	m wide
		11	1 flap		flap	1 f	lap	1 f	lap
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
Flap hinge	Price gr.	210038	210048	214038	214048	217038	217048	221038	221048
at bottom	I II III IV	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - -	- - -
		210039	210049	214039	214049	217039	217049	221039	221049
Flap hinge at top	Price gr. I II III IV	- - -	- - - -	- - - -	- - - -	- - -	- - -	- - -	- - - -
		1 dr	awer	1 drawer		1 drawer		1 drawer	
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
		210031	210041	214031	214041	217031	217041	221031	221041
	Price gr. I II III IV	- - - -	- - - -	- - - -	- - -	- - - -	- - -	- - -	- - -
	1	1				1			

			3	3		4		4		
		105.6 c	105.6 cm wide		cm wide	176.0	176.0 cm wide		211.2 cm wide	
		1 flap; 1 open	1 flap; 1 open compartment		compartment	1 flap; 1 oper	compartment	1 flap; 1 oper	compartment	
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	
Flap hinge	as illustr. v. versa Price gr.	2101381 2101382	2101481 2101482	2141381 2141382	2141481 2141482	2171381 2171382	2171481 2171482	2211381 2211382	2211481 2211482	
at bottom	I II III IV	- - -	- - -	- - -	- - -	- - - -	- - -		- - -	
Flap hinge at top	as illustr. v. versa Price gr.	2101391 2101392 - - - -	2101491 2101492 - - - -	2141391 2141392 - - - -	2141491 2141492 - - - -	2171391 2171392 - - - -	2171491 2171492 - - -	2211391 2211392 - - -	2211491 2211492 - - -	
	IV	1 drawer: 1 one	en compartment	1 drawer: 1 one	en compartment	1 drawer: 1 one	en compartment	1 drawer: 1 one	en compartment	
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	
	as illustr. v. versa Price gr. I	2101311 2101312 - - - -	2101411 2101412 - - -	2141311 2141312 - - -	2141411 2141412 - - -	2171311 2171312 - - - -	2171411 2171412 - - -	2211311 2211312 - - -	2211411 2211412 - - - -	

Max. load: 40 kg

Wall units or wall assembly: Please see here the information on page 4.

Wall units

2 Raster wall units 35.2 cm high; 33.0 or 45.0 cm deep for fitting anywhere on walls									
		35.2 c	m wide	70.4 c	m wide	70.4 c	m wide	70.4 c	m wide
		1	mpartment		mpartment	-	mpartment		mpartment
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
Max. load: 40 kg	as illustr. v. versa Price gr.	27011	27012	27003	27004	270131 270132	270141 270142	270231 270232	270241 270242
Wall units or wall assembly: Please see here the information on page 4.	I II III IV	- - -		- - -	- - - -	- - - -	- - - -	- - -	- - - -
3 Raster wall units 52.8 cm high; 33.0 or 45.0 cm deep for fitting anywhere on walls									
						I		70.4 c	m wide
									mpartment
								33.0 cm deep	45.0 cm deep
Max. load: 40 kg	as illustr. v. versa Price gr.							270331 270332 -	270341 270342 -
Wall units or wall assembly: Please see here the information on page 4.	II III IV							- - -	- - -
7 Raster wall units 123.2 cm high; 33.0 or 45.0 cm deep for fitting anywhere on walls								3	
			70.4 0	m wide	n wide 105.6 cm wide				
			2 doors; 1 drawer;	1 open compartmer	nt		3 doors; 1 drawer;	1 open compartmen	t
		33.0 cr	n deep	45.0 c	m deep	33.0 cr	n deep	45.0 ci	m deep
Max. load: 40 kg	as illustr. v. versa Price gr.	770	003	770	004	710 710			041 042
Wall units or wall assembly: Please see here the information on page 4.	II III IV	- -			- - -		- - -		-

Writing/dressing table

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V $\,$

Writing/dressing table as wall unit 52.8 cm high; tabletop 12.8 cm high; 45.0 cm deep			158.4 c	m wide	Wall mirror 88.0 cm high; 3.2 cm thick; for fitting anywhere on wall; incl. LED lamps and foot switch	52.8 cm wide
			3 drawers	Top: 2 drawers Bottom: 1 flap		
26	Flap hinge at bottom	as illustr. v. versa Price gr. I	315411 315412 - - - -	315421 315422 - - - -		1253

Wall shelves

es in the "Wall composition" chapter! 4

Wall shelves 2.9 cm thick; 23.4 cm deep for fitting anywhere on walls					>		
LED light strip for wall shelves (possible from 70.4 cm width): see page 29		35.2 cm wide	52.8 cm wide	70.4 cm wide	88.0 cm wide	105.6 cm wide	123.2 cm wide
See page 25		3524	5224	7024	8824	1024	1224
	Price gr. I II III	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
		140.8 cm wide	158.4 cm wide	176.0 cm wide	193.6 cm wide	211.2 cm wide	
		1424	1524	1724	1924	2124	
	Price gr. I II III IV	- - - -	- - - -	- - - -	- - - -	- - - -	

Cover shelves

Gover sneives						
Cover shelf 1.0 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep						
All units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the		Price per 10 cm section:				
combination needs to be calculated here. The cover shelves are full-length up to a max. 268.0 cm width.		33.0 cm deep	45.0 cm deep	52.0 cm deep		
		3525	3520	3527		
	Price gr. I II III IV	- - - -	- - - -	- - - -		
Cover shelf of rear-lacquered glass 0.8 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep	•	-				
All units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.	-	Price per 10 cm section:				
Please be sure to state the required version in the order!		33.0 cm deep	45.0 cm deep	52.0 cm deep		
		3535	3530	3537		
		-	-	-		
Cover shelf of ceramic 0.6 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep						
All units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.		Price p	er 10 cm section:			
Please be sure to state the required version in the order!		33.0 cm deep	45.0 cm deep	52.0 cm deep		
		3545	3540	3547		
		-	-			

Fitted shelves – behind doors

Fitted shelves - behind doors 1.9 cm thick				
Depth: 39.5 cm		for 35.2 cm width	for 70.4 cm width	for 105.6 cm width
		for 45.0 cm depth	for 45.0 cm depth	for 45.0 cm depth
		134	174	1104
	Price gr.	_	_	_
	ii III	-	-	-
	İV	- -	- -	- -

Fitted shelves – behind flaps

Fitted shelves - behind flaps 1.9 cm thick (2.9 cm thick for 105.6 cm width)				
Depth: 33.5 cm		for 70.4 cm width	for 88.0 cm width	for 105.6 cm width
		for 45.0 cm depth	for 45.0 cm depth	for 45.0 cm depth
		1748	1848	11048
	Price gr. I II III IV	- - - -	1 1 1	- - - -

Possible arrangements



Lamps TETRIM

This luminaire contains built-in LED lamps of the energy	classes A++ to A. The lamps	LED lamps incl. foot switch.	. A radio remote control is poss	ible for operation (against a			
cannot be changed in the luminain	e. 12 V		surcharge).	(3)			
LED light strip for fitting under wall units and wall shelves	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 88.0 cm width			
Later fitting is not possible.	1.6 W	2.4 W	4.7 W	5.9 W			
	322	522	822	922			
// \`	-	-	-	-			
	for 105.6 cm width	for 123.2 cm width	for 140.8 cm width	for 158.4 cm width			
	6.3 W	8.2 W	10.2 W	10.6 W			
	112	122	142	152 -			
	for 176.0 cm width	for 193.6 cm width	for 211.2 cm width	for 246.4 cm width			
	12.5 W	14.1 W	15.3 W	17.5 W			
	172	192	212	242			
Integrated LED spotlamp Ø 7.1 cm; for fitting in units	2.9 W						
Later fitting is not possible.							
		79	41				
LED frame lamps for fitting in frame of open compartments and in frame of intermediate and design units.		Frame form:					
		14.5 W					
		17.2 W					
	Frame form:	17.2 W					
	9.0 W						
1	5.0 W						
	5.0 W	22.7 W	Frame form:	Frame form:			
	14.5 W	22.7 W	Frame form:	Frame form:			
		111111111111111111111111111111111111111	Frame form: 40.0 W	Frame form: 50.0 W			

Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.



Special heights, special widths, special depths



Special heights

- Hinge-, folding- and sliding-door wardrobes can be reduced in height at intervals of 1.0 cm.
- Below eye-level we recommend fitting a top cover shelf made of panelling material.
- Special heights in stepped versions (not possible on sliding-door wardrobes) at a surcharge.

Surcharge per step:

00030



Special widths

Only applies to hinge- and folding-door wardrobes


- Single-door units, left or right hinges, can be reduced down to 25 cm width (apart from profiled doors).
- Twin-door units can be reduced at both sides down to 50 cm total width (apart from profiled doors).
- Interior fittings such as drawers and other fittings cannot be reduced in width.
- For notes on width reductions on MULTI-FORMA II sliding-door wardrobes please see special-sized products for MULTI-FORMA II!




Special depths

- Depth reductions are made on side sections, plinths, cornices and shelves.
- · Interior fittings such as drawers and other fittings cannot be reduced in depth.
- A max. reduction of 30.0 cm is possible on hinge- and folding-door wardrobes.
- A max. reduction of 9.0 cm is possible on profiled hinge-doors.
- For sliding-door wardrobes, a max. reduction of 30.0 cm is possible (max. 18 cm in combination with the electrical opening system for MULTI-FORMA II).
- Please note that for technical production reasons not every special depth can be achieved:
 - 2.5 cm standard reduction between 0 and 2.5 cm
 - $5.0 \ \text{cm}$ standard reduction between $4.5 \ \text{and} \ 5.0 \ \text{cm}$
 - 27.5 cm standard reduction between 27.0 and 27.5 cm

Notes on calculating sizes of sloping units





Side sloping

Sloping is only possible on single-door units. The door hinge (left or right) is positioned on the taller outer side of the unit.

Measurements required:

H 1 = Room height

H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit,


please state the exact distance.)


B 1 = Width of slope
B 2 = Width of slope

G = Total width S = Wardrobe width

Please note!

- If the slope cuts across the position of a handle, the handle of this door only is positioned further down in production.
- As floors, ceilings and walls are never exactly straight, the exact room size must be measured using
 a spirit level
- If a cornice is fitted, please state if this is to be continued in the sloping section.





Rear sloping

Measurements required:

H 1 = Room height

H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit,

please state the exact distance.)

T 1 = Depth of slope

T 2 = Depth of slope

TETRIM

Wardrobes Special heights: Hinge-door - Lacquer 0003 Hinge-door - Mirror 00031

Special widths:

Special depths:

for single-door unit - Lacquer 0005 for single-door unit - Mirror 00051 for twin-door unit - Lacquer 0006 for twin-door unit - Mirror 00061

9991

9992

0007

9993

9994

99912

Special widths are not possible for design and intermediate units.

When ordering extra fitted shelves and clothes rods Size reduction surcharge per fitted shelf Size reduction surcharge per clothes rod

Surcharge per unit When ordering extra fitted shelves Size reduction surcharge per fitted shelf

Special depths are not possible for design units and for the intermediate units A901, A902 and A910

Side sloping: Surcharge per unit **Rear sloping:**

Surcharge per unit

Ancillary units

Height reductions (not possible on

drawers and flaps): 99902 Carcase Wooden/lacquer/high-gloss lacquer door 99903

Width reductions: Carcase 999120 Wooden/lacquer/high-gloss lacquer door 999130 999170 Wooden/lacquer/high-gloss lacquer drawer Wooden/lacquer/high-gloss lacquer flap 999180 Fitted wooden shelf (for units) 999141 Wall shelf (not below 50.0 cm, 99915 with spotlamps not below 70.4 cm)

Depth reductions (not possible on drawers):

Carcase (carcase with drawers not below 33.0 cm) 99932 99939 Wooden cover shelf Glass cover shelf 999394 Ceramic cover shelf 999395 Fitted wooden shelf (for units) 999341 Wall shelf (not below 20.0 cm) 99935

Special-sized products for special combinations:

Pricing: special combination + 15% plus all the required special-sized products (see above)!

More special products are possible. Please get in touch with your customer advisor.

Special articles

Wardrobe doors are also available as separate units and are charged as follows:

For 1 hinge-door/folding-door wing: 50% of the concerning 1-door hinge-door

For 1 sliding-door including mechanism: 35% of the twin-door sliding-door

For door superstructures, type 100 (max. 98 cm wide, only for assembly between wardrobes): 100% of twin-door hinge-door extension unit

Panels for side and top covering of fitted wardrobes (support construction and fitting materials must be acquired on site).

For veneered/lacquered versions (max. 268.0 cm long, max. 59.0 cm wide,

2.0 cm thick) 9901 Basis charge per order: + price per m² - lacquer + price per m² - veneer 990 990

Veneer match with fronts can not be guaranteed.

Rim veneer

without surcharge

without surcharge

superimposed ex works or rims lacquered for veneer and lacquer versions per m. length

in price group I 9902 in price group II 9902 in price group III 9902 in price group IV 9902

165° hinges

Wardrobe doors can also be fitted with 165° hinges against a surcharge (only possible on plain, straight hinge-doors). Please mark the doors clearly in the order!

Surcharge for 165° hinges per hinge-door: 180

Individual special-sized products

If the special-sized product that you require is so unusual that it cannot be illustrated with the many special sized products that we already provide and charge for, then we will quote you the price using a 33 unit type factor. In your order please state for us the relevant enquiry number and the 33 unit type factor stated.

Special colours; Note on "Blue Angel" / Emissions label of DGM

Special colours

All the hülsta lacquer colours are possible for nearly all the hülsta ranges. Availability and prices on request.

Note on "Blue Angel" (RAL-UZ 38) and Emissions label of DGM (Class A)

It is possible that the requirements of the "Blue Angel" and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV, depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

Switch options for lamps: Radio remote control with change of colour temperature

Radio remote control with change of colour temperature


The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

The following points must be noted with the radio remote control:

- The receiver must be positioned behind a rear wall or under plinth shelves (at least 20 mm space required under plinth shelves).
- The total wattage power of all lamps included per receiver must not exceed 30 W.
- 4 channels = 4 light groups
- 1 light group = x lights
- All lamps within a light group can be dimmed to the same brightness.
- The change of the colour temperature takes place for all lamps in all light groups.
- The radio remote control is not suitable for equipment operating on 110 V.

Please be sure to note the operating and programming instructions!

4-channel radio remote control with change of color temperature



4-channel radio remote control with change of color temperature

Type **2119** -

Examples of use (schematic diagrams)

Example 1

Lights inside a unit


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamp in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps in the open compartment

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlamp in the right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 2

Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamp and the LED light panels in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps and the LED light panels in the centre cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlamp and the LED light panels in the right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 3

Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamps in the left, centre and right cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the top LED light panels in the left, centre and right cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the bottom LED light panels in the left, centre and right cabinet

Notes

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.




Usable bed inside height and space under bed

Note on usable bed inside height:

The support slats of the hülsta beds are delivered in the centre position, i.e. they can be adjusted by 3.2 cm upwards and downwards. If the slats are set in the lowest position, the maximum usable bed inside height is achieved.

In the case of some beds, the bed inside height is comparatively low. This means that mattresses in combination with base frames that are somewhat higher are not held so well by the bed side sections. Please note that the usable bed inside height of beds with height adjustable support slats is reduced when these are set higher.

This is how to calculate the individual height from the data supplied with the base frames:



Note on space under bed:

The storage space underneath the base frame is calculated from the bed height minus the usable bed inside height.

Example bed: 42.2 cm - 18.0 cm = 24.2 cm.

Important notes TETRIM

Wall composition / assembly instruction

Important notes:

The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.

Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete ≥ C12/15, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

Materials table

with a description of which sets are to be used with the following types of walls:

Standard set Assembly mortar set only suitable for the materials stated below! Concrete C12/15 Building bricks Mz 12 Solid blocks of light concrete V2 Compression strength \geq 12 N/mm² Compression strength $\geq 2 \text{ N/mm}^2$ Compression strength ≥ 15 N/mm² Limestone blocks KS 12 Perforated blocks of light concrete Hbl 2 Compression strength ≥ 12 N/mm² Compression strength ≥ 2 N/mm² Perforated sand lime bricks KSL12 Aerated concrete PP2 Compression strength ≥ 12 N/mm² Compression strength ≥ 2 N/mm² Vertically perforated bricks HLz 12 Compression strength ≥ 12 N/mm² Bulk density $\geq 1.0 \text{ kg/dm}^3$

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.



Mounting sets

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.

3 = 3 support boards

= 4 support boards, etc.

One assembly mortar set is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.

Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard trade mastic tool which are the basic essentials for safe and clean workmanship.

Standard set

The standard set consists of 4 plastic Rawl plugs and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.

Assembly mortar set for up to a maximum of 3 support boards consisting of:

9x injection retaining sleeve

9x screw-in sleeve

1x injection cartridge

2x static mixer

1x assembly instructions

Please use the mounting screws from the standard set (supplied free of charge).

Example of order:

- Add up number of support boards for all existing unit types
- Divide the sum by "3"
- · Round up the result to a full number
- = Number of assembly mortar sets required

M2

Your Hotline to hülsta

Do you have any questions or require any alterations to your order confirmation?
Do you have any questions on our products or your current order?
Do you have any complaints about supplied goods or required replacement parts?
Contact Telephone: +49 (0) 2563 / 86-1627 • email: orders@huelsta.com

Do you have any questions, suggestions or wishes for the hülsta product seminars? Contact Telephone: +49 (0) 2563 / 86-1493 • email: seminare@huelsta.com

hülsta Planning Service

Your furn plan planning is so complex that you need our support? We have created the hülsta Planning Service for this kind of situation. hülsta employees will check your planning as quickly as possible. The customer gets a planning that will inspire him!

hülsta Planning Service

Tel.: +49 (0) 2563 / 86-1060 Fax: +49 (0) 2563 / 86-1000 Mail: Planungsservice-Handel@huelsta.com Mondays to fridays from 9.00 a.m. until 5.00 p.m.

Special wishes? Come to us!

Maximum individuality! — Maximal flexibility! — hülsta makes most of your special wishes possible. And if you do have a wish which is not quite so easy to implement, just give us a call or send us a mail or a fax. We have our own hülsta "Special Wishes Team" who are there to help you realise just these customer requests. These colleagues are professionals when it comes to special products. They plan and calculate the products possible for you and even develop an alternative suggestion if the idea should turn out to be technically impossible.

Here is an overview of the hülsta range of special wishes:

- A lot of special products can be ordered simply via the type list
- Special-sized products are planned simply and professionally
- · Competent colleagues advise you by phone, by fax and by mail
- You will be sent alternative suggestions if the idea is technically impossible
- Many special-sized products are available without a surcharge
- Specially qualified carpenters and technicians implement your plans perfectly

hülsta Special Wishes Team

Tel.: +49 (0) 2563 / 86-1060 Fax: +49 (0) 2563 / 86-1000 Mail: Sonderwunsch@huelsta.com

We are open Saturdays for you, too!

Our Saturday hotline is available from 10.00 a.m. until 5.00 p.m.

Telephone: +49 (0) 2563 / 86-1800

The hülsta Sales Department is available mondays to fridays from 9.00 a.m. until 5.00 p.m.

hülsta TETRIM Schlafen

Stand: E 9. 2021

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress.

hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadtlohn Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000 www.huelsta.com

