

now! time SO MUCH SPACE FOR YOUR IDEAS.

"It's impressive just how quickly a personal dream room can become perfect reality." A cupboard that is in effect half a cabinet and half a highboard. An individually configurable living room wall arrangement with sliding cabinet door thanks to our flexible side-panel system. A bookshelf with wooden fittings. Low- and sideboards with or without legs. If your furniture needs to be capable of making your own slightly different ideas possible and you place great value on a casual look, now! time is exactly the right range for you. Many different surface versions in high-gloss lacquer, lacquer and wood are exciting to combine easily and clearly – and often in such a surprising way that we sometimes wonder why we didn't think of that ourselves.

Open compartment

Planning notes

F


Lists of versions

Carcase and cover shelf versions, pedestals	Front versions	shelves, partition, niche rear wa for side-panels; wall shelves, angled shelves		Versions White lacquer		
White lacquer Natural oak Core walnut	White lacquer Natural oak Core walnut High-gloss white lacquer High-gloss grey lacquer High-gloss silk grey lacquer	White lacquer Sand lacquer Grey lacquer Silk grey lacqu Natural oak Core walnut		Sand lacquer Grey lacquer Silk grey lacquer Teal blue lacquer Lemon lacquer Old rose lacquer Natural oak Core walnut		
Knob versions						
Standard version Stainless steel	optionally available in: White lacquer Sand lacquer Grey lacquer Silk grey lacquer Natural oak Core walnut					
Doors and drawers are supplied of stainless steel. Knobs in one of also possible as an alternative (v the required version clearly in th	without surcharge). Please state					
0						
Carcases, carcase access	ories	Side-panels; wooden s	helves, partition, nich	he rear Open	compartment	
Carcases, carcase access Carcase in carcase versions		Side-panels; wooden s wall for side-panels; w All units in the versions	vall shelves, angled sh	helves Open	a compartment compartment in the versions above	
·		wall for side-panels; w	vall shelves, angled sh	helves Open	compartment in the versions	

Versions of: side-panels; wooden

- Please note: Side-panel system, carcases and lowboards cannot be fitted as room divider.
- hülsta-SoftFlow: All drawers with auto pull-in feature with brake as fully pull-out units
- hülsta-MagicClose: All wooden hinge-doors with hülsta-MagicClose (gentle closing)
- Since 1996, we are entitled to label all of our modular furniture and base frames with the strictly regulated "Blue Angel", which awards products that are low in emissions and especially environmentally friendly.





- Important notes on including lighting
- Remote control unit for LED lamps
 IR repeater set for lowboards
- Cable aperture assembly set
- Flatscreen TV sizes overview
 Flap hinge
- Wall units
- Maximum loads Quality of walls / assembly instructions

Planning notes

Planning lowboards / sideboards / wall units

Planning step 1



Choice of unit

Please state all the versions clearly in the order (see here the information on the previous page)



Optional legs for low- and sideboards

One set of 6 legs is required for sideboards and for 190 cm wide lowboards. One set of 2 legs and one set of 3 legs are required for 140 cm wide lowboards. When fitting the lowboards on pedestals: see here the sketches on the right!

Planning single units

Planning step 1



Choice of carcase in the required version

Planning step 2

Planning step 2



Choice of interior fittings in the required version such as:

constructional shelves, accessories such as LED light strip

Choice of shelves and niche rear walls

Please note: Only fitted shelves of glass or

wood can be fitted in combination with a

in the required number as well as in the

required version and width

niche rear wall.

Planning step 3

Choice of front(s)



Planning step 4

Choice of cover shelf in the required version

Planning step 3

5	

Choice of optional partitions in the required version

Please note: Partitions can only be fitted on wooden shelves. Partitions are essential if sliding-doors are fitted in front of a 136.6 cm wide wooden shelf.

Planning step 4

	 · ·	

Choice of front(s) in the required version such as: Doors, sliding-doors, flaps, drawers, open compartments

time

Note:

pedestal = no legs are required

	-				
\gg					
2	_	\geq			

Planning step 2

such as

Choice of optional accessories

- Fitted shelf for sideboard

- Knobs in a different version

The lowboard stands completely on a


Fitted wooden shelves, fitted glass shelves,

in the required version such as: Doors, drawers, open compartments, knobs

in a different version


Planning side-panel combinations

Planning step 1



Choice of side-panels in the required number as well as in the required version and height

Planning step 3



Choice of optional legs / metal substructure



At least one third of the lowboard stands on a pedestal = one set of 3 legs is required for the 140 cm wide lowboard and two sets of 2 legs are required for the 190 cm wide lowboard





At least one half of the lowboard stands on a pedestal = one set of 2 legs is required for the 140 cm wide lowboard and one set of 3 legs is required for the 190 cm wide lowboard

White lacquer Natural oak Core walnut

Front versions

White lacquer Natural oak Core walnut High-gloss white lacquer High-gloss sand lacquer High-gloss grey lacquer High-gloss silk grey lacquer


Special combinations

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

ADVANTAGE!


Special combination


E



Special combination

Recommended accessories Article 2x LED light panel	Order no. 40610	2x	-
Information on the energy class: see the description of the individua	al units!		





	Article	Special combination
_	Order no.	990009 (as illustrated) / 991009 (vice versa)
4		-


Open compartment versions White lacquer Sand lacquer Grey lacquer Silk grey lacquer Teal blue lacquer Lemon lacquer Old rose lacquer Natural oak Core walnut

Special combinations

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

ADVANTAGE!

Special combination




216,2

Special combination

Recommended accessories	
Article	Order no.
1x Socket incl. USB connection	400
1x Revolving chair	7792

	4	
	21	
	h	



Article	
Order no.	

Special combination

990011 (as illustrated) / 991011 (vice versa)

White lacquer Natural oak Core walnut

Front versions

White lacquer Natural oak Core walnut High-gloss white lacquer High-gloss sand lacquer High-gloss grey lacquer High-gloss silk grey lacquer


Special combinations

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

ADVANTAGE!


Special combination

Ε



Article	Special combination
Order no.	990006 (as illustrated) / 991006 (vice versa)
	-

Special combination



Open compartment versions White lacquer Sand lacquer Grey lacquer Silk grey lacquer Teal blue lacquer Lemon lacquer Old rose lacquer Natural oak Core walnut

🔴 🌒 🌒 made in germany

Special combinations

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.


ADVANTAGE!

Special combination

Recommended accessories	
Article	Order no.
1x LED light panel	40610

40610

Information on the energy class: see the description of the individual units!



Article	Special combination	
Order no.	990005 (as illustrated) / 991005 (vice versa)	
	-	


Special combination

Recommended accessories Article 1x LED light panel

Information on the energy class: see the description of the individual units!

Order no.

40610



Article

Order no.

7

White lacquer Natural oak Core walnut

Front versions


White lacquer Natural oak Core walnut High-gloss white lacquer High-gloss sand lacquer High-gloss grey lacquer High-gloss silk grey lacquer

Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.


Suggested combination

E



Article	Suggested combination
Order no.	980007 (as illustrated) / 981007 (vice versa)
	-

Suggested combination



_ ‡	31,6	-31,6	2 31,6	12,7 <u>-</u> 31,6-	-31,6	-31,6
⁴ -6'-2						
Ĩ.						

	Article	Suggested combination
	Order no.	980008 (as illustrated) / 981008 (vice versa)
8		-

White lacquer
Sand lacquer
Grey lacquer
Silk grey lacquer
Natural oak
Core walnut

Open compartment versions White lacquer Sand lacquer Grey lacquer Silk grey lacquer Teal blue lacquer Lemon lacquer Old rose lacquer Natural oak Core walnut

Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.


Suggested combination

Recommended accessories Article Order no. 1x Niche rear wall 88 4478 -

Article	Suggested combination
Order no.	980009 (as illustrated) / 981009 (vice versa)
	-

Suggested combination

Recommended accessories Article 1x LED glass rim lamp	Order no. 40810 -			
Information on the energy class: see the description of the individual un	its!	145,8		



Article	Suggested combination
Order no.	980010 (as illustrated) / 981010 (vice versa)
	-

White lacquer Natural oak Core walnut


Front versions

White lacquer Natural oak Core walnut High-gloss white lacquer High-gloss sand lacquer High-gloss grey lacquer High-gloss silk grey lacquer

Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.

Suggested combination





Article	Suggested combination	
Order no.	980011	
	-	

Suggested combination


Recommended accessories

Article 3x LED glass rim lamp

Order no. 40810 3x

Information on the energy class: see the description of the individual units!





	Article	Suggested combination
	Orden as	980012 (as illustrated) / 981012 (vice versa)
	Order no.	
10		-
	•	

White lacquer
Sand lacquer
Grey lacquer
Silk grey lacquer
Natural oak
Core walnut

Open compartment versions White lacquer Sand lacquer Grey lacquer Silk grey lacquer Teal blue lacquer Lemon lacquer Old rose lacquer Natural oak Core walnut


Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.

Suggested combination Aticle Order no. Δ LED glass rin lamp d0810 2x Information on the energy class: $e^{the the description of the individual units}$

Article	Suggested combination					
Order no.	980014					

Suggested combination



Article	Suggested combination
Outerse	980015
Order no.	980015
	-

White lacquer Natural oak Core walnut

Front versions


White lacquer Natural oak Core walnut High-gloss white lacquer High-gloss sand lacquer High-gloss grey lacquer High-gloss silk grey lacquer


Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.

Suggested combination

Ε





Article	Suggested combination				
Order no.	980016				
	-				

Suggested combination


Recommended accessories

Article 1x LED glass rim lamp

Order no. 40810

Information on the energy class: see the description of the individual units!





	Article
40	Order no.
12	

Suggested combination

980004 (as illustrated) / 981004 (vice versa)

Versions of: side-panels; wooden shelves, partition, niche rear wall for side-panels; wall shelves, angled shelves

White lacquer
Sand lacquer
Grey lacquer
Silk grey lacquer
Natural oak
Core walnut


Open compartment versions White lacquer Sand lacquer Grey lacquer Silk grey lacquer Teal blue lacquer Lemon lacquer Old rose lacquer Natural oak Core walnut


• • • made in germany

Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.

Suggested combination






Article	Suggested combination				
Order no.	980005 (as illustrated) / 981005 (vice versa)				
	-				


Suggested combination

Recommended accessories

Article 1x Wall shelf 120

Order no. 4372





Article	Suggested combination
Order no.	980006
	-

White lacquer Natural oak Core walnut


Front versions

White lacquer Natural oak Core walnut High-gloss white lacquer High-gloss sand lacquer High-gloss grey lacquer High-gloss silk grey lacquer

Suggested combinations

Ε

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.





Suggested combination

Recommended accessories			
Article	Order no.		
1x LED glass rim lamp	40810		

1x LED glass rim lamp

Information on the energy class: see the description of the individual units!





Suggested combination

980018 (as illustrated) / 981018 (vice versa)

Versions of: side-panels; wooden shelves, partition, niche rear wall for side-panels; wall shelves, angled shelves

White lacquer Sand lacquer Grey lacquer Silk grey lacquer Natural oak Core walnut Open compartment versions White lacquer Sand lacquer Grey lacquer Silk grey lacquer Teal blue lacquer Lemon lacquer Old rose lacquer Natural oak Core walnut

• • • made in germany

Possible arrangements





White lacquer Natural oak Core walnut

Front versions


White lacquer Natural oak Core walnut High-gloss white lacquer High-gloss sand lacquer High-gloss grey lacquer High-gloss silk grey lacquer

E 1.2021

now! time

Planning carcases

F




L/R = Door hinge left/right

Versions of: side-panels; wooden shelves, partition, niche rear wall for side-panels; wall shelves, angled shelves White lacquer Sand lacquer Grey lacquer Silk grey lacquer Natural oak Core walnut	Open compartment versions White lacquer Sand lacquer Grey lacquer Silk grey lacquer Teal blue lacquer Lemon lacquer Old rose lacquer Natural oak Core walnut		•••	made in germany
Cover sl Ca	helves for carcases up to 10R height are al nnot be fitted between side-panels. 8 to 12	bsolutely essential and must be ordered 2 Raster carcases cannot be used as w	d separately! all unit.	
Carcase 6R 105.6 x 70 x 37.9 4076	Carcase 8R 140.8 x 70 x 37 4078		Carcase 10R 76 x 70 x 37.9 40701	Carcase 12R 211.2 x 70 x 37.9 40702
Cover shelf 3.3 x 140 x 40 4041	Can be fitted as upper and lower cover In 140 to 210 cm width fittable as full- Cover shelf 3.3 x 190 x 40 4009	length cover/plinth shelf.	Cover shelf 3.3 x 210 x 40 4021	
Can be fitted in combina- tion with constructional shelf Drawers 2R	Drawers and flap cannot be fi		Drawers 2R	Flap 2R
35.2 x 35 x 40 4132	35.2 x 50 x 40 4152		4172	35.2 x 70 x 2 4574
Door with clear glass panel	Door with clear glass panel	Door with clear glass panel	Can be fitted in cor	nbination with constructional shelf
	✓			
Door 8R 140.5 x 69.7 x 2 Order no. as illustr. / vice versa	Door 10R 175.7 x 69.7 x 2 Order no. as illustr. / vice versa	Door 12R 210.9 x 69.7 x 2 Order no. as illustr. / vice versa	Angled door 4R 70.1 x 69.7 x 2	Angled door 4R 70.1 x 69.7 x 2
43781 / 43782 - Lamps, open compartment	LED light panel; fitted in 4 to 12 Ras carcases; incl. footswitch and pre- liminary transformer	43721 / 43722 - ter LED gl - incl. footswitch and puilt-in LED lamps of the energy classe	4284 - ass rim lamp; d preliminary transformer	Can be fitted in combination with constructional shelf; cannot be fitted in 32 cm deep wall units
Remote control for LED lamps: Type 3333 -		nnot be changed in the luminaire. 12 V	2.9 W	
Article H x W x D in cm Order no.	LED light panel 1.9 x 66.6 x 3.0 40610	2.9 ×	ass rim lamp 66.4 x 1.4 40810	Open compartment 34.7 x 34.7 x 37.3 4423
now! time E 1. 2021	-	L/R = Door hinge left/right	-	-

L/R = Door hinge left/right

Planning side-panels

F



L/R = Door hinge left/right

E 1.2021 now! time

more offer from a for grint	Versions of: side-panels; wooden shelves, partition, niche rear wall for side-panels; wall shelves, angled shelves White lacquer Sand lacquer Grey lacquer Silk grey lacquer Natural oak Core walnut	Open compartment versions White lacquer Sand lacquer Grey lacquer Silk grey lacquer Teal blue lacquer Lemon lacquer Old rose lacquer Natural oak Core walnut		•••	made in germany
We define the full We define full We define t			Please note: From a load of 15 kg partitions must be fitted down to the bottom shelf with 136.6 cm wide wooden shelves;		down to the bottom shelf with 136.6 cm with
4463 4465 4464 4466 4461 4460 4000 4482 4462 Siling-down ind, ralls, under the siding-down partitives must be filled down to the bottom duff with 156.5 cm with seconder tables. Min. space required to be able to it the siding-down 2.23 cm (bt the siding-do				Wooden shelf Glass shelf	~ ~
Siding doors link rails, under the siding doors partitions must be fitted down to the battom shelf with 138 c.m. wide wooden shelves. Min. space required to be able to fit the siding doors 283 cm (for th 68 alding-door). Siding doors 66 2 adding doors 66 105 X 139 x 2 2 143 x 139 x 2 Siding door 66 2 adding doors 66 105 X 139 x 2 2 143 x 139 x 2 Siding door 68 2 104 x 69 x 2 105 X 139 x 2 2 143 x 139 x 2 Siding door 68 2 104 x 69 x 2 105 X 139 x 2 2 143 x 139 x 2 Siding door 68 2 104 x 69 x 2 105 X 139 x 2 2 143 x 139 x 2 Can be filted in combinentiants Dorwers 281 Can be filted in combinentiants Siz x 109 x 2 Siz x 107 x 4 423 x 31 x 4 Door with dear glass panel Door with clear glass panel Door with clear glass panel Door with dear glass panel Door with clear glass panel Con to filted in combination with partition 102 x 85 x 7 2 00 tron x th clear glass panel Con to filted in combination with partition 102 x 85 x 7 12 00 tron x th clear glass panel Con to filted in combination with partition 103 x 85 x 7 2 x 7 x 7 2 x 7 7 x 2 x 7 7 x 2 x 7 7 x 2 x 7 7 x 2 x 7 7 x 2 x 7 7					
Built Beil In combination with partition if required, cannot be fitted in 32 cm deg wall units With subjects and partition if required, cannot be fitted in 32 cm deg wall units Drawers 28 Drawers 28 Open compartment 35.2 x 35 x 40 35.2 x 50 x 40 35.2 x 70 x 40 31.2 4152 4172 4223 Door with clear glass panel Door with clear glass panel Door with clear glass panel Can be fitted in combination with partition Door with clear glass panel Door with clear glass panel Door with clear glass panel Can be fitted in combination with partition Door 88 Door 108 Door 108 Door 128 Angled door 48 Angled door 48 14005 x 807 x 2 Order no. as illustr, vice versa Angled door 48 Angled door 48 Angled door 44 Angled door 45 Angled door 44 Angled door 44	105.8 x 139 x 2 4386	214.2 x 13 43813	9 x 2	Sliding-door 8R 140.4 x 69 x 2 4388	r glass el Sliding-door 12R 210.8 x 69 x 2 4381
Drawers 2R 35.2 x 35 x 40 Drawers 2R 35.2 x 55 x 40 Drawers 2R 35.2 x 50 x 40 Drawers 2R 35.2 x 70 x 40 Open compartment 34.7 x 34.7 x 37.3 4132 4152 4172 117 1423 Door with clear glass panel Door with clear glass panel Door with clear glass panel Can be fitted in combination with partition Image: transformer transformer transformer transformer to rotsing balance Door with clear glass panel Door with clear glass panel Can be fitted in combination with partition Image: transformer transformer to rots with clear glass panel Door 10R Door 12R Angled door 4R Angled door 4R 140.5 x 69.7 x 2 Order no. as illustr./ vice versa 43781 / 43782 Order no. as illustr./ vice versa 43781 / 43782 Angled door 4R Angled door 4R Angled door 4R Lamps, desk/ working place LED glass rim lamp; fitted between side-panels with fitted glass shelves; incl. footswitch and preliminary transformer. LED light panel; fitted between side- switch and preliminary transformer. Desk/working place for assembly between side-panels; incl. swing-panels with fitted glass shelves; incl. switch and preliminary transformer. Desk/working place for assembly between side-panels; incl. swing-panels with fitted shelves; incl. switch and preliminary transformer. Desk/working place for assembly betwen s		Drawers cannot be fitted in 3	2 cm deep wall units.		with shelves and partition if required; cannot be fitted in
35.2 x 55 x 40 35.2 x 50 x 40 35.2 x 70 x 40 34.7 x 34.7 x 37.3 4132 4152 4172 423 0 1 1 1 423 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					
Door with clear glass panel Door with clear glass panel Door with clear glass panel Can be fitted in combination with partition Door with clear glass panel Door with clear glass panel Door with clear glass panel Can be fitted in combination with partition Door 8R Door 10R Door 12R Angled door 4R Angled door 4R 140.5 x 69.7 x 2 175.7 x 69.7 x 2 Order no. as illustr. / vice versa Angled door 4R Angled door 4R 140.5 x 69.7 x 2 Order no. as illustr. / vice versa 43701 / 43702 Door 12R Angled door 4R Angled door 4R Lamps, desk/ working place LED glass rim tamp: fitted between side-panels with fitted glass shelves; incl. footswitch and preliminary transforme. LED light panel; fitted between switch and preliminary transforme. Desk/working place for assembly between side-panels; incl. swing-up flag and integrated compartment of celab manels with fitted shelves; incl. for LED lamps: Desk/working place for assembly and integrated compartment for celab management Multiple socket consisting of one stand: socket and one double USB socket; for assembly in compartment of desk working place Remote control for LED lamps: Type 3333 This luminaire contains built-in LED lamps of the energy clases A++ to A. The lamps cannot be changed in the luminaire: 12 V Desk/working place Multiple socket Article LED glass rim tamp LED light panel	35.2 x 35 x 40	35.2 x 50 x	: 40	35.2 x 70 x 40	34.7 x 34.7 x 37.3
Leb glass rim lamp; fited between side-panels with fitted glass shelves; incl. foot-switch and preliminary transformer. LeD glass rim lamp; fited between side-panels with fitted glass shelves; incl. foot-switch and preliminary transformer. Desk/working place for assembly between side-panels with fitted glass shelves; incl. foot-switch and preliminary transformer. Multiple socket Multiple socket Multiple socket Remote control for LED lamps: This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V Desk/working place Multiple socket to a some built in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V Desk/working place Multiple socket to a some built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V Article LED glass rim lamp LED light panel 5.1 W Desk/working place Multiple socket Article LED glass rim lamp LED light panel Desk/working place Multiple socket 11 x 20 x 9					
140.5 x 69.7 x 2 175.7 x 69.7 x 2 210.9 x 69.7 x 2 70.1 x 69.7 x 2 70.1 x 69.7 x 2 Order no. as illustr. / vice versa 43781 / 43782 43701 / 43702 210.9 x 69.7 x 2 70.1 x 69.7 x 2 70.1 x 69.7 x 2 Lamps, desk/ working place LED glass rim lamp; fitted between side-panels with fitted glass shelves; incl. footswitch and preliminary transformer. LED light panel; fitted between side- panels with fitted shelves; incl. foot- switch and preliminary transformer. Desk/working place for assembly between side-panels, incl. swing-up flap and integrated compartment for cable management Multiple socket consisting of one stands socket and one double USB socket; for assembly working place Remote control for LED lamps: Type 3333 This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V 5.1 W Image: Multiple socket Article LED glass rim lamp LED glass rim lamp LED plass rim lamp LED plass rim lamp H x W x D in cm 2.9 x 66.4 x 1.4 1.9 x 66.6 x 3.0 39.9 x 101.5 x 62.5 11 x 20 x 9	Door with clear glass panel	Door with clear glass panel	Door with clear glass pane	Can be fitted	l in combination with partition
140.5 x 69.7 x 2 175.7 x 69.7 x 2 210.9 x 69.7 x 2 70.1 x 69.7 x 2 70.1 x 69.7 x 2 Order no. as illustr. / vice versa 43781 / 43782 43701 / 43702 210.9 x 69.7 x 2 70.1 x 69.7 x 2 70.1 x 69.7 x 2 Lamps, desk/ working place LED glass rim lamp; fitted between side-panels with fitted glass shelves; incl. footswitch and preliminary transformer. LED light panel; fitted between side- panels with fitted shelves; incl. foot- switch and preliminary transformer. Desk/working place for assembly between side-panels, incl. swing-up flap and integrated compartment for cable management Multiple socket consisting of one stands socket and one double USB socket; for assembly working place Remote control for LED lamps: Type 3333 This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V 5.1 W Image: Multiple socket Article LED glass rim lamp LED glass rim lamp LED plass rim lamp LED plass rim lamp H x W x D in cm 2.9 x 66.4 x 1.4 1.9 x 66.6 x 3.0 39.9 x 101.5 x 62.5 11 x 20 x 9	L	L	L	- L	· ·
43781 / 43782 43701 / 43702 43721 / 43722 4284 4285	140.5 x 69.7 x 2	175.7 x 69.7 x 2	210.9 x 69.7 x 2	70.1 x 69.7 x 2	-
working place side-panels with fitted glass shelves; incl. footswitch and preliminary transformer. panels with fitted shelves; incl. footswitch and preliminary transformer. between side-panels; incl. swing-up flap and integrated compartment for cable management socket and one double USB socket; for assembly in compartment of desk working place Remote control for LED lamps: This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V LED glass rim lamp LED light panel Desk/working place Multiple socket Article LED glass rim lamp LED light panel Desk/working place Multiple socket 11 x 20 x 9	43781 / 43782	43701 / 43702	43721 / 43722		
Article LED glass rim lamp LED light panel Desk/working place Multiple socket H x W x D in cm 2.9 x 66.4 x 1.4 1.9 x 66.6 x 3.0 39.9 x 101.5 x 62.5 11 x 20 x 9	working place sid	le-panels with fitted glass shelves; incl.	panels with fitted shelves; incl. fo	ot- er. between side-panels; incl. swing- and integrated compartment for	up flap socket and one double USB socket; cable for assembly in compartment of desk
Article LED glass rim lamp LED light panel Desk/working place Multiple socket H x W x D in cm 2.9 x 66.4 x 1.4 1.9 x 66.6 x 3.0 39.9 x 101.5 x 62.5 11 x 20 x 9	for LED lamps:	The lamps cannot be chan	ged in the luminaire. 12 V		
H x W x D in cm 2.9 x 66.4 x 1.4 1.9 x 66.6 x 3.0 39.9 x 101.5 x 62.5 11 x 20 x 9			// (\$		Multiple socket
		2.9 x 66.4 x 1.4	1.9 x 66.6 x 3.0	39.9 x 101.5 x 62.5	11 x 20 x 9


L/R = Door hinge left/right

White lacquer
Natural oak
Core walnut

Front versions
White lacquer


Natural oak Core walnut High-gloss white lacquer High-gloss sand lacquer High-gloss grey lacquer High-gloss silk grey lacquer

Cover shelves for assembly units are absolutely essential and must be ordered separately!



20

F



now! time E 1.2021

21

L/R = Door hinge left/right

Possible arrangements



Sketch raster for the now! time range

Please superimpose unlined paper and write firmly. In order to avoid slipping, use 2 paper clips or fold the edge of the drawing sheet.


Check list

- 1.) Do the sketch and the order match? Do the dimensions and the sketch match the type number? Are all type numbers correctly stated in the sketch? Can one see the position of door hinges?
- 2.) Are all type numbers correct? Have you perhaps confused price and type numbers?
- 3.) In combinations of wooden, lacquer and high-gloss lacquer versions: is it clear which units are to be delivered in which version?
- 4.) Is it clear whether the types ordered are to be employed as wall units or as plinth units?
- 5.) Are all **accessories** such as lamps etc. included in the sketch?
- 6.) Is this an additional order? If so, when was the original order? If possible, include a sketch on which the existing and new units are clearly marked.

Please also remember the planning notes on the introductory pages!

Note on calculating widths for side-panel combinations:

The width table states all widths up to 315 cm (wider widths always in steps of 35 cm). This width is calculated from a side-panel + shelf. To determine the total width, 3.3 cm must be added for the end side-panel!



Version(s)	Customer	Date	Commission

Important notes on including lighting

In all now! ranges lighting with manual switches may only be included on furniture units (e.g. the top LED lamp for wardrobes) or in open compartments, open carcases or behind clear glass fronts or fronts with a clear glass panel (e.g. the light strip with LED lamps). It is not possible to include lighting behind non-transparent fronts (e.g. wood, lacquer, high-gloss fronts or fully rear-lacquered glass fronts).

Remote control set

Radio remote control set

The lamps are normally operated by an external foot switch. As an alternative we can also provide a radio remote control, which is charged extra. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

The radio remote control set consists of:

- 1 transmitter
- 1 receiver

Remote control	Article
Set for LED lamps	
0. 3333	Order no.
-	

IR repeater set

IR repeater set

Infrared signal transmission set for operating media units behind wooden/high-gloss fronts. You can operate as many media units as you like in one compartment with one set. The following applies:

- At least 4 cm distance between unit and front
- One set must be used for each compartment
- The transmitter must be placed in the immediate vicinity of the receiver eye of the media unit
- High-frequency signals cannot be transmitted

The IR repeater set consists of:

- 1 receiver eye (ø 3.0 cm) incl. standing bracket (4.2 x 5.5 x 3.0 cm)
- 1 electric transmitter
- 1 plug EVG 12 V

· Cable clamps

 Article
 Infrared repeater set for lowboards (1 set per compartment)

 Order no.
 7777

Cable aperture assembly set

Cable aperture assembly set

Cable aperture assembly set for fitting cable apertures on site in cover shelves, carcases, centre partitions and rear walls in wood/lacquer/high-gloss lacquer versions. The cable aperture drill bit can be used with all standard power drills.

The cable aperture assembly set consists of:

1 cable aperture drill bit (Ø 60 mm)
3x cable aperture type K3 (aluminium colour)

Please be sure to follow the information and notes in the assembly instructions!


Article	Cable aperture assembly set
Order no.	1111
	-

Flatscreen TV sizes overview

Flatscreen TV sizes overview

These schematic drawings are only for purposes of orientation as to how high and wide flatscreen TV's with different screen diagonal measurements are. The sizes depicted below are however only approximate and vary according to the manufacturer.

On the basis of the sizes you can estimate approximately how wide a lowboard for example has to be so that the flatscreen TV does not protrude at the sides.



Flap hinge

Flap hinge

If not otherwise marked in the type list, all the units with a flap have the flaps hinges at the bottom.

Wall fitting

Important notes:

Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15.

For other materials (please see next page) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used.

For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Further notes:

If 2 - 8 Raster (assembly) units are included as wall units, a maximum load per unit of 40 kg must not be exceeded for reasons of stability!

The wall units can only be fitted on absolutely solid walls. Light masonry is not suitable for this purpose.

If (assembly) units are stacked on top of one another, a wall bracket must be ordered for each stacked unit.

For each project please remember to leave a 2.0 cm gap at the top to be able to mount units.

Maximum loads

Maximum loads

Max. load of wooden and glass (fitted) shelves (up to 70.5 cm wide) and drawers: 25 kg

Max. load of wooden and glass (fitted) shelves (between 70.5 and 105.7 cm wide): 15 kg

Max. load of wooden and glass (fitted) shelves (from 105.7 cm wide): 10 kg

Max. load of cover shelves: 35 kg per metre length for floor units.

Please also note any maximum loads which may be stated in the type list for the individual units!

now!

time

Important notes

Wall composition / assembly instruction

Important notes:


The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place. Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete \geq C12/15, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

Materials table

with a description of which sets are to be used with the following types of walls:



A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.

Mounting sets

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.

3 = 3 support boards 4 = 4 support boards, etc.

One assembly mortar set is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.

Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard cartridge applicator tool which are the basic essentials for safe and clean workmanship.

Standard set

The standard set consists of 4 plastic Rawl plugs and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.

Assembly mortar set for up to a maximum of 3 support boards consisting of:	Example of order:	
9x injection retaining sleeve	Add up number of support boards for all existing unit types	
9x screw-in sleeve 1x injection cartridge	• Divide the sum by "3"	
2x static mixer 1 x assembly instructions	Round up the result to a full number	
Please use the mounting screws from the standard set (supplied free of charge).	= Number of assembly mortar sets required	
		5555

now! time

Stand: E 1.2021

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress. © Copyright by hülsta · Imprimé en Allemagne · Printed in Germany

hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadtlohn Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000 www.now.huelsta.com

