

GENTIS

LIVING





GENTIS LIVING

Contents

	Page
Range introduction, lists of versions, concept and possible arrangements	2-5
Suggested combinations	6-9
2 and 3 Raster (room divider) lowboards	10-23
Media accessories for lowboards	24-25
3 and 4 Raster (room divider) sideboards	26-31
8 Raster highboard	32
8 and 12 Raster cabinets	33-34
6 Raster wall units	35
Accent units	36-38
Accessories for units	39-40
Dining rooms, coffee tables	41
General information:	
Cable apertures	42
Special-sized products, special articles	43
Switch options for lamps	44-45
Important notes: quality of walls / assembly instruction	46

Extravagant combinations and expressive solo units

From a pure look to an extravagant mixture of materials: the Gentis living room range is based on modest forms and combines them with natural wood and high-quality leather. This mixture results in a range for lovers of design who require intelligent ways of combining the various units.

System units of matt or high-gloss lacquer form the basis of Gentis. They can be employed flexibly as sideboards, lowboards, cabinets or wall units and provide a host of living room combinations. The sideboards and lowboards are particularly expressive in their form. They include rounded corner sections which achieve a particularly soft and harmonious effect; the single units are highlighted and appear to hover by the wall thanks to a functional frame with optional LED lamps. Alternatively, the lowboards and sideboards can also be fitted with a high-gloss chrome design substructure so that they determine the design of the living room in the form of stand-alone solitary units and elegant room dividers.

Leather and knotted wood versions create special accents

The accent units in Gentis were created to provide exclusive highlights. In high-quality leather and wood with a natural look, they provide an exciting contrast to the more modest lacquer system units and can be planned as shelf, floor or wall units. Manufactured in wood or leather, they underline the innovative strength and high level of craftsmanship typical of hülsta furniture. In the genuine leather units, the base units are provided with light upholstery in the form of leather covers from the hülsta collection. These units not only look most exclusive, their fine surfaces are also pleasant to touch. Wood versions in a knotted look are available as accent units. The rough character of the wood with its burls and knots becomes quite an extravagant eyecatcher and forms some exciting contrasts to the lacquer units. The outer glass sides of the (wall) cabinets in bronzed glass set the stage for another highlight - the rear wall in roughly brushed knotted natural oak. So the result is a used look together with true perfection.

Lists of versions

Model no.	Carcase and front	Price group	Model no.	Accent units: Carcase and front	Price group	Model no.	Cabinet compartment rear wall, 6 Raster wall units
648	Pure white lacquer	I	648	Pure white lacquer	I	648	Pure white lacquer
045	White lacquer	I	045	White lacquer	I	045	White lacquer
046	Grey lacquer	I	046	Grey lacquer	I	046	Grey lacquer
663	Silk grey lacquer	I	663	Silk grey lacquer	II	663	Silk grey lacquer
862	High-gloss pure white lacquer	II	862	High-gloss pure white lacquer	II	862	High-gloss pure white lacquer
860	High-gloss white lacquer	II	860	High-gloss white lacquer	II	860	High-gloss white lacquer
861	High-gloss grey lacquer	II	861	High-gloss grey lacquer	II	861	High-gloss grey lacquer
614	High-gloss silk grey lacquer	II	614	High-gloss silk grey lacquer	II	614	High-gloss silk grey lacquer
			051	Natural oak	II	051	Natural oak
			053	Core walnut	II	053	Core walnut
			693	Knotted oak	III	693	Knotted oak
			697	Knotted oak anthracite	III	697	Knotted oak anthracite
			694	Knotted core walnut	III	694	Knotted core walnut
			51..	Nappa leather (51..)	IV		
			65..	Saddle leather (65..)	IV		
			56..	Nubuk-Touch leather (56..)	IV		

The interior carcase of the versions pure white lacquer, white lacquer, high-gloss pure white lacquer and high-gloss white lacquer is in a matt white lacquer version. The same applies to the straight outer side of the lowboards with rounded end at one side.

The interior carcase of the versions grey lacquer, silk grey lacquer, high-gloss grey lacquer and high-gloss silk grey lacquer as well as of the accent units in leather version is in a matt grey lacquer version. The same applies to the straight outer side of the lowboards with rounded end at one side.

Leather versions: see next page!

Leather collection

Type of material Leather no.	Material identification Colour	Type of material Leather no.	Material identification Colour
Leather (51..) 5101 5104 5105 5106 5108 5109 5110 5114 5116 5118 5119 5121 5122 5123 5125 5126	100% Nappa leather, pigmented beige anthracite black red white cream mocca grey brown kiwi green chestnut brown nougat curry sand brown black grey medium mocca	Nubuk-Touch leather (56..) 5610 5611 5612 5613 5614 5615 5616 5617	100% leather white light beige khaki dark brown olive ochre anthracite black
Saddle leather (65..) 6501 6502 6503 6504 6505 6506 6508	100% Saddle leather, semi-aniline black mocca cognac natural brown cream nougat sand		

Important notes

Glass versions:
Outer glass sides of (wall) cabinets, glass shelves behind fronts as well as bookshelves and glass accents of wall shelf unit of bronzed glass.

Cabinet compartment rear wall and bookshelf rear wall of wall shelf unit also possible in all versions (exception: leather versions).

Accent units:
Carcase and front also in the versions knotted oak, knotted oak anthracite, knotted core walnut, Nappa leather, saddle leather and Nubuk-Touch leather possible.

Interior carcase:
The interior carcase of the versions pure white lacquer, white lacquer, high-gloss pure white lacquer and high-gloss white lacquer is in a matt white lacquer version. The same applies to the straight outer side of the lowboards with rounded end at one side. The interior carcase of the versions grey lacquer, silk grey lacquer, high-gloss grey lacquer and high-gloss silk grey lacquer as well as of the accent units in leather version is in a matt grey lacquer version. The same applies to the straight outer side of the lowboards with rounded end at one side.

Hinge-doors for end units:
The sideward distance must be 27 cm (per door) to open doors fully.

Standard interior fittings:
Fitted wooden shelves are fitted behind doors at intervals of 2 Raster (exception: 12 Raster cabinets).

Functional frame:
Functional frame always in white lacquer.

Wall units:
If units are to be included as wall units, a wall bracket must be ordered.

Drawer frames in grey

Combinations of floor and wall units:
If floor and wall units are combined within an arrangement, there must not be any skirting boards in the room near the floor units, otherwise they must be removed.

Max. load:
Max. load of wooden and glass shelves (up to 70.4 cm width) as well as drawers: 25 kg
Max. load of wooden and glass shelves (between 70.4 and 105.6 cm width): 15 kg
Max. load of wooden and glass shelves (from 105.6 cm width): 10 kg
Max. load of cover shelves: 35 kg per metre length for floor units.

Please also note any existing maximum load information for individual units which may be stated later, the general load information for wall units as well as the important notes on the quality of walls at the end of this type list.

hülsta-Push-to-open:
Drawers and flap units with hülsta Push-to-open. All drawers on hidden roller bearings as fully pull-out units.

Labelling in type list drawings / assembly notes for wall units

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes. Please be sure to note here the information and notes in the "Wall composition" chapter!

3

4

Notes on delivery

Notes on delivery:
Gentis low-, side- and highboards consist of several **component groups** which are **delivered separately** and have to be **assembled on site**.
These component groups are the cover shelf, the side end units and the main carcase (for 2 and 3 Raster low- and sideboards up to and including 211.2 cm width, as well as for 4 Raster low- and sideboards up to and including 176.0 cm width) resp. the main carcasses (for low- and sideboards that are wider than those mentioned above).



The fronts of the individual component groups are already fitted but can be disassembled on site.

Wall fitting


Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15. For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Concept and possible arrangements


Unit as floor unit, with wall bracket for wall assembly or on metal substructure



Unit as floor unit
incl. 1.8 cm high plinth adjusters




Unit with wall bracket for wall assembly
If the unit is planned as a wall unit, a wall bracket must be ordered. In this case the plinth adjusters are omitted.



Unit on metal substructure
The units can be planned optionally on a metal substructure (19.4 cm high). In this case the plinth adjusters are omitted.


Notes on accent units, (wall) cabinets, wall shelf unit and 6 Raster wall units




Accent unit

Notes on accent units:
Carcase and front also in the versions knotted oak, knotted oak anthracite, knotted core walnut, Nappa leather, saddle leather and Nubuk-Touch leather possible. The inside carcass of accent units in leather version is in matt grey lacquer. If accent units are required in a leather version, the unit width increases by 1.6 cm.

Accent




Notes on wall shelf unit:
Shelves and partitions of bronzed glass; shelf rear wall of wall unit possible in all versions (exception: leather versions).




Accent

Notes on (wall) cabinets:
Outer glass sides of cabinets and glass shelves behind fronts of bronzed glass; cabinet compartment rear wall possible in all versions (exception: leather versions).



Notes on 6 Raster wall units:
6 Raster wall units are only available in the versions knotted oak, knotted oak anthracite and knotted core walnut. Glass compartment incl. integrated LED spotlamp. A remote control unit is essential for operation (against surcharge).

Functional frame




Functional frame

Functional frame for floor units of wood resp. for wall assembly of metal.
Functional frame always in white lacquer.


The functional frame enables the following functions:

- Distance frame for a hovering look
- Inclusion of LED lamp
- Hiding cables




Unit with functional frame for floor units

The units can be planned optionally with a functional frame for floor units.



Unit with functional frame for wall assembly

If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted.



Unit with functional frame on metal substructure

The units with a functional frame can be planned optionally on a metal substructure (19.4 cm high). In this case the plinth adjusters are omitted.

LED lamps for functional frame

LED lamps for functional frame


The functional frame can be fitted with an optional LED lamp.
LED lamp incl. footswitch. Lamp switch optionally with a remote control unit possible (against surcharge).

LED lamp of the functional frame for floor units:


3-sided lighting

LED lamp of the functional frame for wall assembly:

4-sided lighting



3-sided lighting of functional frame for floor units




4-sided lighting of functional frame for wall assembly


Drawer and hinge-door for end units

Drawer and hinge-door for end units


The rounded end units of the low-, side- and highboards can optionally be fitted with drawers and/or hinge-doors. The sideward distance for the hinge-doors must be 27 cm (per door) to open doors fully.






Lowboard with end units with drawers



Sideboard with end units with hinge-doors




As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.



Suggested combinations

GENTIS


As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.




S = Drawer
K = Flap




	Accent units in lacquer version	Accent units in wood and high-gloss lacquer version	Accent units in knotted wood versions	Accent units in leather versions
as illustr. v. versa	980004 980104	980004 980104	980004 980104	980004 980104
Price gr.	-	-	-	-
I	-	-	-	-
II	-	-	-	-




S = Drawer
K = Flap



as illustr. v. versa	980005 980105
Price gr.	-
I	-
II	-




S = Drawer




as illustr. v. versa	980006 980106
Price gr.	-
I	-
II	-

Suggested combinations


As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.



	Accent unit in lacquer version	Accent unit in wood and high-gloss lacquer version	Accent unit in knotted wood versions	
as illustr. v. versa	980007 980107	980007 980107	980007 980107	
Price gr.	-	-	-	
I	-	-	-	
II	-	-	-	



	Accent unit in lacquer version	Accent unit in wood and high-gloss lacquer version	Accent unit in knotted wood versions	Accent unit in leather versions
as illustr. v. versa	980008 980108	980008 980108	980008 980108	980008 980108
Price gr.	-	-	-	-
I	-	-	-	-
II	-	-	-	-



	Accent unit in lacquer version	Accent unit in wood and high-gloss lacquer version	Accent unit in knotted wood versions	Accent unit in leather versions
as illustr. v. versa	980009 980109	980009 980109	980009 980109	980009 980109
Price gr.	-	-	-	-
I	-	-	-	-
II	-	-	-	-

Suggested combinations

GENTIS

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.













Technical drawing of a furniture unit. The main unit is a long, low cabinet with four drawers labeled 'S'. Above it is a smaller unit with a flap labeled 'K'. Dimensions are given: 105,6 (height of upper unit), 53,8 (height of lower unit), 246,4 (width of main unit), 176 (width of upper unit), 369,6 (total width), 45 (depth of main unit), and 33 (depth of upper unit). A legend indicates S = Drawer and K = Flap.









	Accent unit in knotted wood versions
as illustr. v. versa	980010 980110
Price gr. I	-
II	-

Possible arrangements




























2 Raster lowboards with rounded end at one side

2 Raster lowboards with rounded end at one side 36.2 cm high (38.0 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep incl. cable aperture at centre of rear wall behind flap per compartment Wall units or wall assembly: Please see here the information on pages 3-4		2 Raster lowboards with rounded end at one side						
		 52,8 70.4 cm wide		 70,4 88.0 cm wide		 105,6 123.2 cm wide		
	Flap hinge at bottom	1 drawer	1 flap	1 drawer	1 flap	1 drawer	1 flap	
	as illustr. v. versa Price gr. I II	27111 27112 - -	27181 27182 - -	28111 28112 - -	28181 28182 - -	212111 212112 - -	212181 212182 - -	
Drawer for end unit left (L; as illustr.) or right (R; vice versa)		291L -	292R -	291L -	292R -	291L -	292R -	
Hinge-door for end unit left (L; as illustr.) or right (R; vice versa)		281L -	282R -	281L -	282R -	281L -	282R -	
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg		255 -		275 -		2105 -		
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 5.								
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	
		252 -	253 -	272 -	273 -	2102 -	2103 -	
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		8.0 W 12.0 W 		9.5 W 15.5 W 		12.5 W 21.0 W 		
		254 -		274 -		2104 -		
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.								
		251 -		271 -		2101 -		







		2 Raster lowboards with rounded end at one side			
		 3 140,8 158.4 cm wide		 3 176,0 193.6 cm wide	
	Flap hinge at bottom	1 drawer with split drawer frame	1 flap with 1 partition	1 drawer with split drawer frame	1 flap with 1 partition
	Price gr. I II	215111 215112 - -	215181 215182 - -	219111 219112 - -	219181 219182 - -
		291L	292R	291L	292R
		-	-	-	-
		281L	282R	281L	282R
		-	-	-	-
		2145		2175	
		-		-	
					
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		2142	2143	2172	2173
		-	-	-	-
		14.5 W	24.0 W	16.0 W	27.0 W
					
		2144		2174	
		-		-	
					
		2141		2171	
		-		-	

3 Raster lowboards with rounded end at one side

3 Raster lowboards with rounded end at one side 53.8 cm high (55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep incl. cable aperture at centre of rear wall behind flap per compartment Wall units or wall assembly: Please see here the information on pages 3-4		3 Raster lowboards with rounded end at one side						
		 52,8 70.4 cm wide		 70,4 88.0 cm wide		 105,6 123.2 cm wide		
	Flap hinge at bottom	Top: 1 drawer Bottom: 1 drawer	Top: 1 drawer Bottom: 1 flap	Top: 1 drawer Bottom: 1 drawer	Top: 1 drawer Bottom: 1 flap	Top: 1 drawer Bottom: 1 drawer	Top: 1 drawer Bottom: 1 flap	
	as illustr. v. versa	37111 37112	37181 37182	38111 38112	38181 38182	312111 312112	312181 312182	
	Price gr. I	-	-	-	-	-	-	
	II	-	-	-	-	-	-	
		 52,8 70.4 cm wide		 70,4 88.0 cm wide		 105,6 123.2 cm wide		
	Flap hinge at bottom	Top: 1 drawer Bottom: 1 drawer	Top: 1 flap Bottom: 1 drawer	Top: 1 drawer Bottom: 1 drawer	Top: 1 flap Bottom: 1 drawer	Top: 1 drawer Bottom: 1 drawer	Top: 1 flap Bottom: 1 drawer	
	as illustr. v. versa	37211 37212	37281 37282	38211 38212	38281 38282	312211 312212	312281 312282	
	Price gr. I	-	-	-	-	-	-	
II	-	-	-	-	-	-		
Drawer for end unit left (L; as illustr.) or right (R; vice versa)		391L	392R	391L	392R	391L	392R	
		-	-	-	-	-	-	
Hinge-door for end unit left (L; as illustr.) or right (R; vice versa)		381L	382R	381L	382R	381L	382R	
		-	-	-	-	-	-	
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg		255 -		275 -		2105 -		
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 5.								
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	
		352 -	353 -	372 -	373 -	3102 -	3103 -	
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		11.0 W 		12.5 W 		15.0 W 		
		354 -		374 -		3104 -		
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.								
		251 -		271 -		2101 -		









3 Raster lowboards with rounded end at one side					
		 140,8 158.4 cm wide		 176,0 193.6 cm wide	
Flap hinge at bottom		Top: 1 drawer with split drawer frame Bottom: 1 drawer with split drawer frame	Top: 1 drawer with split drawer frame Bottom: 1 flap with 1 partition	Top: 1 drawer with split drawer frame Bottom: 1 drawer with split drawer frame	Top: 1 drawer with split drawer frame Bottom: 1 flap with 1 partition
Price gr.		315111 315112 - -	315181 315182 - -	319111 319112 - -	319181 319182 - -
		 140,8 158.4 cm wide		 176,0 193.6 cm wide	
Flap hinge at bottom		Top: 1 drawer with split drawer frame Bottom: 1 drawer with split drawer frame	Top: 1 flap with 1 partition Bottom: 1 drawer with split drawer frame	Top: 1 drawer with split drawer frame Bottom: 1 drawer with split drawer frame	Top: 1 flap with 1 partition Bottom: 1 drawer with split drawer frame
Price gr.		315211 315212 - -	315281 315282 - -	319211 319212 - -	319281 319282 - -
		391L	392R	391L	392R
		-	-	-	-
		381L	382R	381L	382R
		-	-	-	-
		2145		2175	
		-		-	
					
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		3142	3143	3172	3173
		-	-	-	-
		16.0 W	26.5 W	18.5 W	30.0 W
					
		3144		3174	
		-		-	
					
		2141		2171	
		-		-	













2 and 3 Raster corner units

2 and 3 Raster corner units 36.2 or 53.8 cm high (38.0 or 55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Wall units or wall assembly: Please see here the information on pages 3-4 Corner shelf incl. vertical cover panel If 2 and 3 Raster GENTIS units are fitted round a corner, it is possible to fit corner shelves incl. vertical panels (non-accessible corner). Only units of the same height can be fitted round the corner.		2 Raster corner unit	3 Raster corner unit
		 56.2 x 56.2 cm wide Corner shelf incl. vertical cover panel	 56.2 x 56.2 cm wide Corner shelf incl. vertical cover panel
	Price gr. I II	266 - -	366 - -
Functional frame for corners The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly for the 2 and 3 Raster corner units, you do not require an extra wall bracket. Max. load: 40 kg Please note the further information on functional frames on page 5.		 Functional frame for floor units and wall assembly	 Functional frame for floor units and wall assembly
		262 -	362 -
		26.0 W  264 -	30.0 W  364 -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V			























2 Raster lowboards with rounded end at both sides

2 Raster lowboards with rounded end at both sides 36.2 cm high (38.0 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep incl. cable aperture at centre of rear wall behind flap per compartment Wall units or wall assembly: Please see here the information on pages 3-4	2 Raster lowboards with rounded end at both sides				
					
	176.0 cm wide		211.2 cm wide		
	Flap hinge at bottom	1 drawer with split drawer frame	1 flap with 1 partition	1 drawer with split drawer frame	1 flap with 1 partition
Price gr.		21721	21728	22121	22128
	I	-	-	-	-
	II	-	-	-	-
Drawer for end unit optionally left (L) and/or right (R)		291L	292R	291L	292R
		-	-	-	-
Hinge-door for end unit optionally left (L) and/or right (R)		281L	282R	281L	282R
		-	-	-	-
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg		2145		2175	
		-		-	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 5.					
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		2142	2143	2172	2173
		-	-	-	-
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		14.5 W	24.0 W	16.0 W	27.0 W
					
		2144		2174	
		-		-	
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.					
		2141		2171	
		-		-	











2 Raster lowboards with rounded end at both sides										
										
		246.4 cm wide			281.6 cm wide			316.8 cm wide		
Flap hinge at bottom		2 drawers (wide drawer with split drawer frame)	2 flaps (wide flap with 1 partition)	1 flap with 1 partition, 1 drawer	2 drawers (wide drawer with split drawer frame)	2 flaps (wide flap with 1 partition)	1 flap with 1 partition, 1 drawer	2 drawers (wide drawer with split drawer frame)	2 flaps (wide flap with 1 partition)	1 flap with 1 partition, 1 drawer
as illustr. v. versa		224211 224212	224281 224282	224271 224272	228211 228212	228281 228282	228271 228272	231211 231212	231281 231282	231271 231272
Price gr.		-	-	-	-	-	-	-	-	-
		291L	292R		291L	292R		291L	292R	
		-	-		-	-		-	-	
		281L	282R		281L	282R		281L	282R	
		-	-		-	-		-	-	
		2215			2245			2285		
		-			-			-		
										
		Functional frame for floor units	Functional frame for wall assembly		Functional frame for floor units	Functional frame for wall assembly		Functional frame for floor units	Functional frame for wall assembly	
		2212	2213		2242	2243		2282	2283	
		-	-		-	-		-	-	
		18.5 W	32.0 W		26.0 W	42.5 W		27.5 W	46.0 W	
										
		2214			2244			2284		
		-			-			-		
										
		2211			2241			2281		
		-			-			-		











3 Raster lowboards with rounded end at both sides

3 Raster lowboards with rounded end at both sides 53.8 cm high (55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep incl. cable aperture at centre of rear wall behind flap per compartment Wall units or wall assembly: Please see here the information on pages 3-4	3 Raster lowboards with rounded end at both sides			
	 140,8 176.0 cm wide		 176,0 211.2 cm wide	
	Flap hinge at bottom	2 drawers with split drawer frames	Top: 1 flap with 1 partition Bottom: 1 drawer with split drawer frame	2 drawers with split drawer frames Top: 1 flap with 1 partition Bottom: 1 drawer with split drawer frame
	Price gr. I II	31711 - -	31718 - -	32111 - - 32118 - -
Drawer for end unit optionally left (L) and/or right (R)		391L -	392R -	391L - 392R -
Hinge-door for end unit optionally left (L) and/or right (R)		381L -	382R -	381L - 382R -
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg		2145 -	2175 -	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 5.				
	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
	3142 -	3143 -	3172 -	3173 -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	16.0 W 	26.5 W	18.5 W 	30.0 W
	3144 -	3174 -		
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.				
	2141 -	2171 -		





3 Raster lowboards with rounded end at both sides										
		 4			 5			 5		
		246.4 cm wide			281.6 cm wide			316.8 cm wide		
Flap hinge at bottom	4 drawers (wide drawers with split drawer frames)	Top: 2 flaps (wide flap with 1 partition) Bottom: 2 drawers (wide drawer with split drawer frame)	Top: 1 flap with 1 partition, 1 drawer Bottom: 2 drawers (wide drawer with split drawer frame)	4 drawers (wide drawers with split drawer frames)	Top: 2 flaps (wide flap with 1 partition) Bottom: 2 drawers (wide drawer with split drawer frame)	Top: 1 flap with 1 partition, 1 drawer Bottom: 2 drawers (wide drawer with split drawer frame)	4 drawers (wide drawers with split drawer frames)	Top: 2 flaps (wide flap with 1 partition) Bottom: 2 drawers (wide drawer with split drawer frame)	Top: 1 flap with 1 partition, 1 drawer Bottom: 2 drawers (wide drawer with split drawer frame)	
as illustr. v. versa	324111 324112	324181 324182	324171 324172	328111 328112	328181 328182	328171 328172	331111 331112	331181 331182	331171 331172	
Price gr. I II	- -	- -	- -	- -	- -	- -	- -	- -	- -	
		391L	392R	391L	392R	391L	392R	391L	392R	
		-	-	-	-	-	-	-	-	
		381L	382R	381L	382R	381L	382R	381L	382R	
		-	-	-	-	-	-	-	-	
		2215			2245			2285		
		-			-			-		
										
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	
		3212	3213	3242	3243	3282	3283	3212	3213	
		-	-	-	-	-	-	-	-	
		21.0 W	34.0 W	13.5 W	47.5 W	32.5 W	50.5 W	21.0 W	34.0 W	
										
		3214			3244			3284		
		-			-			-		
										
		2211			2241			2281		
		-			-			-		







3 Raster lowboards with rounded end at both sides

3 Raster lowboards with rounded end at both sides 53.8 cm high (55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep incl. cable aperture at centre of rear wall behind flap per compartment Wall units or wall assembly: Please see here the information on pages 3-4		3 Raster lowboards with rounded end at both sides						
		 52,8 52,8 140.8 cm wide			 70,4 70,4 176.0 cm wide			
	Flap hinge at bottom	4 drawers	Top: 2 drawers Bottom: 2 flaps	Top: 2 drawers Bottom: 1 flap, 1 drawer	4 drawers	Top: 2 drawers Bottom: 2 flaps	Top: 2 drawers Bottom: 1 flap, 1 drawer	
	as illustr. v. versa	31451	31458	314571 314572	31751	31758	317571 317572	
	Price gr. I II	- -	- -	- -	- -	- -	- -	
		 52,8 52,8 140.8 cm wide			 70,4 70,4 176.0 cm wide			
	Flap hinge at bottom	4 drawers	Top: 2 flaps Bottom: 2 drawers	Top: 1 flap, 1 drawer Bottom: 2 drawers	4 drawers	Top: 2 flaps Bottom: 2 drawers	Top: 1 flap, 1 drawer Bottom: 2 drawers	
	as illustr. v. versa	31461	31468	314671 314672	31761	31768	317671 317672	
	Price gr. I II	- -	- -	- -	- -	- -	- -	
	Drawer for end unit optionally left (L) and/or right (R)		391L -	392R -	391L -	392R -		
Hinge-door for end unit optionally left (L) and/or right (R)		381L -	382R -	381L -	382R -			
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg		2105 -			2145 -			
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 5.								
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly			
		3102 -	3103 -	3142 -	3143 -			
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		15.0 W 23.5 W 			16.0 W 26.5 W 			
		3104 -			3144 -			
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.								
		2101 -			2141 -			

		3 Raster lowboards with rounded end at both sides					
		 105,6 105,6 246.4 cm wide			 140,8 140,8 316.8 cm wide		
Flap hinge at bottom	4 drawers	Top: 2 drawers Bottom: 2 flaps	Top: 2 drawers Bottom: 1 flap, 1 drawer	4 drawers with split drawer frames	Top: 2 drawers with split drawer frames Bottom: 2 flaps with 1 partition	Top: 2 drawers with split drawer frames Bottom: 1 flap with 1 partition, 1 drawer with split drawer frame	
as illustr. v. versa	32451	32458	324571 324572	33151	33158	331571 331572	
Price gr. I II	- -	- -	- -	- -	- -	- -	
		 105,6 105,6 246.4 cm wide			 140,8 140,8 316.8 cm wide		
Flap hinge at bottom	4 drawers	Top: 2 flaps Bottom: 2 drawers	Top: 1 flap, 1 drawer Bottom: 2 drawers	4 drawers with split drawer frames	Top: 2 flaps with 1 partition Bottom: 2 drawers with split drawer frames	Top: 1 flap with 1 partition, 1 drawer with split drawer frame Bottom: 2 drawers with split drawer frames	
as illustr. v. versa	32461	32468	324671 324672	33161	33168	331671 331672	
Price gr. I II	- -	- -	- -	- -	- -	- -	
		391L	392R	391L	392R		
		-	-	-	-		
		381L	382R	381L	382R		
		-	-	-	-		
		2215			2285		
		-			-		
							
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly		
		3212	3213	3282	3283		
		-	-	-	-		
		28.5 W	42.5 W	32.0 W	53.0 W		
							
		3214			3284		
		-			-		
							
		2211			2281		
		-			-		



3 Raster room divider lowboards with rounded end at both sides

3 Raster room divider lowboards with rounded end at both sides 53.8 cm high (55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Note on room divider units: Rear view same as front view (front divisions).		3 Raster room divider lowboards with rounded end at both sides			
		 140,8 176.0 cm wide		 176,0 211.2 cm wide	
	Flap hinge at bottom	2 drawers with split drawer frames	Top: 1 flap with 1 partition Bottom: 1 drawer with split drawer frame	2 drawers with split drawer frames	Top: 1 flap with 1 partition Bottom: 1 drawer with split drawer frame
		31721	31728	32121	32128
	Price gr. I II	- -	- -	- -	- -
Drawer for end unit optionally left (L) and/or right (R)		391L -	392R -	391L -	392R -
Hinge-door for end unit optionally left (L) and/or right (R)		381L -	382R -	381L -	382R -
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.					
		2141 -		2171 -	

3 Raster room divider lowboards with rounded end at both sides										
		 140,8 70,4 246.4 cm wide			 140,8 105,6 281.6 cm wide			 176,0 105,6 316.8 cm wide		
	Flap hinge at bottom	4 drawers (wide drawers with split drawer frames)	Top: 2 flaps (wide flap with 1 partition) Bottom: 2 drawers (wide drawer with split drawer frame)	Top: 1 flap with 1 partition, 1 drawer Bottom: 2 drawers (wide drawer with split drawer frame)	4 drawers (wide drawers with split drawer frames)	Top: 2 flaps (wide flap with 1 partition) Bottom: 2 drawers (wide drawer with split drawer frame)	Top: 1 flap with 1 partition, 1 drawer Bottom: 2 drawers (wide drawer with split drawer frame)	4 drawers (wide drawers with split drawer frames)	Top: 2 flaps (wide flap with 1 partition) Bottom: 2 drawers (wide drawer with split drawer frame)	Top: 1 flap with 1 partition, 1 drawer Bottom: 2 drawers (wide drawer with split drawer frame)
	as illustr. v. versa	324211 324212	324281 324282	324271 324272	328211 328212	328281 328282	328271 328272	331211 331212	331281 331282	331271 331272
	Price gr. I II	- -	- -	- -	- -	- -	- -	- -	- -	- -
		391L	392R		391L	392R		391L	392R	
		-	-		-	-		-	-	
		381L	382R		381L	382R		381L	382R	
		-	-		-	-		-	-	
										
		2211			2241			2281		
		-			-			-		

Media accessories for lowboards








Multiple socket

<p>Multiple socket</p> <p>Fitting of multiple socket in lowboards in front of rear wall optionally left (L) or right (R) in the compartment behind flap, fitting of switch in wooden cover shelf, optionally left or right (see sketch). Please state the required position clearly in the order!</p> <p>7.4 cm high, 44.6 cm long, 5.7 cm deep</p> <p>Not for sale in the UK!</p>	 	<p>Multiple socket with on/off function</p> <p>all 6 sockets permanent current</p> <hr/> <p>291 L</p> <p>292 R</p> <p>-</p>
--	--	--

IR repeater set

<p>IR repeater set</p> <p>Infrared signal transmission set for operating media units behind wooden/lacquered fronts. You can operate all the units in one compartment with one set. The following applies:</p> <ul style="list-style-type: none">• One set must be used in each compartment. 2 transmitters can also be installed in large compartments in order to increase performance. In this case only one additional transmitter needs to be ordered.• The transmitter must be placed in the direct vicinity of the receiver eye.• Transmittable IR frequency band 20 – 60 kHz• Up to 3 transmitters can be combined with one receiver. <p>It is possible to use 3 transmitters via 1 receiver including Master box. This enables simultaneous operation of 3 different furniture compartments or in critical situations it allows fitting out one furniture compartment with several transmitters in order to increase the performance in this compartment or to operate 2 end units placed next to one another.</p> <p>The IR repeater set consists of:</p> <ul style="list-style-type: none">• 1 receiver eye (Ø 3.0 cm) incl. standing bracket• 1 electrical transmitter• 1 plug EVG 12 V• Cable clips <p>Please note the details stated in the operating instructions!</p>	<table><tr><td>IR repeater set 1 receiver eye and 1 transmitter incl. standing bracket</td></tr><tr><td>2001 -</td></tr><tr><td>Extra transmitter</td></tr><tr><td>2003 -</td></tr></table>	IR repeater set 1 receiver eye and 1 transmitter incl. standing bracket	2001 -	Extra transmitter	2003 -
IR repeater set 1 receiver eye and 1 transmitter incl. standing bracket					
2001 -					
Extra transmitter					
2003 -					

Cable apertures / subwoofer base cut-out section

	<p>Cable aperture K1 silver-coloured; Ø 8.0 cm It is possible to fit a cable aperture in the top shelf of the lowboard. The cable aperture can be made at the rear of the top shelf. The position is in the centre of the compartment, distance from centre of aperture to rear edge of unit: 10.0 cm.</p>	<p>K1 -</p>
	<p>Cable aperture K2 silver-coloured; Ø 8.0 cm It is possible to fit a cable aperture in the rear wall of the lowboard. Positioned in centre of compartment.</p>	<p>K2 -</p>
	<p>Cable aperture K7 silver-coloured; 7.0 x 12.0 cm It is possible to fit a cable aperture in the top shelf of the lowboard. The position is in the centre of the compartment, flush with the rear edge of the unit.</p>	<p>K7 -</p>
	<p>Cable aperture K8 silver-coloured; 12.8 x 3.2 cm It is possible to fit a cable aperture in the top shelf of the lowboard. The cable aperture can be made at the rear rim of the top shelf. Positioned in centre of compartment.</p>	<p>K8 -</p>
	<p>Cable aperture K9 13.0 x 1.6 cm It is possible to fit a cable aperture in a fitted shelf. The cable aperture can be made at the rear rim of the fitted shelf. Positioned in centre of compartment.</p>	<p>K9 -</p>
	<p>Cable aperture K20 silver-coloured; Ø 8.0 cm It is possible to fit a cable aperture in the partitions of the lowboard.</p>	<p>K20 -</p>
	<p>Subwoofer base cut-out section Base cut-out section 12 x 23.2 cm The sounds from the subwoofer pass out through the base cut-out section in the lowboard without hindrance. The exact position in the carcass is predetermined ex-works and cannot be altered.</p>	<p>14 -</p>

TV columns


TV columns can be rotated and adjusted in angle, for fitting on **floor lowboards with partition** (not possible with 2 Raster lowboards with 2 drawers on top of one another and wall lowboards).

The TV column can only be fitted above a partition in the centre. The partition is provided with a cut-out section for cables (no surcharge). No drawers are possible below the TV column.


The revolving TV column 52 is suitable for flat screens with a screen diagonal of 38"-52" (96-132 cm), max. load: 35 kg
TV revolving column 52 compatible with VESA Norm standard:
min. 75 x 75 mm, max. 400 x 400 mm

The revolving TV column 65 is suitable for flat screens with a screen diagonal of 38"-65" (96-165 cm), max. load: 40 kg
TV revolving column 65 compatible with VESA Norm standard:
min. 75 x 75 mm, max. 800 x 400 mm

TV column 52






TV column 65















TV column 52	TV column 65
9404	9403
-	-

Flat screen supports

<p>Flat screen support WTL6</p> <p>The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 102-216 cm (40"-85"); max. load: 45 kg. Suitable for Curved TV's.</p> <p>Flat screen support compatible with VESA Norm standard: min.: 200 x 200 mm max.: 600 x 400 mm</p> 	<p>Flat screen support THIN 545, ideally adaptable</p> <p>The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 81-140 cm (32"-55") and a maximum depth of 4.5 cm; max. load: 25 kg.</p> <p>Go to www.vogels.com to check if your flat screen can be fitted on this flat screen support. Enter the name THIN 545. After a few steps you can see if your flat screen TV is compatible with the flat screen support. Not suitable for Curved TV's.</p> <p>Flat screen support compatible with VESA Norm standard: min.: 100 x 100 mm max.: 600 x 400 mm</p> 	<p>Flat screen support THIN 515</p> <p>The flat screen support can be angled up to a max. 15°. It is suitable for flat screens with a screen diagonal of 102-165 cm (40"-65") and a maximum depth of 5.0 cm; max. load: 25 kg.</p> <p>Go to www.vogels.com to check if your flat screen can be fitted on this flat screen support. Enter the name THIN 515. After a few steps you can see if your flat screen TV is compatible with the flat screen support. Not suitable for Curved TV's.</p> <p>Flat screen support compatible with VESA Norm standard: min.: 100 x 100 mm max.: 600 x 400 mm</p> 
for fitting anywhere on walls	for fitting anywhere on walls	for fitting anywhere on walls
9704	9304	9504
-	-	-







3 Raster sideboards with rounded end at both sides

3 Raster sideboards with rounded end at both sides 53.8 cm high (55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Wall units or wall assembly: Please see here the information on pages 3-4		3 Raster sideboards with rounded end at both sides						
		 140,8 3 176.0 cm wide		 176,0 3 211.2 cm wide		 105,6 105,6 3 246.4 cm wide		
	Flap hinge at bottom	2 drawers with split drawer frames Top: 1 drawer with split drawer frame Bottom: 1 flap with 1 partition	2 drawers with split drawer frames Top: 1 drawer with split drawer frame Bottom: 1 flap with 1 partition	2 drawers with split drawer frames Top: 1 drawer with split drawer frame Bottom: 1 flap with 1 partition	4 drawers Top: 2 drawers Bottom: 2 flaps	2 drawers Top: 2 drawers Bottom: 2 flaps	2 drawers Top: 2 drawers Bottom: 1 drawer, 1 flap	
	as illustr. v. versa Price gr. I II	31731 - -	31738 - -	32131 - -	32138 - -	32431 - -	32438 - -	324371 324372 - -
Drawer for end unit optionally left (L) and/or right (R)		391L -	392R -	391L -	392R -	391L -	392R -	
Hinge-door for end unit optionally left (L) and/or right (R)		381L -	382R -	381L -	382R -	381L -	382R -	
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg		2145 -		2175 -		2215 -		
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 5.								
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	
		3142 -	3143 -	3172 -	3173 -	3212 -	3213 -	
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		16.0 W 26.5 W 		19.0 W 30.0 W 		28.5 W 42.5 W 		
		3144 -		3174 -		3214 -		
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.								
		2141 -		2171 -		2211 -		













3 Raster room divider sideboards with rounded end at both sides

















Assembly notes for wall units:
Please be sure to note here the information
and notes in the "Wall composition" chapter!

GENTIS





3 Raster room divider sideboards with rounded end at both sides 53.8 cm high (55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Note on room divider units: Rear view same as front view (front divisions).		3 Raster room divider sideboards with rounded end at both sides						
		 176.0 cm wide		 211.2 cm wide		 246.4 cm wide		
	Flap hinge at bottom	2 drawers with split drawer frames	Top: 1 drawer with split drawer frame Bottom: 1 flap with 1 partition	2 drawers with split drawer frames	Top: 1 drawer with split drawer frame Bottom: 1 flap with 1 partition	4 drawers	Top: 2 drawers Bottom: 2 flaps	Top: 2 drawers Bottom: 1 drawer, 1 flap
	as illustr. v. versa	31741	31748	32141	32148	32441	32448	324471 324472
	Price gr. I II	- -	- -	- -	- -	- -	- -	- -
Drawer for end unit optionally left (L) and/or right (R)		391L -	392R -	391L -	392R -	391L -	392R -	
Hinge-door for end unit optionally left (L) and/or right (R)		381L -	382R -	381L -	382R -	381L -	382R -	
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.		 2141 -		 2171 -		 2211 -		







4 Raster sideboards with rounded end at both sides

4 Raster sideboards with rounded end at both sides 71.4 cm high (73.2 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Wall units or wall assembly, standard interior fittings: Please see here the information on pages 3-4	4 Raster sideboards with rounded end at both sides						
							
	105,6		140,8		70,4 70,4		
	140.8 cm wide		176.0 cm wide		176.0 cm wide		
Flap hinge at bottom	3 drawers	Top/Centre: 2 drawers Bottom: 1 flap	3 drawers with split drawer frames	Top/Centre: 2 drawers with split drawer frames Bottom: 1 flap with 1 par- tition	Left: 1 door Right: 3 drawers	Left: 1 door Top right/Centre: 2 drawers Bottom right: 1 flap	
	as illustr. v. versa	41431	41438	41731	41738	417511 417512	417581 417582
	Price gr. I II	- -	- -	- -	- -	- -	- -
Drawer for end unit optionally left (L) and/or right (R)		491L	492R	491L	492R	491L	492R
		-	-	-	-	-	-
Hinge-door for end unit optionally left (L) and/or right (R)		481L	482R	481L	482R	481L	482R
		-	-	-	-	-	-
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg		2105		2145		2145	
		-		-		-	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 5.							
	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	
	4102	4103	4142	4143	4142	4143	
	-	-	-	-	-	-	
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V							
	4104	4144	4144				
	-	-	-				
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.							
	2101	2141	2141				
	-	-	-				




4 Raster sideboards with rounded end at both sides										
		 176,0		 70,4 105,6		 105,6 105,6		 70,4 140,8		
		211.2 cm wide		211.2 cm wide		246.4 cm wide		246.4 cm wide		
	Flap hinge at bottom	3 drawers with split drawer frames	Top/Centre: 2 drawers with split drawer frames Bottom: 1 flap with 1 partition	Left: 1 door Right: 3 drawers	Left: 1 door Top right/Centre: 2 drawers Bottom right: 1 flap	6 drawers	Top/Centre: 4 drawers Bottom: 2 flaps	Top/Centre: 4 drawers Bottom left: 1 drawer Bottom right: 1 flap	Left: 1 door Right: 3 drawers with split drawer frames	Left: 1 door Top right/Centre: 2 drawers with split drawer frames Bottom right: 1 flap with 1 partition
	as illustr. v. versa	42131	42138	421511 421512	421581 421582	42431	42438	424371 424372	424511 424512	424581 424582
	Price gr. I II	-	-	-	-	-	-	-	-	-
		491L	492R	491L	492R	491L	492R	491L	492R	
		-	-	-	-	-	-	-	-	
		481L	482R	481L	482R	481L	482R	481L	482R	
		-	-	-	-	-	-	-	-	
		2175		2175		2215		2215		
		-		-		-		-		
										
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	
		4172	4173	4172	4173	4212	4213	4212	4213	
		-	-	-	-	-	-	-	-	
		21.0 W	32.0 W	30.5 W	42.5 W	32.0 W	47.5 W	32.5 W	46.0 W	
										
		4174		4174		4214		4214		
		-		-		-		-		
										
		2171		2171		2211		2211		
		-		-		-		-		

4 Raster room-divider sideboards with rounded end at both sides

4 Raster room divider sideboards with rounded end at both sides 71.4 cm high (73.2 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Standard interior fittings: See here the information on page 3 Note on room divider units: Rear view same as front view (front divisions).	4 Raster room-divider sideboards with rounded end at both sides				
		 140,8 176.0 cm wide		 176,0 211.2 cm wide	
	Flap hinge at bottom	3 drawers with split drawer frames	Top/Centre: 2 drawers with split drawer frames Bottom: 1 flap with 1 partition	3 drawers with split drawer frames	Top/Centre: 2 drawers with split drawer frames Bottom: 1 flap with 1 partition
	Price gr. I II	41741 - -	41748 - -	42141 - -	42148 - -
Drawer for end unit optionally left (L) and/or right (R)		491L -	492R -	491L -	492R -
Hinge-door for end unit optionally left (L) and/or right (R)		481L -	482R -	481L -	482R -
Metal substructure 19.4 cm high; High-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.					
		2141 -		2171 -	








4 Raster room-divider sideboards with rounded end at both sides								
		 <p>70,4 105,6</p> <p>211.2 cm wide</p>		 <p>105,6 105,6</p> <p>246.4 cm wide</p>		 <p>70,4 140,8</p> <p>246.4 cm wide</p>		
	Flap hinge at bottom	Left: 1 door Right: 3 drawers	Left: 1 door Top right/Centre: 2 drawers Bottom right: 1 flap	6 drawers	Top/Centre: 4 drawers Bottom: 2 flaps	Top/Centre: 4 drawers Bottom left: 1 drawer Bottom right: 1 flap	Left: 1 door Right: 3 drawers with split drawer frames	Left: 1 door Top right/Centre: 2 drawers with split drawer frames Bottom right: 1 flap with 1 partition
as illustr. v. versa		421611 421612	421681 421682	42441	42448	424471 424472	424611 424612	424681 424682
Price gr. I II		- -	- -	- -	- -	- -	- -	- -
		491L	492R	491L	492R	491L	492R	
		-	-	-	-	-	-	
		481L	482R	481L	482R	481L	482R	
		-	-	-	-	-	-	
								
		2171		2211		2211		
		-		-		-		

8 Raster highboards with rounded end at both sides









8 Raster highboards with rounded end at both sides 141.8 cm high (143.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Cannot be fitted as wall units!		8 Raster highboards with rounded end at both sides			
		 105,6 140,8 cm wide			
	Flap hinge at bottom	4 drawers	Top: 1 flap Bottom: 3 drawers	Top: 2 flaps Bottom: 2 drawers	Top: 3 flaps Bottom: 1 drawer
	Price gr. I II	81411 - -	81418 - -	81417 - -	81416 - -
Drawer for end unit optionally left (L) and/or right (R)		891L -		892R -	
Hinge-door for end unit optionally left (L) and/or right (R)		881L -		882R -	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Please note the further information on functional frames on page 5.					
		Functional frame for floor units			
		8102 -			
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		26.0 W 			
		8104 -			

8 Raster cabinets

GENTIS

8 Raster cabinets 141.8 cm high (143.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Standard interior fittings and notes on cabinets: Please see here the information on pages 3-4 Cannot be fitted as a wall unit!	8 Raster cabinets	
		
	52.8 cm wide 1 door with glass panel	105.6 cm wide 2 doors with glass panel
	85141 L 85142 R Price gr. I - II -	81014 - -
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Please note the further information on functional frames on page 5.		
	Functional frame for floor units	Functional frame for floor units
	852 -	8102 -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	21.5 W 	25.5 W 
	854 -	8104 -
	Integrated LED spotlamps for cabinets Ø 7.1 cm The cabinets can be fitted with optional integrated LED spotlamps. Integrated LED spotlamps incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V Note: For type 81014 2 integrated LED spotlamps must be ordered!	2.9 W 
	7941 -	For type 81014 2 integrated LED spotlamps must be ordered! 2x 7941 2x -

12 Raster cabinets













12 Raster cabinets 211.2 cm high (213.0 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Standard interior fittings and notes on cabinets: Please see here the information on pages 3-4 Cannot be fitted as a wall unit!	12 Raster cabinets	
		
	35.2 cm wide 1 door with glass panel	52.8 cm wide 1 door with glass panel
	123141 L 123142 R Price gr. I - II -	125141 L 125142 R - -
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Please note the further information on functional frames on page 5.		
	Functional frame for floor units	Functional frame for floor units
	1232 -	1252 -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	28.5 W 	30.0 W 
	1234 -	1254 -
Integrated LED spotlamps for cabinets Ø 7.1 cm The cabinets can be fitted with optional integrated LED spotlamps. Integrated LED spotlamps incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	2.9 W 	2.9 W 
	7941 -	7941 -

L/R = Door hinge left/right

E 9. 2021







Wohnen: GENTIS










6 Raster wall units

6 Raster wall units 105.6 cm high 33.0 cm deep incl. integrated LED spotlight in open glass compartment; a remote control is essential for operation (against surcharge) 6 Raster wall shelf 105.6 cm high 26.2 cm deep 6 Raster wall cabinet 105.6 cm high 33.0 cm deep Notes on wall units: Please see here the information on page 4 Max. load wall shelf and wall cabinet: 20 kg Max. load wall units: 40 kg		6 Raster wall units	6 Raster wall units	6 Raster wall shelf	6 Raster wall cabinet
		 140.8 cm wide	 176.0 cm wide	 105.6 cm wide	 105.6 cm wide
		1 door; 1 flap; 1 open glass compartment	1 door; 1 flap; 1 open glass compartment	3 glass shelves, 6 glass partitions	2 doors with glass panel
	as illustr. v. versa Price gr. I II III	61411 61412 - - -	61711 61712 - - -	61019 - - -	Price gr. I II 61014 - -
Functional frame for wall assembly If you plan a functional frame for wall assembly for the 6 Raster wall cabinet and wall units, you do not require an extra wall bracket. Max. load: 20 kg Please note the further information on functional frames on page 5.					
		Functional frame for wall assembly	Functional frame for wall assembly		Functional frame for wall assembly
		6143 -	6173 -		6106 -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		40.5 W 	43.5 W 		27.5 W 
		6144 -	6174 -		6104 -
Lamp for wall shelf The wall shelf can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V				30.0 W 	
				6114 -	
Integrated LED spotlamps for wall cabinet Ø 7.1 cm The cabinet can be fitted with optional integrated LED spotlamps. Integrated LED spotlamps incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V Note: For type 61014 2 integrated LED spotlamps must be ordered!					2x 2.9 W 
					2x 2x

Accent units

Wall units

2 Raster wall accent units 35.2 cm high (in leather version: 36.8 cm); 33.0 cm deep Notes on accent units: Carcase and front also in the versions knotted oak, knotted oak anthracite, knotted core walnut, Nappa leather, saddle leather and Nubuk-Touch leather possible. The inside carcase of accent units in leather version is in matt grey lacquer. If accent units are required in a leather version, the unit width increases by 1.6 cm. Wall units or wall assembly: Please see here the information on pages 3-4	2 Raster wall accent units			
	 105.6 cm wide (in leather version: 107.2 cm)		 140.8 cm wide (in leather version: 142.4 cm)	
	1 flap with 1 partition (flap hinge at bottom)	1 flap with 1 partition (flap hinge at top)	1 flap with 1 partition (flap hinge at bottom)	1 flap with 1 partition (flap hinge at top)
	2108 Price gr. I - II - III - IV -	2109 I - II - III - IV -	2148 I - II - III - IV -	2149 I - II - III - IV -
Functional frame for wall assembly If you plan a functional frame for wall assembly for the wall accent units, you do not require an extra wall bracket. Max. load: 20 kg Please note the further information on functional frames on page 5.				
	Functional frame for wall assembly		Functional frame for wall assembly	
	2106 -		2146 -	
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	19.5 W		22.5 W	
				
	2104 -		2144 -	

2 Raster wall accent units							
		  					
		176.0 cm wide (in leather version: 177.6 cm)		211.2 cm wide (in leather version: 212.8 cm)		246.4 cm wide (in leather version: 248.0 cm)	
		1 flap with 1 partition (flap hinge at bottom)	1 flap with 1 partition (flap hinge at top)	1 flap (flap hinge at bottom); for veneered/lacquered versions with 2 partitions and 4 wall mounting points, for knotted and leather versions with 1 partition and 3 wall mounting points	1 flap (flap hinge at top); for veneered/lacquered versions with 2 partitions and 4 wall mounting points, for knotted and leather versions with 1 partition and 3 wall mounting points	2 flaps (wide flap with 1 partition; flap hinge at bottom)	2 flaps (wide flap with 1 partition; flap hinge at top)
as illustr. v. versa		2178	2179	2218	2219	24681 24682	24691 24692
Price gr.		-	-	-	-	-	-
I		-	-	-	-	-	-
II		-	-	-	-	-	-
III		-	-	-	-	-	-
IV		-	-	-	-	-	-
							
		Functional frame for wall assembly		Functional frame for wall assembly		Functional frame for wall assembly	
		2176 -		2216 -		2246 -	
		27.5 W		30.0 W		35.5 W	
							
		2174 -		2214 -		2244 -	













Accent units

Wall units and floor unit

Assembly notes for wall units:
Please be sure to note here the information
and notes in the "Wall composition" chapter!

3

4







6 Raster wall accent unit 105.6 cm high (in leather version: 107.2 cm); 33.0 cm deep 8 Raster wall accent unit 140.8 cm high (in leather version: 142.4 cm); 33.0 cm deep 10 Raster wall accent unit 176.0 cm high (in leather version: 177.6 cm); 33.0 cm deep 12 Raster floor accent unit 211.2 cm high (in leather version: 214.6 cm); 213.0 cm high incl. 1.8 cm high plinth adjusters); 45.0 cm deep Notes on accent units: Carcase and front also in the versions knotted oak, knotted oak anthracite, knotted core walnut, Nappa leather, saddle leather and Nubuk-Touch leather possible. The inside carcase of accent units in leather version is in matt grey lacquer. If accent units are required in a leather version, the unit width increases by 1.6 cm. Wall units or wall assembly: Please see here the information on pages 3-4		6 Raster wall accent unit	8 Raster wall accent unit	10 Raster wall accent unit	12 Raster floor accent unit
					
		35.2 cm wide (in leather version: 36.8 cm)	35.2 cm wide (in leather version: 36.8 cm)	35.2 cm wide (in leather version: 36.8 cm)	35.2 cm wide (in leather version: 36.8 cm)
		1 door; 2 fitted shelves	1 door; 3 fitted shelves	1 door; 4 fitted shelves	1 door; 5 fitted shelves
Price gr. I II III IV		632311 L 632312 R	832311 L 832312 R	1032311 L 1032312 R	123211 L 123212 R
		-	-	-	-
		-	-	-	-
		-	-	-	-
Functional frame for wall assembly If you plan a functional frame for wall assembly for the wall accent units, you do not require an extra wall bracket. Max. load: 20 kg Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Please note the further information on functional frames on page 5.					
		Functional frame for wall assembly	Functional frame for wall assembly	Functional frame for wall assembly	Functional frame for floor units
		636 -	836 -	1036 -	1232 -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 40). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		19.5 W 	22.5 W 	27.5 W 	38.5 W 
		634 -	834 -	1034 -	1234 -

L/R = Door hinge left/right

E 9. 2021


Wohnen: GENTIS

Accessories for drawers


		for 52.4 cm front width	for 70.4 cm front width	for 105.6 cm front width	for ½ drawer, 140.8 cm wide	for ½ drawer, 176.0 cm wide
 Tableau lined with grey fabric						
	for 45.0 cm depth	8625 -	8626 -	8627 -	8626 -	8632 -
 CD holder for drawers Please state exactly in your order and drawing in which 2 Raster drawer the CD holder is to be fitted.		for 48 CD's	for 64 CD's	for 112 CD's	for 64 CD's	for 96 CD's
	for 45.0 cm depth	8425 -	8426 -	8427 -	8426 -	8432 -
 DVD/Blu-Ray holder for drawers Please state exactly in your order and drawing in which 2 Raster drawer the DVD/Blu-Ray holder is to be fitted.		for 22 DVD's	for 33 DVD's	for 44 DVD's	for 33 DVD's	for 44 DVD's
	for 45.0 cm depth	8325 -	8326 -	8327 -	8326 -	8332 -
  Cutlery box of metal, lined with grey fabric inside; incl. compartments			17.6 cm wide		35.2 cm wide	
			855 -		856 -	
 Cutlery holder lined with grey fabric, for fitting in drawers Set 1: for 60 pieces of cutlery Set 2: for 17 serving utensils			Set 1: for standard cutlery like spoons, forks, knives, etc.		Set 2: for sauce ladles, cake forks, cake servers, etc.	
			116 -		117 -	

Accessories for units


Fitted shelves

 Fitted shelf 1.9 cm thick			in 35.2 cm wide carcasses resp. behind 34.8 cm wide doors	behind 52.4 cm wide doors and flaps	behind 70.4 cm wide doors and flaps	behind 105.6 cm wide flaps	for ½ compartment behind 140.8 cm wide flaps	for ½ compartment behind 176.0 cm wide flaps
	for 33.0 cm depth	Price gr. I II	133 - -					
	for 45.0 cm depth	Price gr. I II	134 - -	154 - -	174 - -	1104 - -	174 - -	184 - -

Lamps

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).
 Integrated LED spotlight Ø 7.1 cm; for fitting in units Later fitting is not possible.	2.9 W
	7941 -

Radio remote control with change of colour temperature

<p>The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.</p>	
	2119 -

DINING

hülsta offers a room concept to meet all requirements in comfort, beauty of form and attractiveness with a comprehensive collection of dining room tables and chairs.

The **dining tables** in a wide variety of sizes (with and without pullout function) in all wood surface versions and in contemporary designs, as well as the **dining chairs** that can be combined individually using different armrests, comfort features, high-grade cover fabrics (leather, textiles) and metal surfaces can all be found in the **"DINING"** type list.



Coffee tables CT 160

Coffee tables CT 160

The **CT 160 coffee table** in sizes of 80 x 80 cm and 110 x 80 cm offers three different plinth versions. The bottom shelf is veneered, lacquered or in knotted wood, the top section is of glass, in one of four optional glass versions.

You will find the coffee table CT 160 as well as other coffee tables in the **"Coffee tables"** type list.



Coffee tables





Coffee tables

hülsta offers a comprehensive **collection of coffee tables**, which not only match the hülsta furniture ranges perfectly but can also be combined with other products that are available on the market. You will find these coffee tables in a number of designs, sizes and versions in the **"Coffee tables"** type list.



Cable apertures

It is possible to provide the cover shelves, side sections, shelves, etc., in units from nearly all the hülsta living room ranges with cable apertures so it is easier to feed cables of electronic equipment through these units. There are four different types of cable apertures to choose from, as listed here. **Please be sure to follow the important notes.**

<p>Cable aperture K1</p> <p>Cable aperture for 80 mm hole, silver colour Standard cable aperture; particularly suitable for cover shelves, side sections and shelves</p> <p>Sizes: Assembly height: 21 mm Outside diameter: 92 mm Inside diameter: 74 mm Diameter of hole: 80 mm</p>  <div>K1</div>	<p>Cable aperture K2</p> <p>Cable aperture for 80 mm hole, silver colour particularly suitable for rear walls and side sections</p> <p>Sizes: Assembly height: 8 mm Outside diameter: 92 mm Inside diameter: 74 mm Diameter of hole: 80 mm</p>  <div>K2</div>	<p>Cable aperture K3</p> <p>Cable aperture for 60 mm hole, silver colour particularly suitable for shelves and constructional shelves (suitable to an extent for scart cables)</p> <p>Sizes: Assembly height: 21 mm Outside diameter: 72 mm Inside diameter: 54 mm Diameter of hole: 60 mm</p>  <div>K3</div>	<p>Cable aperture K20</p> <p>Cable aperture for 80 mm hole, silver colour particularly suitable for side-panels and centre partitions</p> <p>Sizes: Assembly height: 2x 8 mm Outside diameter: 92 mm Inside diameter: 74 mm Diameter of hole: 80 mm</p>  <div>K20</div>
---	---	---	---









IMPORTANT NOTES Please be sure to note!

Please be sure to state the **exact position** of the cable aperture in your order (always measure distances from the centre of the cable aperture). For **wall units** the cable aperture is only possible in the bottom position (due to the suspension brackets). With **cover shelves**, the position of the cable aperture is determined in the factory, in accordance with factors specific to the given range. The same applies to technical exceptions because of custom-based planning. The K 20 is positioned in the centre (depthwise) in the **side-panel**. Please state the exact height (centre of hole of cable aperture from bottom rim of side-panel)! Subject to technical progress.

The **minimum distance** for the cable aperture (measured from the inside): 100 mm from the side and 70 mm from the rear (for horizontal surfaces) or 100 mm from the side and 70 mm from the base (for vertical surfaces). Please state if the aperture is to be fitted at the left, at the right or in the centre.

Standard position: If no details of the exact position of the cable aperture are given in your order, the cable aperture is always fitted at the bottom centre or at the rear centre of the relevant surface, whereby the distances stated above still apply.

Caution! Please note that the cable aperture can not be fitted where there is an integrated or front spotlight, centre partitions or a split rear wall. **Please be sure to observe the following explanatory diagrams!**

for vertical surfaces	for horizontal surfaces
<p>Minimum distance 100 mm from the side and 70 mm from the base</p>  	<p>Minimum distance 100 mm from the side and 70 mm from the rear</p>  
<p>Standard position at the centre of the surface and 70 mm from the base</p> 	<p>Standard position at the centre of the surface and 70 mm from the rear</p> 
<p>Please note! If there is an integrated or front spotlight in a shelf, for example, the cable aperture cannot be fitted at this position!</p> 	<p>Please note! If there is a centre partition, for example, between two shelves, the cable aperture cannot be fitted at this position!</p> 

GENTIS

Special-sized products are possible on request.
Please get in touch with your customer advisor.

Special articles

Cover panels

for side and top panelling of fitted wardrobes (support construction and fitting materials must be acquired on site).

Basic price per order	9901	-
+ price per m ² in price group I	990	-
+ price per m ² in price group II	990	-

Veneer match with fronts can not be guaranteed.

Individual special-sized products

If the special-sized product that you require is so unusual that it cannot be illustrated with the many special sized products that we already provide and charge for, then we will quote you the price using a 33 unit type factor. In your order please state for us the relevant enquiry number and the 33 unit type factor stated.

33	-
----	---

Special colours; Note on „Blue Angel“ / Emissions label of DGM

Special colours

All the hülsta lacquer colours are possible for nearly all the hülsta ranges.
Availability and prices on request.

Note on „Blue Angel“ (RAL-UZ 38) and Emissions label of DGM (Class A)

It is possible that the requirements of the „Blue Angel“ and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV (see here the different lacquer versions in the NEO range), depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

- The following points must be noted with the radio remote control:**
- The receiver must be positioned behind a rear wall or under plinth shelves (at least 20 mm space required under plinth shelves).
 - The total wattage power of all lamps included per receiver must not exceed 30 W.
 - 4 channels = 4 light groups
 - 1 light group = x lights
 - All lamps within a light group can be dimmed to the same brightness.
 - The change of the colour temperature takes place for all lamps in all light groups.
 - The radio remote control is not suitable for equipment operating on 110 V.
- Please be sure to note the operating and programming instructions!**

4-channel radio remote control with change of color temperature



4-channel radio remote control with change of color temperature

Type	2119	-
------	------	---

Examples of use (schematic diagrams)

Example 1

Lights inside a unit


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlight in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps in the open compartment

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlight in the right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 2

Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlight and the LED light panels in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps and the LED light panels in the centre cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlight and the LED light panels in the right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 3

Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamps in the left, centre and right cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the top LED light panels in the left, centre and right cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the bottom LED light panels in the left, centre and right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Important notes

Wall composition / assembly instruction

Important notes:

The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.









Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete $\geq C12/15$, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

Materials table

with a description of which sets are to be used with the following types of walls:

Standard set	Assembly mortar set only suitable for the materials stated below!	
Concrete C12/15 Compression strength $\geq 15 \text{ N/mm}^2$ 		Building bricks Mz 12 Compression strength $\geq 12 \text{ N/mm}^2$
		Solid blocks of light concrete V2 Compression strength $\geq 2 \text{ N/mm}^2$
		Limestone blocks KS 12 Compression strength $\geq 12 \text{ N/mm}^2$
		Perforated blocks of light concrete Hbl 2 Compression strength $\geq 2 \text{ N/mm}^2$
		Perforated sand lime bricks KSL12 Compression strength $\geq 12 \text{ N/mm}^2$
		Aerated concrete PP2 Compression strength $\geq 2 \text{ N/mm}^2$
		Vertically perforated bricks HLz 12 Compression strength $\geq 12 \text{ N/mm}^2$ Bulk density $\geq 1.0 \text{ kg/dm}^3$

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.



Mounting sets

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.

3 = 3 support boards

4 = 4 support boards, etc.

One **assembly mortar set** is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.

Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard trade mastic tool which are the basic essentials for safe and clean workmanship.

Standard set

The standard set consists of 4 plastic Rawl plugs and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.

Assembly mortar set for up to a maximum of 3 support boards consisting of:

9x injection retaining sleeve
 9x screw-in sleeve
 1x injection cartridge
 2x static mixer
 1x assembly instructions

Please use the mounting screws from the standard set (supplied free of charge).

Example of order:

- Add up number of support boards for all existing unit types
 - Divide the sum by "3"
 - Round up the result to a full number
- = Number of assembly mortar sets required

M2

-

Your Hotline to hülsta

Do you have any questions or require any alterations to your order confirmation?
Do you have any questions on our products or your current order?
Do you have any complaints about supplied goods or required replacement parts?
Contact Telephone: +49 (0) 2563 / 86-1627 • email: orders@huelsta.com

Do you have any questions, suggestions or wishes for the **hülsta product seminars**?
Contact Telephone: +49 (0) 2563 / 86-1493 • email: seminare@huelsta.com

hülsta Planning Service

Your furn plan planning is so complex that you need our support? We have created the hülsta Planning Service for this kind of situation. hülsta employees will check your planning as quickly as possible. The customer gets a planning that will inspire him!

hülsta Planning Service
Tel.: +49 (0) 2563 / 86-1060
Fax: +49 (0) 2563 / 86-1000
Mail: Planungsservice-Handel@huelsta.com
Mondays to fridays from 9.00 a.m. until 5.00 p.m.

Special wishes? Come to us!

Maximum individuality! – Maximal flexibility! – hülsta makes most of your special wishes possible.
And if you do have a wish which is not quite so easy to implement, just give us a call or send us a mail or a fax. We have our own hülsta "Special Wishes Team" who are there to help you realise just these customer requests. These colleagues are professionals when it comes to special products. They plan and calculate the products possible for you and even develop an alternative suggestion if the idea should turn out to be technically impossible.

Here is an overview of the hülsta range of special wishes:

- A lot of special products can be ordered simply via the type list
- Special-sized products are planned simply and professionally
- Competent colleagues advise you by phone, by fax and by mail
- You will be sent alternative suggestions if the idea is technically impossible
- Many special-sized products are available without a surcharge
- Specially qualified carpenters and technicians implement your plans perfectly

hülsta Special Wishes Team
Tel.: +49 (0) 2563 / 86-1060
Fax: +49 (0) 2563 / 86-1000
Mail: Sonderwunsch@huelsta.com

We are open Saturdays for you, too!

Our **Saturday hotline** is available from **10.00 a.m. until 5.00 p.m.**

Telephone: +49 (0) 2563 / 86-1800

The hülsta Sales Department is available
mondays to fridays from 9.00 a.m. until 5.00 p.m.

hülsta GENTIS Wohnen

Stand: E 9. 2021

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress.

hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadthohe
Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000
www.huelsta.com

