

MULTI-FORMA II

SLEEPING





MULTI-FORMA II

Room for unlimited possibilities

Contents

	Page
Range introduction	2-7
Hinge- and folding-door wardrobes	
Introduction hinge- and folding-door wardrobes, lists of versions	8-11
Wardrobe examples hinge- and folding-door wardrobes	12-13
Basic- and extension units hinge-door wardrobes	14-21
Basic- and extension units folding-door wardrobes	22-25
Basic- and extension units hinge-door corner wardrobes	26-29
Accessories	30
Intermediate units	31-35
Interior TV unit fittings for intermediate units	36
Lamps, Magic-Tronic	37
Sliding-door wardrobes	
Introduction sliding-door wardrobes, lists of versions	40-43
Sliding-door wardrobes	44-51
Accessories, lamps	52
Room and niche system	
Introduction room and niche system, list of versions	53
Open carcase basic- and extension units	54-55
Lamps	56
General information:	
Switch options for lamps	57
Special-sized products, special articles	58-60
Important notes: quality of walls / assembly instruction	61

Hinge-, folding- and sliding-door wardrobes as well as a room system

The modern, innovative MULTI-FORMA II wardrobe system is suitable for individual arrangements because it is particularly versatile. New front designs and unique intermediate units give MULTI-FORMA II its particularly exclusive look. As a universal wardrobe system, the design of MULTI-FORMA II enables you to combine its units with all of the units in the various hülsta bedroom ranges and almost every type of interior style.

To enhance the competency of the range, MULTI-FORMA II also includes a walk-in room system. The tried and tested planning system from MULTI-FORMA II involving basic and extension units has been incorporated in the room/niche system. This guarantees a simple and comfortable initiation to the range including easy planning.

Maximum loads

Max. loads:
Max. load of wooden shelves (up to 58 cm width): 35 kg
Max. load of wooden shelves (between 58 and 98 cm width): 30 kg
Max. load of wooden shelves (from 98 cm width) as well as drawers: 25 kg

Notes on delivery for intermediate units

Notes on delivery:
The drawer carcass is delivered standard as a **fully connected unit (glued)** so that the carcass **cannot be disassembled**. There are however some **exceptions** to this rule:

Some carcasses are delivered as complete units but can be **disassembled into individual sections** in the final customer's home. These types are marked with a **1** in the type list.

Some carcasses are delivered **in individual sections** because of their size. These types are marked with a **2** in the type list.

The fronts with the number 2 are delivered separately and can therefore always be (dis-) assembled.

Wall fitting

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15. For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Range introduction

Hinge-door wardrobes



Folding-door wardrobes










Sliding-door wardrobes



Room system











Overview: Hinge-, folding- and sliding-door wardrobes as well as room system












	System heights	System widths and depth: see the separate chapters for hinge-/ folding-door wardrobes, sliding-door wardrobes or room system	Intermediate units for hinge-/ folding-door wardrobes	
Hinge-door wardrobes	229.6 cm high	268.0 cm high	337.8 cm high	
				<div><div>2</div></div> <div><div>3</div></div> <div><div>12</div></div> <div><div>18</div></div>

Design and handle versions







Design versions hinge- and folding-door wardrobes

Design A	Design G	Design L	Design J	Design I	Design T	Design U	Design N
							


Handle versions for hinge-/folding-doors

Handle 011 (standard handle)	Handle 063 / 064	Handle 057 / 058	Handle 046 / 047	Handle 014 / 015	Handle 012	Handle 029 / 030	Handle 048 / 049	Handle 026 / 013	Handle 031	Handle 052 / 060
										

Design versions for sliding-door wardrobes

Design A	Design M	Design G	Design L	SOLIST	SOLIST P
					

Handle versions for sliding-doors



MULTI-FORMA II

Hinge- and folding-door wardrobes

The modern, innovative MULTI-FORMA II wardrobe system is suitable for individual arrangements because it is particularly versatile. New front designs and unique intermediate units give MULTI-FORMA II its particularly exclusive look. As a universal wardrobe system, the design of MULTI-FORMA II enables you to combine its units with all of the units in the various hülsta bedroom ranges and almost every type of interior style.

Height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge
(width reductions are not possible on doors with high-gloss fronts in Design A, G and J)!

Design idea

You can choose from a variety of design versions for the MULTI-FORMA II hinge- and folding-door wardrobes:

- Design A
- Design G
- Design L
- Design J
- Design I (only for straight hinge-door wardrobes)
- Design T
- Design U
- Design N

The various wood, lacquer, high-gloss and high-gloss lacquer versions and a number of different handle versions underline the versatility of the MULTI-FORMA II wardrobe system.

You can also choose from different versions for the wardrobe interior fittings for the MULTI-FORMA II hinge- and folding-door wardrobes:

- White lacquer (standard)
- Grey lacquer

Please state exactly in the order, in which version you require the interior fittings for your wardrobe. If no details of the version are given in the order, the interior fittings are delivered in the standard white lacquer version.

Concept/ planning possibilities

Hinge- and folding-door wardrobes according to the endless assembly principle

- Hinge- and folding-door wardrobes and intermediate units can be combined with one another
- Optionally:
 - with all-round passepartout
 - with top LED lamp (2.4 W)
 - with all-round passepartout and top LED lamp (2.4 W)
 - with cornice and integrated LED spotlamps (1 W)
 - with cornice and integrated LED light panels (2.7 W)

The lights are operated by a standard external footswitch.

- Doors in Design A, J, T and U with an optional mirror (side facet)
- MULTI-FORMA II comes in various widths: the great number of different unit widths means you can create total unit widths in 10 cm steps
- Wardrobe inside widths: 38, 48, 68, 78, 98, 158, 198 cm
- Different basic wardrobe heights: 229.6 cm, 268.0 cm and 337.8 cm for the hinge-door wardrobes; 229.6 cm and 268.0 cm for the folding-door wardrobes

Important note: The wardrobe height of 337.8 cm consists of a top wardrobe unit, standard 69.8 cm high, and of a lower wardrobe unit. The wardrobe sides and the full-length hinge-doors are split visually. In the case of height reductions, the lower wardrobe unit is always reduced in height.



















- MULTI-FORMA II is variable: height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge (width reductions are not possible on doors with high-gloss fronts in Design A, G and J).
- Wardrobe outside depth (without handles): 61.0 - 61.4 cm
- Wardrobe inside depth: 56.0 cm
- Numerous intermediate units with different features for a more open look
- Extra-wide panorama units (160 and 200 cm) without a centre partition keep things well organized
- Profiled hinge-door end units
- Hinge-door corner wardrobes (45° and fully accessible corner 90°)
- Functional and high-quality **wardrobe interior fittings** (see „Wardrobe interior fittings“ type list)
- Standard interior fittings per unit: 2 fitted shelves, 1 clothes rod, for hinge-door wardrobes in 337.8 cm height also with 1 fitted shelf in top wardrobe unit
- Side and rear sloping possible (see „Special-sized products“)

Quality features

- All wardrobe doors with cushioning mechanism
- All wardrobe doors with handle and spring hinges
- Innovative door opening bracket (lies on wardrobe carcass, recedes out of view)
- Extra-wide fitted wardrobe shelves (160 and 200 cm) of triple glued chipboard
- Unobtrusive 2.5 mm size holes
- All metal hinges
- Low plinth with trapezoid-shaped brackets for simple assembly
- All partitions and side sections have a special plinth adjustment device which makes exact horizontal and vertical assembly much easier
- Drawer frames and drawer carcass of intermediate units in standard grey
- **hülsta-SoftFlow:** Drawers of intermediate units on hidden bearings incl. auto pull-in feature with brake as fully pull-out units
- **hülsta-MagicClose:** All wooden hinge-doors with door cushioning system

Design versions for wardrobe doors

With the MULTI-FORMA II hinge- and folding-door wardrobes and the intermediate units you can choose the carcass and the front in a different version. Please state this clearly in the order. When versions from different price groups are exchanged, the higher price group is always charged.












Carcase depth: 59.0 cm				Carcase depth: 61.4 cm			
							
Important note: Different carcass depths cannot be combined with one another!							
Design A	Design G	Design L	Design J	Design I	Design T	Design U	Design N
							
							
Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 59.0 cm Front thickness: 2.2 cm Total depth (without handles): 61.2 cm	Carcase depth: 59.0 cm Front thickness: 2.3 cm Total depth (without handles): 61.3 cm	Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm	Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm	Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm	Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm

Versions for wardrobe interior fittings

With the MULTI-FORMA II hinge- and folding-door wardrobes you can choose between two versions for the wardrobe interior fittings. The desired version must be stated in the order. If no details are given in the order, the wardrobe interior fittings are supplied in white lacquer. Both the end slat on the doors and the front rim of the partitions are always in the same version as the wardrobe interior fittings.

Model no.	Versions
045 046	White lacquer (standard) Grey lacquer

Handle versions for hinge-/folding-doors

Handle 011 (standard handle)	Handle 063 / 064 ****	Handle 057 / 058	Handle 046 / 047	Handle 014 / 015	Handle 012	Handle 029 / 030 * **	Handle 048 / 049 **	Handle 026 / 013	Handle 031 **	Handle 052 / 060 ***
										
Handle height: 24.0 cm	Handle height: 5.6 cm	Handle height: 5.6 cm	Handle height: 6.3 cm	Handle height: 24.8 cm	Handle height: 24.9 cm matching version	Handle height: 77.0 cm	Handle height: 114.0 cm	Handle height: 114.9 cm	Handle height: 175.8 cm matching version	Handle height = door height
Matt chrome	White lacquer	High-gloss chrome	High-gloss chrome	High-gloss chrome	Matt chrome/wood/lacquer version	High-gloss chrome	High-gloss chrome	High-gloss chrome	Wood/lacquer version	High-gloss chrome
011	063 Grey lacquer 064	057 Matt chrome 058	047 Matt chrome 046	014 Matt chrome 015	012	029 Matt chrome 030	049 Matt chrome 048	026 Aluminium colour 013	031	052 Matt chrome 060
without surcharge	without surcharge	without surcharge	without surcharge	without surcharge	without surcharge	Surcharge per handle:	Surcharge per handle:	Surcharge per handle:	Surcharge per handle:	Surcharge per handle:
-	-	-	-	-	-	-	-	-	-	-

With the MULTI-FORMA II hinge- and folding-door wardrobes you can choose between different handles. The desired handle and the desired wood/lacquer version for matching handles must always be stated in the order; handles for high-gloss (lacquer) fronts are in matt lacquer in the matching colour.

If no details of the handle are stated in the order, the standard handle 011 is supplied; exceptions: Design J, U and N always with handle slat.

* Handle 030 is the standard handle for Design G (handles 030 and 029 for Design G without surcharge). Handle 046/047 and 048/049 (without surcharge) as well as 026/013 (against surcharge; not possible for corner units) for Design G possible.

** Handle 029/030, 048/049, 031 and 057/058 is not possible for Design L

*** Handle 052/060 is only possible for Design T and N (not possible for corner units)


**** Handle 063/064 is the standard handle for Design I. It is always lacquered (matt) in the same colour as the rear-side lacquering of the hinge-doors. Exchanging the colour is not possible.

Lists of versions for hinge- and folding-door wardrobes

Important note:
Different carcass depths (see page 9 above) cannot be combined with one another!

Wood/lacquer/high-gloss versions – Design A


	Model no.	Carcass and front	Price group
Lacquer	D121	Pure white lacquer	I
	D01	White lacquer	I
	D02	Sand lacquer	I
	D03	Grey lacquer	I
High-gloss	D05	High-gloss pure white	II
	D06	High-gloss white	II
	D07	High-gloss sand	II
	D101	High-gloss grey	II
Veneer	D102	Natural oak	II
	D12	Core walnut	II



	Model no.	Application	Handles
			011 (standard handle) 047 / 046 012 014 / 015 026 / 013 029 / 030 049 / 048 031 057 / 058

Wood/lacquer/high-gloss versions – Design G


	Model no.	Carcass and front	Price group
Lacquer	D123	Pure white lacquer	I
	D14	White lacquer	I
	D15	Sand lacquer	I
	D16	Grey lacquer	I
High-gloss	D18	High-gloss pure white	II
	D19	High-gloss white	II
	D20	High-gloss sand	II
	D107	High-gloss grey	II
Veneer	D108	Natural oak	II
	D52	Core walnut	II



	Model no.	Application	Handles
Lacquer	D123	Pure white lacquer	030 (standard handle) 029 047 / 046 049 / 048 026 / 013 057 / 058
	D14	White lacquer	
	D15	Sand lacquer	
	D16	Grey lacquer	
Veneer	D108	Natural oak	
	D52	Core walnut	

Wood/lacquer/high-gloss versions – Design L

	Model no.	Carcass and front	Price group
High-gloss	D26	High-gloss pure white	II
	D27	High-gloss white	II
	D28	High-gloss sand	II
	D112	High-gloss grey	II




	Model no.	Application	Handles
Lacquer	D59	Pure white lacquer	011 (standard handle) 047 / 046 012 014 / 015 026 / 013
	D22	White lacquer	
	D23	Sand lacquer	
	D24	Grey lacquer	
Veneer	D113	Natural oak	
	D33	Core walnut	

The carcass is available in all the different versions (see e.g. Design G).
Please state clearly in the order!

Wood/lacquer/high-gloss versions – Design J

	Model no.	Carcass and front	Price group
Lacquer	D125	Pure white lacquer	I
	D126	White lacquer	I
	D128	Sand lacquer	I
	D129	Grey lacquer	I
High-gloss	D130	High-gloss pure white	II
	D131	High-gloss white	II
	D132	High-gloss sand	II
	D133	High-gloss grey	II
Veneer	D134	Natural oak	II
	D136	Core walnut	II



	Model no.	Handle profile	Handle slat
Lacquer	D125	Pure white lacquer	
	D126	White lacquer	
	D128	Sand lacquer	
	D129	Grey lacquer	
High-gloss	D125	Pure white lacquer *	
	D126	White lacquer *	
	D128	Sand lacquer *	
	D129	Grey lacquer *	
Veneer	D137	Aluminium colour **	

* The profiled handle for high-gloss fronts is in matt lacquer in the matching colour.
** The handle profile for wooden fronts is standard aluminium-coloured.


Changing versions:

With the MULTI-FORMA II hinge- and folding-door wardrobes and the intermediate units you can choose the carcass and the front in a different version. Please state this clearly in the order. When versions from different price groups are exchanged, the higher price group is always charged.

MULTI-FORMA II

Wood/lacquer/high-gloss lacquer versions – Design T

	Model no.	Carcass and front	Price group
Lacquer	D140	Pure white lacquer	I
	D141	White lacquer	I
	D142	Sand lacquer	I
	D143	Grey lacquer	I
	D144	Silk grey lacquer	I
	D145	Ice blue lacquer	I
	D146	Wool white lacquer	III
	D147	Grey beige lacquer	III
	D148	Taupe lacquer	III
	D149	Cappuccino lacquer	III
	D150	Cocoa lacquer	III
	D151	Mocca lacquer	III
	D152	Black lacquer	III
	D153	Teal blue lacquer	III
	D154	Blue lacquer	III
	D155	Petrol lacquer	III
	D156	Yellow lacquer	III
	D157	Pastel green lacquer	III
	D158	Terracotta lacquer	III
High-gloss lacquer	D159	High-gloss pure white lacquer	II
	D160	High-gloss white lacquer	II
	D161	High-gloss sand lacquer	II
	D162	High-gloss grey lacquer	II
Veneer	D163	Natural oak	II
	D164	Core walnut	II




	Model no.	Application	Handles
			011 (standard handle) 047 / 046 012 014 / 015 026 / 013 029 / 030 049 / 048 031 057 / 058 052 / 060

Wood/lacquer/high-gloss lacquer versions – Design U

With Design U it is possible to order the carcass, front and handle profile in different versions. In this case please state the model no. of carcass, front and handle profile separately. Please state clearly in the order! When changing versions from different price groups for carcass and front, the higher price group is always charged, a change of version for the handle profiles does not affect the price.

	Model no.	Carcass and front	Price group
Lacquer	D140	Pure white lacquer	I
	D141	White lacquer	I
	D142	Sand lacquer	I
	D143	Grey lacquer	I
	D144	Silk grey lacquer	I
	D145	Ice blue lacquer	I
High-gloss lacquer	D159	High-gloss pure white lacquer	II
	D160	High-gloss white lacquer	II
	D161	High-gloss sand lacquer	II
	D162	High-gloss grey lacquer	II
Veneer	D163	Natural oak	II
	D164	Core walnut	II





	Model no.	Handle profile	Handle slat
Lacquer	D140	Pure white lacquer	
	D141	White lacquer	
	D142	Sand lacquer	
	D143	Grey lacquer	
	D144	Silk grey lacquer	
	D145	Ice blue lacquer	
High-gloss lacquer	D159	Pure white lacquer *	
	D160	White lacquer *	
	D161	Sand lacquer *	
	D162	Grey lacquer *	
Veneer	D163	Natural oak	
	D164	Core walnut	

* The handle profile for high-gloss lacquer fronts is in matt lacquer in the matching colour.

Wood/lacquer/high-gloss lacquer versions – Design I and N

	Model no.	Carcass	Price group
Lacquer	D140	Pure white lacquer	I
	D141	White lacquer	I
	D142	Sand lacquer	I
	D143	Grey lacquer	I
	D144	Silk grey lacquer	I
	D145	Ice blue lacquer	I
	D146	Wool white lacquer	III
	D147	Grey beige lacquer	III
	D148	Taupe lacquer	III
	D149	Cappuccino lacquer	III
	D150	Cocoa lacquer	III
	D151	Mocca lacquer	III
	D152	Black lacquer	III
	D153	Teal blue lacquer	III
	D154	Blue lacquer	III
	D155	Petrol lacquer	III
	D156	Yellow lacquer	III
	D157	Pastel green lacquer	III
	D158	Terracotta lacquer	III
High-gloss lacquer	D159	High-gloss pure white lacquer	II
	D160	High-gloss white lacquer	II
	D161	High-gloss sand lacquer	II
	D162	High-gloss grey lacquer	II
Veneer	D163	Natural oak	II
	D164	Core walnut	II



Design N

	Model no.	Handle profile	Handle slat
			052 / 060

Design I

	Model no.	Handle	Handle
Glass		White lacquer	063
		Grey lacquer	064

The handle is always lacquered (matt) in the same colour as the rear-side lacquering of the hinge-doors. Exchanging the colour is not possible.

Front for Design N: Mirror

Front for Design I: Glass doors on a lacquered aluminium frame. Rear-side rim lacquering rear-lacquered white and door panels of Optiwhite clear glass or rear-side rim lacquering rear-lacquered grey and door panels of stained glass.

Hinge- and folding-door wardrobes

Wardrobes according to the endless assembly principle

Hinge- and folding-door wardrobes can be planned endlessly and combined with one another. Due to the various element widths one can create many total wardrobe widths. In this way the available floor space can be exploited to the full. For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination. In the case of single-door hinge-door units as well as folding-door wardrobes one can choose between left- and right-hand hinges. The graphics shown below give you an excerpt of our wardrobe assortment. For a more varied look, we suggest using intermediate units for creating some alternatives.

Important note: Different carcass depths cannot be combined with one another!



Standard interior fittings per unit: 2 fitted shelves, 1 clothes rod, for hinge-door wardrobes in 337.8 cm height also with one fitted shelf in the top wardrobe unit. Wardrobe interior fittings optionally in white lacquer (standard) or grey lacquer (see here page 9) Please state in the order!

Wardrobe examples for hinge-door wardrobes



- Hinge-door wardrobes can be combined with folding-door wardrobes and intermediate units
- Optionally available with many different handles (see page 9)
- Straight units and profiled end units
- Mirror fronts for doors in Design A, J, T and U at a surcharge
- Passepartout, cornice and lamps at a surcharge
- 3 different basic heights: 229.6; 268.0; 337.8 cm
- Unit outside widths: 42, 52, 72, 82, 102 cm (basic units)
- 40, 50, 70, 80, 100 cm (extension units)
- Unit inside widths: 38, 48, 68, 78, 98 cm
- Outside depth: 61.0 - 61.4 cm
- Inside depth: 56.0 cm

For calculating the total width when fitting a passepartout (or a cornice with lamp), please note the protrusion of 1.7 cm (or 0.5 cm) left and right!



Hinge-door wardrobe in 229.6 cm height



Hinge-door wardrobe in 268.0 cm height



Hinge-door wardrobe in 337.8 cm height





Wardrobe examples for folding-door wardrobes



- Folding-door wardrobes can be combined with hinge-door wardrobes and intermediate units
- Optionally available with many different handles (see page 9)
- Extra-wide panorama units in 160/162 and 200/202 cm width without partition
- Mirror fronts for doors in Design A, J, T and U at a surcharge
- Passepartout, cornice and lamps at a surcharge
- 2 different basic heights: 229.6; 268.0 cm
- Unit outside widths: 82, 102, 162, 202 cm (basic units)
- 80, 100, 160, 200 cm (extension units)
- Unit inside widths: 78, 98, 158, 198 cm
- Outside depth: 61.0 - 61.4 cm
- Inside depth: 56.0 cm

For calculating the total width when fitting a passepartout (or a cornice with lamp), please note the protrusion of 1.7 cm (or 0.5 cm) left and right!

Folding-door wardrobe in 229.6 cm height



Folding-door wardrobe in 268.0 cm height







Important note:

The hinge-door wardrobe height of 337.8 cm consists of a top wardrobe unit, standard 69.8 cm high, and of a lower wardrobe unit. The wardrobe sides and the full-length hinge-doors are split visually. In the case of height reductions, the lower wardrobe unit is always reduced in height.

Standard interior fittings per unit:
in lower wardrobe unit: 2 fitted shelves, 1 clothes rod
in top wardrobe unit: 1 fitted shelf

Dims.	without cornice	with passepartout	with top LED lamp	with passepartout and top LED lamp	with cornice incl. LED lamp
Heights	229.6; 268.0 and 337.8 cm	see sizes without cornice + 2.9 cm	see sizes without cornice + 5.0 cm	see sizes without cornice + 7.9 cm	see sizes without cornice + 4.6 cm
Depths	see page 9 above	see carcase depths on page 9	see carcase depths on page 9 + 11.0 cm	see carcase depths on page 9 + 11.0 cm	see carcase depths on page 9 + 10.3 resp. 9.9 cm
Widths	see pages 14-29				
	Height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge; when reducing the height of doors in Design L only the top and bottom door panels are reduced in height (the middle panels always retain their original height). Width reductions are not possible on doors with high-gloss fronts in Design A, G and J. Special dimensions are not possible for Design I.				

Wardrobes examples for hinge-door corner units, intermediate units, special sizes; lamps

<ul style="list-style-type: none">• Hinge-door corner wardrobes can be combined with hinge-/folding-door wardrobes and intermediate units• Optionally available with many different handles (see page 9)• Hinge-door corner wardrobe 45° with 1 fitted shelf without clothes rod and 1 fitted shelf with clothes rod• Hinge-door corner wardrobe with fully accessible corner 90° with 2 fitted shelves and 1 clothes rod each left and right• 3 different basic heights: 229.6; 268.0; 337.8 cm• Unit outside widths: 97.3 x 97.3 or 112.7 x 112.7 cm (basic units) 95.3 x 97.3 or 110.7 x 112.7 cm (extension units)• Outside depth: 61.0 - 61.4 cm• Inside depth: 56.0 cm <p>For calculating the total width when fitting a passepartout (or a cornice with lamp), please note the protrusion of 1.7 cm (or 0.5 cm) left and right!</p>	<ul style="list-style-type: none">• Intermediate units can be supplied in Design A, T and U• Intermediate units can be combined with hinge- and folding-door wardrobes. Two intermediate units can also be placed adjacent to one another.• Optionally available with many different handles (see page 31)• Many different intermediate units with various features (see pages 32-35)• Outside depth: 61.0 - 61.4 cm• See „Special-sized products“ chapter for notes on side sloping and further special-sized products
<p>Hinge-door corner wardrobe 45°</p> 	<p>with integrated intermediate unit 3 and side sloping</p> 
<p>Hinge-door corner wardrobe with fully accessible corner 90°</p> 	<p>with integrated intermediate unit 18</p> 

Lamps

All hinge- and folding-door wardrobes are available with an optional cornice and LED lamps or with top LED lamps. Either one integrated LED spotlight (1 W), one LED light panel (2.7 W) or one top LED lamp (2.4 W) is fitted standard above each unit – 1 or 2 door. Exception: in the case of panorama units two integrated LED spotlights (or two LED light panels or two top LED lamps) are fitted. If required, an integrated LED spotlight, an LED light panel or a top LED lamp can be fitted centrally above each door. It is also possible to remove individual integrated LED spotlights or LED light panels with a price reduction. Please include a sketch in all cases.

Switching is done standard by an external footswitch. A remote control unit is also available as an alternative, which is charged extra. The remote control unit incorporates a transmitter and a receiver, with which the entire LED lamps can be switched on and off. The footswitch is omitted when the remote control unit is employed.

When an intermediate unit with integrated LED lamps and top LED lamps or a cornice with LED lamps are included together, the switch is coupled.

Please note: When planning a cornice, please note that a minimum distance of 2.0 cm to the ceiling must be observed.

See page 37 for further information!









Hinge-door wardrobes

Basic units

Height: 229.6; 268.0 and 337.8 cm (heights with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Width: see table (widths with passepartout: + 1.7 cm each side; with cornice: + 0.5 cm each side)

Depth: see table (depths with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Basic units with 2 outer side-sections (each 2 cm thick)			Design A	Design G	Design L	Design J	Design U
<p>For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination. The surcharge for the passepartout frame of the basic units includes the left- and right-hand vertical frame as well as the horizontal frame, the surcharge for the extension units only includes the horizontal frame. When adding on extension units, the right-hand frame of the passepartout of the basic unit is employed as the end unit of the complete combination.</p> <p>Cornice and passepartout unit are full-length up to 302 cm width.</p>							
			Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 59.0 cm Front thickness: 2.2 cm Total depth (without handles): 61.2 cm	Carcase depth: 59.0 cm Front thickness: 2.3 cm Total depth (without handles): 61.3 cm	Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm
Left profiled end unit, single door, left, 52 cm wide 	229.6 cm high	Price gr. I II	A201031 - -	G201031 - -	L201031 - -	J201031 - -	U201031 - -
	268.0 cm high	Price gr. I II	A301031 - -	G301031 - -	L301031 - -	J301031 - -	U301031 - -
	337.8 cm high	Price gr. I II	A401031 - -	G401031 - -	L401031 - -	J401031 - -	U401031 - -
Left profiled end unit, twin-door, 102 cm wide  <p>Note on Design N: Profiled door in Design T, plain door with mirror</p> <p>Sideward distance must be 20 cm (per door) to open doors fully. Because of the identical depth of 40.1 cm, it is also possible to add on MULTI-VARIS ancillary units!</p>	229.6 cm high	Price gr. I II	A20104 - -	G20104 - -	L20104 - -	J20104 - -	U20104 - -
	268.0 cm high	Price gr. I II	A30104 - -	G30104 - -	L30104 - -	J30104 - -	U30104 - -
	337.8 cm high	Price gr. I II	A40104 - -	G40104 - -	L40104 - -	J40104 - -	U40104 - -
Single-door unit, left or right, 42 cm wide 	229.6 cm high	Price gr. I II	A02011 L A02012 R - -	G02011 L G02012 R - -	L02011 L L02012 R - -	J02011 L J02012 R - -	U02011 L U02012 R - -
	268.0 cm high	Price gr. I II	A03011 L A03012 R - -	G03011 L G03012 R - -	L03011 L L03012 R - -	J03011 L J03012 R - -	U03011 L U03012 R - -
	337.8 cm high	Price gr. I II	A04011 L A04012 R - -	G04011 L G04012 R - -	L04011 L L04012 R - -	J04011 L J04012 R - -	U04011 L U04012 R - -










L/R = Door hinge left/right

E 9. 2021

Schlafen: MULTI-FORMA II

For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

Please state the versions for the handles and the wardrobe interior fittings!

		Design I	Design N	Design T	Surcharge for passe-partout	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spot-lamps	Surcharge for cornice with integrated LED light panels	Surcharge for handle slat lamp for doors in Design J	Surcharge for mirror
					Not possible for Design U, I, N and T. 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	Each wardrobe door in Design A, J, T and U can be fitted with an optional mirror (vertical facet), which is charged extra (mirrors not possible for Design G and L). 
		Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm		Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm		Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm		Information on the energy class: see page 37		
229.6 cm high	Price gr. I II III			T201031						
268.0 cm high	Price gr. I II III			T301031		380	3370	3372		
337.8 cm high	Price gr. I II III			T401031						
229.6 cm high	Price gr. I II III		N20104	T20104						
268.0 cm high	Price gr. I II III		N30104	T30104		380	3380	3382		
337.8 cm high	Price gr. I II III		N40104	T40104						
229.6 cm high	Price gr. I II III	I02011 L I02012 R	N02011 L N02012 R	T02011 L T02012 R	341					
268.0 cm high	Price gr. I II III	I03011 L I03012 R	N03011 L N03012 R	T03011 L T03012 R	3413	380	3410	3412		
337.8 cm high	Price gr. I II III		N04011 L N04012 R	T04011 L T04012 R	3414					

Please mark exactly in the front sketch or state in the order (from left), which hinge-doors from Design J are to be fitted with a handle slat lamp.

Surcharge for lamps per hinge-door:

for 229.6 cm height:

for 268.0 cm height:

for 337.8 cm height:

Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fitted with a mirror.

Surcharge for mirror per hinge-door:

Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products.









Hinge-door wardrobes

Basic units

Height: 229.6; 268.0 and 337.8 cm (heights with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Width: see table (widths with passepartout: + 1.7 cm each side; with cornice: + 0.5 cm each side)

Depth: see table (depths with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Basic units with 2 outer side-sections (each 2 cm thick)			Design A	Design G	Design L	Design J	Design U
<p>For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination. The surcharge for the passepartout frame of the basic units includes the left- and right-hand vertical frame as well as the horizontal frame, the surcharge for the extension units only includes the horizontal frame. When adding on extension units, the right-hand frame of the passepartout of the basic unit is employed as the end unit of the complete combination.</p> <p>Cornice and passepartout unit are full-length up to 302 cm width.</p>							
			Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 59.0 cm Front thickness: 2.2 cm Total depth (without handles): 61.2 cm	Carcase depth: 59.0 cm Front thickness: 2.3 cm Total depth (without handles): 61.3 cm	Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm
<p>Single-door unit, left or right, 52 cm wide</p> 	229.6 cm high	Price gr. I II	A2011 L A2012 R	G2011 L G2012 R	L2011 L L2012 R	J2011 L J2012 R	U2011 L U2012 R
	268.0 cm high	Price gr. I II	A3011 L A3012 R	G3011 L G3012 R	L3011 L L3012 R	J3011 L J3012 R	U3011 L U3012 R
	337.8 cm high	Price gr. I II	A4011 L A4012 R	G4011 L G4012 R	L4011 L L4012 R	J4011 L J4012 R	U4011 L U4012 R
<p>Twin-door unit, 82 cm wide</p> 	229.6 cm high	Price gr. I II	A0202	G0202	L0202	J0202	U0202
	268.0 cm high	Price gr. I II	A0302	G0302	L0302	J0302	U0302
	337.8 cm high	Price gr. I II	A0402	G0402	L0402	J0402	U0402
<p>Twin-door unit, 102 cm wide</p> 	229.6 cm high	Price gr. I II	A202	G202	L202	J202	U202
	268.0 cm high	Price gr. I II	A302	G302	L302	J302	U302
	337.8 cm high	Price gr. I II	A402	G402	L402	J402	U402

L/R = Door hinge left/right

E 9. 2021

Schlafen: MULTI-FORMA II










Hinge-door wardrobes

Basic units

MULTI-FORMA II

For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

Please state the versions for the handles and the wardrobe interior fittings!

		Design I	Design N	Design T	Surcharge for passe-partout	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spot-lamps	Surcharge for cornice with integrated LED light panels	Surcharge for handle slat lamp for doors in Design J	Surcharge for mirror
					Not possible for Design U, I, N and T. 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	Each wardrobe door in Design A, J, T and U can be fitted with an optional mirror (vertical facet), which is charged extra (mirrors not possible for Design G and L). 
		Information on the energy class: see page 37								
229.6 cm high	Price gr. I II III	I2011 L I2012 R - - -	N2011 L N2012 R - - -	T2011 L T2012 R - - -	342 - -					
268.0 cm high	Price gr. I II III	I3011 L I3012 R - - -	N3011 L N3012 R - - -	T3011 L T3012 R - - -	3423 - -	380 - -	3420 - -	3422 - -	Please mark exactly in the front sketch or state in the order (from left), which hinge-doors from Design J are to be fitted with a handle slat lamp. Surcharge for lamps per hinge-door: for 229.6 cm height: - for 268.0 cm height: - for 337.8 cm height: -	Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fitted with a mirror. Surcharge for mirror per hinge-door: -
337.8 cm high	Price gr. I II III		N4011 L N4012 R - - -	T4011 L T4012 R - - -	3424 - -					
229.6 cm high	Price gr. I II III	I0202 - - -	N0202 - - -	T0202 - - -	343 - -					
268.0 cm high	Price gr. I II III	I0302 - - -	N0302 - - -	T0302 - - -	3433 - -	380 - -	3430 - -	3432 - -		
337.8 cm high	Price gr. I II III		N0402 - - -	T0402 - - -	3434 - -					
229.6 cm high	Price gr. I II III	I202 - - -	N202 - - -	T202 - - -	344 - -					
268.0 cm high	Price gr. I II III	I302 - - -	N302 - - -	T302 - - -	3443 - -	380 - -	3440 - -	3442 - -	Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products .	
337.8 cm high	Price gr. I II III		N402 - - -	T402 - - -	3444 - -					









Hinge-door wardrobes

Extension units

Height: 229.6; 268.0 and 337.8 cm (heights with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Width: see table (widths with passepartout: + 1.7 cm each side; with cornice: + 0.5 cm each side)

Depth: see table (depths with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Extension units with 1 centre partition (2 cm thick)			Design A	Design G	Design L	Design J	Design U
<p>The surcharge for the passepartout frame of the extension units only includes the horizontal frame. When adding on extension units, the right-hand frame of the passepartout of the basic unit is employed as the end unit of the complete combination.</p> <p>Cornice and passepartout unit are full-length up to 302 cm width.</p>							
			Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 59.0 cm Front thickness: 2.2 cm Total depth (without handles): 61.2 cm	Carcase depth: 59.0 cm Front thickness: 2.3 cm Total depth (without handles): 61.3 cm	Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm
<p>Right profiled end unit, single door, right, 50 cm wide</p>  <p>Sideward distance must be 20 cm (per door) to open doors fully. Because of the identical depth of 40.1 cm, it is also possible to add on MULTI-VARIS ancillary units!</p>	229.6 cm high	Price gr. I II	A001032 - -	G001032 - -	L001032 - -	J001032 - -	U001032 - -
	268.0 cm high	Price gr. I II	A101032 - -	G101032 - -	L101032 - -	J101032 - -	U101032 - -
	337.8 cm high	Price gr. I II	A701032 - -	G701032 - -	L701032 - -	J701032 - -	U701032 - -
<p>Right profiled end unit, twin-door, 100 cm wide</p>  <p>Note on Design N: Profiled door in Design T, plain door with mirror</p> <p>Sideward distance must be 20 cm (per door) to open doors fully. Because of the identical depth of 40.1 cm, it is also possible to add on MULTI-VARIS ancillary units!</p>	229.6 cm high	Price gr. I II	A00104 - -	G00104 - -	L00104 - -	J00104 - -	U00104 - -
	268.0 cm high	Price gr. I II	A10104 - -	G10104 - -	L10104 - -	J10104 - -	U10104 - -
	337.8 cm high	Price gr. I II	A70104 - -	G70104 - -	L70104 - -	J70104 - -	U70104 - -
<p>Single-door unit, left or right, 40 cm wide</p> 	229.6 cm high	Price gr. I II	A00011 L A00012 R - -	G00011 L G00012 R - -	L00011 L L00012 R - -	J00011 L J00012 R - -	U00011 L U00012 R - -
	268.0 cm high	Price gr. I II	A01011 L A01012 R - -	G01011 L G01012 R - -	L01011 L L01012 R - -	J01011 L J01012 R - -	U01011 L U01012 R - -
	337.8 cm high	Price gr. I II	A71011 L A71012 R - -	G71011 L G71012 R - -	L71011 L L71012 R - -	J71011 L J71012 R - -	U71011 L U71012 R - -

L/R = Door hinge left/right

E 9. 2021

Schlafen: MULTI-FORMA II










Hinge-door wardrobes

Extension units

MULTI-FORMA II

For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

Please state the versions for the handles and the wardrobe interior fittings!

		Design I	Design N	Design T	Surcharge for passepout	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spot-lamps	Surcharge for cornice with integrated LED light panels	Surcharge for handle slat lamp for doors in Design J	Surcharge for mirror
					Not possible for Design U, I, N and T. 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	Each wardrobe door in Design A, J, T and U can be fitted with an optional mirror (vertical facet), which is charged extra (mirrors not possible for Design G and L). 
		Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm		Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm		Information on the energy class: see page 37				
229.6 cm high	Price gr. I II III			T001032						
268.0 cm high	Price gr. I II III			T101032		382	3910	3912	Please mark exactly in the front sketch or state in the order (from left), which hinge-doors from Design J are to be fitted with a handle slat lamp. Surcharge for lamps per hinge-door: for 229.6 cm height: - for 268.0 cm height: - for 337.8 cm height: -	Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fitted with a mirror. Surcharge for mirror per hinge-door: -
337.8 cm high	Price gr. I II III			T701032		-	-	-		
229.6 cm high	Price gr. I II III		N00104	T00104						
268.0 cm high	Price gr. I II III		N10104	T10104		382	3920	3922		
337.8 cm high	Price gr. I II III		N70104	T70104		-	-	-		
229.6 cm high	Price gr. I II III	I00011 L I00012 R	N00011 L N00012 R	T00011 L T00012 R	346				Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products.	
268.0 cm high	Price gr. I II III	I01011 L I01012 R	N01011 L N01012 R	T01011 L T01012 R	346	382	3460	3462		
337.8 cm high	Price gr. I II III		N71011 L N71012 R	T71011 L T71012 R	346	-	-	-		









Hinge-door wardrobes

Extension units

Height: 229.6; 268.0 and 337.8 cm (heights with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Width: see table (widths with passepartout: + 1.7 cm each side; with cornice: + 0.5 cm each side)

Depth: see table (depths with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Extension units with 1 centre partition (2 cm thick)			Design A	Design G	Design L	Design J	Design U
<p>The surcharge for the passepartout frame of the extension units only includes the horizontal frame. When adding on extension units, the right-hand frame of the passepartout of the basic unit is employed as the end unit of the complete combination.</p> <p>Cornice and passepartout unit are full-length up to 302 cm width.</p>							
			Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 59.0 cm Front thickness: 2.2 cm Total depth (without handles): 61.2 cm	Carcase depth: 59.0 cm Front thickness: 2.3 cm Total depth (without handles): 61.3 cm	Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm
<p>Single-door unit, left or right, 50 cm wide</p> 	229.6 cm high	Price gr. I II	A0011 L A0012 R	G0011 L G0012 R	L0011 L L0012 R	J0011 L J0012 R	U0011 L U0012 R
	268.0 cm high	Price gr. I II	A1011 L A1012 R	G1011 L G1012 R	L1011 L L1012 R	J1011 L J1012 R	U1011 L U1012 R
	337.8 cm high	Price gr. I II	A7011 L A7012 R	G7011 L G7012 R	L7011 L L7012 R	J7011 L J7012 R	U7011 L U7012 R
<p>Twin-door unit, 80 cm wide</p> 	229.6 cm high	Price gr. I II	A0002	G0002	L0002	J0002	U0002
	268.0 cm high	Price gr. I II	A0102	G0102	L0102	J0102	U0102
	337.8 cm high	Price gr. I II	A7102	G7102	L7102	J7102	U7102
<p>Twin-door unit, 100 cm wide</p> 	229.6 cm high	Price gr. I II	A002	G002	L002	J002	U002
	268.0 cm high	Price gr. I II	A102	G102	L102	J102	U102
	337.8 cm high	Price gr. I II	A702	G702	L702	J702	U702

L/R = Door hinge left/right

E 9. 2021

Schlafen: MULTI-FORMA II










Hinge-door wardrobes

Extension units

MULTI-FORMA II

For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

Please state the versions for the handles and the wardrobe interior fittings!

		Design I	Design N	Design T	Surcharge for passe-partout	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spot-lamps	Surcharge for cornice with integrated LED light panels	Surcharge for handle slat lamp for doors in Design J	Surcharge for mirror
					Not possible for Design U, I, N and T. 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	Each wardrobe door in Design A, J, T and U can be fitted with an optional mirror (vertical facet), which is charged extra (mirrors not possible for Design G and L). 
		Information on the energy class: see page 37								
229.6 cm high	Price gr. I II III	I0011 L I0012 R - - -	N0011 L N0012 R - - -	T0011 L T0012 R - - -	347 - -	382 - -	3470 - -	3472 - -	Please mark exactly in the front sketch or state in the order (from left), which hinge-doors from Design J are to be fitted with a handle slat lamp. Surcharge for lamps per hinge-door: for 229.6 cm height: - for 268.0 cm height: - for 337.8 cm height: -	Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fitted with a mirror. Surcharge for mirror per hinge-door: -
268.0 cm high	Price gr. I II III	I1011 L I1012 R - - -	N1011 L N1012 R - - -	T1011 L T1012 R - - -	347 - -					
337.8 cm high	Price gr. I II III		N7011 L N7012 R - - -	T7011 L T7012 R - - -	347 - -					
229.6 cm high	Price gr. I II III	I0002 - - -	N0002 - - -	T0002 - - -	348 - -	382 - -	3480 - -	3482 - -	Please mark exactly in the front sketch or state in the order (from left), which hinge-doors from Design J are to be fitted with a handle slat lamp. Surcharge for lamps per hinge-door: for 229.6 cm height: - for 268.0 cm height: - for 337.8 cm height: -	Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fitted with a mirror. Surcharge for mirror per hinge-door: -
268.0 cm high	Price gr. I II III	I0102 - - -	N0102 - - -	T0102 - - -	348 - -					
337.8 cm high	Price gr. I II III		N7102 - - -	T7102 - - -	348 - -					
229.6 cm high	Price gr. I II III	I002 - - -	N002 - - -	T002 - - -	349 - -	382 - -	3490 - -	3492 - -	Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products.	
268.0 cm high	Price gr. I II III	I102 - - -	N102 - - -	T102 - - -	349 - -					
337.8 cm high	Price gr. I II III		N702 - - -	T702 - - -	349 - -					










Folding-door wardrobes

Basic units

Height: 229.6 and 268.0 cm (heights with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Width: see table (widths with passepartout: + 1.7 cm each side; with cornice: + 0.5 cm each side)

Depth: see table (depths with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Basic units with 2 outer side-sections (each 2 cm thick)			Design A	Design G	Design L	Design J	Design U
<p>For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination. The surcharge for the passepartout frame of the basic units includes the left- and right-hand vertical frame as well as the horizontal frame, the surcharge for the extension units only includes the horizontal frame. When adding on extension units, the right-hand frame of the passepartout of the basic unit is employed as the end unit of the complete combination.</p> <p>Cornice and passepartout unit are full-length up to 302 cm width.</p>			 <p>Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm</p>	 <p>Carcase depth: 59.0 cm Front thickness: 2.2 cm Total depth (without handles): 61.2 cm</p>	 <p>Carcase depth: 59.0 cm Front thickness: 2.3 cm Total depth (without handles): 61.3 cm</p>	 <p>Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm</p>	 <p>Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm</p>
Twin-door unit, left or right, 82 cm wide 	229.6 cm high	Price gr. I II	A2221 L A2222 R - -	G2221 L G2222 R - -	L2221 L L2222 R - -	J2221 L J2222 R - -	U2221 L U2222 R - -
	268.0 cm high	Price gr. I II	A3221 L A3222 R - -	G3221 L G3222 R - -	L3221 L L3222 R - -	J3221 L J3222 R - -	U3221 L U3222 R - -
Twin-door unit, left or right, 102 cm wide 	229.6 cm high	Price gr. I II	A2321 L A2322 R - -	G2321 L G2322 R - -	L2321 L L2322 R - -	J2321 L J2322 R - -	U2321 L U2322 R - -
	268.0 cm high	Price gr. I II	A3321 L A3322 R - -	G3321 L G3322 R - -	L3321 L L3322 R - -	J3321 L J3322 R - -	U3321 L U3322 R - -
Panorama unit, 4-door, 162 cm wide; without partition 	229.6 cm high	Price gr. I II	A2420 - -	G2420 - -	L2420 - -	J2420 - -	U2420 - -
	268.0 cm high	Price gr. I II	A3420 - -	G3420 - -	L3420 - -	J3420 - -	U3420 - -
Panorama unit, 4-door, 202 cm wide; without partition 	229.6 cm high	Price gr. I II	A2520 - -	G2520 - -	L2520 - -	J2520 - -	U2520 - -
	268.0 cm high	Price gr. I II	A3520 - -	G3520 - -	L3520 - -	J3520 - -	U3520 - -

L/R = Door hinge left/right

E 9. 2021

Schlafen: MULTI-FORMA II









Folding-door wardrobes

Basic units

MULTI-FORMA II

For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

Please state the versions for the handles and the wardrobe interior fittings!

		Design N	Design T	Surcharge for passe-partout	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spotlamps	Surcharge for cornice with integrated LED light panels	Surcharge for handle slat lamp for doors in Design J	Surcharge for mirror
				Not possible for Design U, I, N and T. 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	
		Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm	Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm		Information on the energy class: see page 37				Each wardrobe door in Design A, J, T and U can be fitted with an optional mirror (vertical facet), which is charged extra (mirrors not possible for Design G and L).
229.6 cm high	Price gr. I II III	N2221 L N2222 R - - -	T2221 L T2222 R - - -	350 - -	380	3500	3502	Please mark exactly in the front sketch or state in the order (from the left), which folding-doors from Design J are to be fitted with a handle slat lamp. Surcharge for lamps per folding-door: for 229.6 cm height: - for 268.0 cm height: - Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products .	Please mark exactly in the front sketch or state in the order (from the left) which folding-door wings are to be fitted with a mirror. Surcharge for mirror per folding-door wing: -
268.0 cm high	Price gr. I II III	N3221 L N3222 R - - -	T3221 L T3222 R - - -	3503 - -	-	-	-		
229.6 cm high	Price gr. I II III	N2321 L N2322 R - - -	T2321 L T2322 R - - -	351 - -	380	3510	3512		
268.0 cm high	Price gr. I II III	N3321 L N3322 R - - -	T3321 L T3322 R - - -	3513 - -	-	-	-		
229.6 cm high	Price gr. I II III	N2420 - - -	T2420 - - -	352 - -	381 2 lamps	3520 2 spotlamps	3522 2 lamps		
268.0 cm high	Price gr. I II III	N3420 - - -	T3420 - - -	3523 - -	-	-	-		
229.6 cm high	Price gr. I II III	N2520 - - -	T2520 - - -	353 - -	381 2 lamps	3530 2 spotlamps	3532 2 lamps		
268.0 cm high	Price gr. I II III	N3520 - - -	T3520 - - -	3533 - -	-	-	-		










Folding-door wardrobes

Extension units

Height: 229.6 and 268.0 cm (heights with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Width: see table (widths with passepartout: + 1.7 cm each side; with cornice: + 0.5 cm each side)

Depth: see table (depths with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Extension units with 1 centre partition (2 cm thick)			Design A	Design G	Design L	Design J	Design U
<p>The surcharge for the passepartout frame of the extension units only includes the horizontal frame. When adding on extension units, the right-hand frame of the passepartout of the basic unit is employed as the end unit of the complete combination.</p> <p>Cornice and passepartout unit are full-length up to 302 cm width.</p>							
			Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 59.0 cm Front thickness: 2.2 cm Total depth (without handles): 61.2 cm	Carcase depth: 59.0 cm Front thickness: 2.3 cm Total depth (without handles): 61.3 cm	Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm
<p>Twin-door unit, left or right, 80 cm wide</p> 	229.6 cm high	Price gr. I II	A0221 L A0222 R - -	G0221 L G0222 R - -	L0221 L L0222 R - -	J0221 L J0222 R - -	U0221 L U0222 R - -
	268.0 cm high	Price gr. I II	A1221 L A1222 R - -	G1221 L G1222 R - -	L1221 L L1222 R - -	J1221 L J1222 R - -	U1221 L U1222 R - -
<p>Twin-door unit, left or right, 100 cm wide</p> 	229.6 cm high	Price gr. I II	A0321 L A0322 R - -	G0321 L G0322 R - -	L0321 L L0322 R - -	J0321 L J0322 R - -	U0321 L U0322 R - -
	268.0 cm high	Price gr. I II	A1321 L A1322 R - -	G1321 L G1322 R - -	L1321 L L1322 R - -	J1321 L J1322 R - -	U1321 L U1322 R - -
<p>Panorama unit, 4-door, 160 cm wide; without partition</p> 	229.6 cm high	Price gr. I II	A0420 - -	G0420 - -	L0420 - -	J0420 - -	U0420 - -
	268.0 cm high	Price gr. I II	A1420 - -	G1420 - -	L1420 - -	J1420 - -	U1420 - -
<p>Panorama unit, 4-door, 200 cm wide; without partition</p> 	229.6 cm high	Price gr. I II	A0520 - -	G0520 - -	L0520 - -	J0520 - -	U0520 - -
	268.0 cm high	Price gr. I II	A1520 - -	G1520 - -	L1520 - -	J1520 - -	U1520 - -

L/R = Door hinge left/right

E 9. 2021

Schlafen: MULTI-FORMA II









Folding-door wardrobes

Extension units

MULTI-FORMA II

For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

Please state the versions for the handles and the wardrobe interior fittings!

		Design N	Design T	Surcharge for passe-partout	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spotlamps	Surcharge for cornice with integrated LED light panels	Surcharge for handle slat lamp for doors in Design J	Surcharge for mirror
				Not possible for Design U, I, N and T. 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	 Each wardrobe door in Design A, J, T and U can be fitted with an optional mirror (vertical facet), which is charged extra (mirrors not possible for Design G and L).
		Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm		Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm		Information on the energy class: see page 37			
229.6 cm high	Price gr. I II III	N0221 L N0222 R - - -	T0221 L T0222 R - - -	355 - -	382	3550	3552	Please mark exactly in the front sketch or state in the order (from the left), which folding-doors from Design J are to be fitted with a handle slat lamp. Surcharge for lamps per folding-door: for 229.6 cm height: - for 268.0 cm height: - Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products.	Please mark exactly in the front sketch or state in the order (from the left) which folding-door wings are to be fitted with a mirror. Surcharge for mirror per folding-door wing: -
268.0 cm high	Price gr. I II III	N1221 L N1222 R - - -	T1221 L T1222 R - - -	355 - -	-	-	-		
229.6 cm high	Price gr. I II III	N0321 L N0322 R - - -	T0321 L T0322 R - - -	356 - -	382	3560	3562		
268.0 cm high	Price gr. I II III	N1321 L N1322 R - - -	T1321 L T1322 R - - -	356 - -	-	-	-		
229.6 cm high	Price gr. I II III	N0420 - - -	T0420 - - -	357 - -	383 2 lamps	3570 2 spotlamps	3572 2 lamps		
268.0 cm high	Price gr. I II III	N1420 - - -	T1420 - - -	357 - -	-	-	-		
229.6 cm high	Price gr. I II III	N0520 - - -	T0520 - - -	358 - -	383 2 lamps	3580 2 spotlamps	3582 2 lamps		
268.0 cm high	Price gr. I II III	N1520 - - -	T1520 - - -	358 - -	-	-	-		








Hinge-door corner wardrobes

Basic units

Height: 229.6; 268.0 and 337.8 cm (heights with LED lamp or cornice incl. LED lamp: see table page 13)

Width: see table (widths with cornice: + 0.5 cm each side)

Depth: see table (depths with LED lamp or cornice incl. LED lamp: see table page 13)

Basic units with 2 outer side-sections (each 2 cm thick)			Design A	Design G	Design L	Design J	Design U
<p>For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination. Cornice and passepartout unit are full-length up to 302 cm width.</p>							
			Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 59.0 cm Front thickness: 2.2 cm Total depth (without handles): 61.2 cm	Carcase depth: 59.0 cm Front thickness: 2.3 cm Total depth (without handles): 61.3 cm	Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm
<p>Hinge-door corner wardrobe 45° Interior fittings: 1 fitted shelf without clothes rod 1 fitted shelf with clothes rod</p> <p>For production we require the details of series of assembly from left to right.</p> <p>L/R = door hinge left/right</p> 	229.6 cm high	Price gr. I II	A22191 L A22192 R	G22191 L G22192 R	L22191 L L22192 R	J22191 L J22192 R	
	268.0 cm high	Price gr. I II	A32191 L A32192 R	G32191 L G32192 R	L32191 L L32192 R	J32191 L J32192 R	
	337.8 cm high	Price gr. I II	A42191 L A42192 R	G42191 L G42192 R	L42191 L L42192 R	J42191 L J42192 R	
	229.6 cm high	Price gr. I II	A25191 L A25192 R	G25191 L G25192 R	L25191 L L25192 R	J25191 L J25192 R	U25191 L U25192 R
	268.0 cm high	Price gr. I II	A35191 L A35192 R	G35191 L G35192 R	L35191 L L35192 R	J35191 L J35192 R	U35191 L U35192 R
	337.8 cm high	Price gr. I II	A45191 L A45192 R	G45191 L G45192 R	L45191 L L45192 R	J45191 L J45192 R	U45191 L U45192 R
<p>Hinge-door corner wardrobe with fully accessible corner 90°</p> <p>Twin-door unit</p> <p>Left-hand type (L): left 2 fitted shelves and 1 clothes rod, each 106.7 cm wide; right 2 fitted shelves and 1 clothes rod, each 52.5 cm wide</p> <p>Right-hand type (R): interior fittings in reverse order</p> <p>For production we require the details of series of assembly from left to right.</p> 							

L/R = Door hinge left/right

E 9. 2021

Schlafen: MULTI-FORMA II










Hinge-door corner wardrobes

Basic units

MULTI-FORMA II

For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

Please state the versions for the handles and the wardrobe interior fittings!

		Design I	Design N	Design T	Surcharge for passe-partout	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spot-lamps	Surcharge for cornice with integrated LED light panels	Surcharge for handle slat lamp for doors in Design J	Surcharge for mirror
					Not possible for Design U, I, N and T. 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 	Each wardrobe door in Design A, J, T and U can be fitted with an optional mirror (vertical facet), which is charged extra (mirrors not possible for Design G and L). 
		Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm				Information on the energy class: see page 37				
229.6 cm high	Price gr. I II III	I22191 L I22192 R - - -								
268.0 cm high	Price gr. I II III	I32191 L I32192 R - - -				380 -	3600 -	3602 -	Please mark exactly in the front sketch or state in the order (from left), which hinge-doors from Design J are to be fitted with a handle slat lamp. Surcharge for lamps per hinge-door: for 229.6 cm height: - for 268.0 cm height: - for 337.8 cm height: -	Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fitted with a mirror. Surcharge for mirror per hinge-door: -
337.8 cm high	Price gr. I II III									
229.6 cm high	Price gr. I II III			T25191 L T25192 R - - -						
268.0 cm high	Price gr. I II III			T35191 L T35192 R - - -		381 2 lamps -	3610 2 spotlamps -	3612 2 lamps -		
337.8 cm high	Price gr. I II III			T45191 L T45192 R - - -						Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products .








Hinge-door corner wardrobes

Extension units

Height: 229.6; 268.0 and 337.8 cm (heights with LED lamp or cornice incl. LED lamp: see table page 13)

Width: see table (widths with cornice: + 0.5 cm each side)

Depth: see table (depths with LED lamp or cornice incl. LED lamp: see table page 13)

Extension units with 1 centre partition (2 cm thick)			Design A	Design G	Design L	Design J	Design U
<p>The surcharge for the passepartout frame of the extension units only includes the horizontal frame. When adding on extension units, the right-hand frame of the passepartout of the basic unit is employed as the end unit of the complete combination.</p> <p>Cornice and passepartout unit are full-length up to 302 cm width.</p>							
			Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 59.0 cm Front thickness: 2.2 cm Total depth (without handles): 61.2 cm	Carcase depth: 59.0 cm Front thickness: 2.3 cm Total depth (without handles): 61.3 cm	Carcase depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm
<p>Hinge-door corner wardrobe 45° Interior fittings: 1 fitted shelf without clothes rod 1 fitted shelf with clothes rod</p> <p>For production we require the details of series of assembly from left to right.</p> <p>L/R = door hinge left/right</p>  <p>R</p>	229.6 cm high	Price gr. I II	A20191 L A20192 R - -	G20191 L G20192 R - -	L20191 L L20192 R - -	J20191 L J20192 R - -	U20191 L U20192 R - -
	268.0 cm high	Price gr. I II	A30191 L A30192 R - -	G30191 L G30192 R - -	L30191 L L30192 R - -	J30191 L J30192 R - -	U30191 L U30192 R - -
	337.8 cm high	Price gr. I II	A40191 L A40192 R - -	G40191 L G40192 R - -	L40191 L L40192 R - -	J40191 L J40192 R - -	U40191 L U40192 R - -
<p>Hinge-door corner wardrobe with fully accessible corner 90° Twin-door unit</p> <p>Left-hand type (L): left 2 fitted shelves and 1 clothes rod, each 106.7 cm wide; right 2 fitted shelves and 1 clothes rod, each 52.5 cm wide</p> <p>Right-hand type (R): interior fittings in reverse order</p> <p>For production we require the details of series of assembly from left to right.</p>  <p>L</p>	229.6 cm high	Price gr. I II	A05191 L A05192 R - -	G05191 L G05192 R - -	L05191 L L05192 R - -	J05191 L J05192 R - -	U05191 L U05192 R - -
	268.0 cm high	Price gr. I II	A06191 L A06192 R - -	G06191 L G06192 R - -	L06191 L L06192 R - -	J06191 L J06192 R - -	U06191 L U06192 R - -
	337.8 cm high	Price gr. I II	A08191 L A08192 R - -	G08191 L G08192 R - -	L08191 L L08192 R - -	J08191 L J08192 R - -	U08191 L U08192 R - -

L/R = Door hinge left/right

E 9. 2021

Schlafen: MULTI-FORMA II

Hinge-door corner wardrobes










Extension units

MULTI-FORMA II

A passepartout section cannot be fitted if the hinge-door corner wardrobe extension unit is included as the last unit (= end of wardrobe) and for Design U, I, N and T.



For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

Please state the versions for the handles and the wardrobe interior fittings!



		Design I	Design N	Design T	Surcharge for passe-partout	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spot-lamps	Surcharge for cornice with integrated LED light panels	Surcharge for handle slat lamp for doors in Design J	Surcharge for mirror
										
		Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm		Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm		Information on the energy class: see page 37				
229.6 cm high	Price gr. I II III	I20191 L I20192 R - - -		T20191 L T20192 R - - -	366 - -					
268.0 cm high	Price gr. I II III	I30191 L I30192 R - - -		T30191 L T30192 R - - -	366 - -	382 -	3660 -	3662 -	Please mark exactly in the front sketch or state in the order (from left), which hinge-doors from Design J are to be fitted with a handle slat lamp. Surcharge for lamps per hinge-door: for 229.6 cm height: - for 268.0 cm height: - for 337.8 cm height: -	Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fitted with a mirror. Surcharge for mirror per hinge-door: -
337.8 cm high	Price gr. I II III			T40191 L T40192 R - - -	366 - -					
229.6 cm high	Price gr. I II III			T05191 L T05192 R - - -	367 - -					
268.0 cm high	Price gr. I II III			T06191 L T06192 R - - -	367 - -	383 2 lamps -	3670 2 spotlamps -	3672 2 lamps -		
337.8 cm high	Price gr. I II III			T08191 L T08192 R - - -	367 - -				Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products.	

Accessories

Accessories for the hinge-door corner wardrobe with fully accessible corner 90°

 <p>Fitted corner shelf 2.3 cm thick</p> <p>L</p>	<p>790521 L 790522 R</p> <p>-</p>	 <p>Fitted corner shelf 2.3 cm thick with clothes rods</p> <p>L</p>	<p>790531 L 790532 R</p> <p>-</p>
--	---	---	---

Centre partition

Surcharge for centre partition with integrated swing-out clothes rod			aluminium colour	chrome gloss
Centre partition 4.7 cm thick; clothes rod with clothes hooks in metal, optionally in aluminium colour or chrome gloss				
Please note that the total width of the hinge-/folding-door wardrobes is increased by 2.7 cm when this centre partition is included.				
Cannot be used as an outer side section, beside intermediate units with open compartment, with interior TV fittings or beside hinge-door corner wardrobes.				
Height reductions down to 201 cm without surcharge!				
 				
		229.6 cm high	670	770
			-	-
		268.0 cm high	680	780
			-	-
		337.8 cm high	690	790
			-	-

Versions for intermediate units

Design versions for intermediate units: drawers and doors of the intermediate units are available in Design A, T and U.


Allocation of handles to intermediate units

Knob version of lower drawers:

The lower drawers of all intermediate units are always fitted with handles that match the adjacent handles of the hinge-/folding-doors in appearance. Exception: If handle 031 is fitted on the adjacent hinge-/folding-doors or if the adjacent hinge-/folding-doors are required in Design J, the drawers of the intermediate units are supplied with standard knobs in chrome matt. Drawers of **intermediate unit 18** always with a handle slat.

Handle version of upper doors:

In the **intermediate units 2, 3 and 12-15** the upper doors are always supplied with knobs in the same version as the handles on the adjacent hinge-/folding-doors (with handle 031: knobs in matt chrome). The same applies if the adjacent hinge-/folding-doors are required in Design J. Exceptions: If **handle 046/047 or 048/049** is required, the doors and drawers of the **intermediate units 2, 3 and 12-15** are fitted with a standard handle 046/047. In the **intermediate units 16 and 17**, the upper doors are always fitted with the same handles as the bottom drawers. If **handle 014/015** is required, the upper doors are fitted with the same handle 014/015 as the adjacent hinge-/folding-doors. **Handle 052/060** is available for Design N and T. Doors of **intermediate unit 18** always with a handle slat.



If you choose **handle 011** for the adjacent hinge-/folding-door wardrobes, the drawers of the intermediate unit automatically have the following handle:



If you choose **handle 012** for the adjacent hinge-/folding-door wardrobes, the drawers of the intermediate unit automatically have the following handle:



matching version

If you choose **handle 014/015** for the adjacent hinge-/folding-door wardrobes, the drawers of the intermediate unit automatically have the following handle:



If you choose **handle 046/47, 048/049 or 052/060** resp. doors in Design N for the adjacent hinge-/folding-door wardrobes, the drawers of the intermediate unit automatically have the following handle:



If you choose **handle 026/013** for the adjacent hinge-/folding-door wardrobes, the drawers of the intermediate unit automatically have the following handle:



If you choose **handle 029/030** for the adjacent hinge-/folding-door wardrobes, the drawers of the intermediate unit automatically have the following handle:



If you choose **handle 031** resp. doors in Design J and U for the adjacent hinge-/folding-door wardrobes, the drawers of the intermediate unit automatically have the following handle:



If you choose **handle 057/058** for the adjacent hinge-/folding-door wardrobes, the drawers of the intermediate unit automatically have the following handle:












Intermediate units

Height: 229.6; 268.0 and 337.8 cm (heights with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)










Width: see table (widths with passepartout: + 1.7 cm each side; with cornice: + 0.5 cm each side)

Depth: see table (depths with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Intermediate units are also possible as basic and end units or stand-alone units. Two intermediate units can also be placed adjacently to one another.				Design A	Design T	Surcharge for passepartout	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spotlamps	Surcharge for cornice with integrated LED light panels
<p>Intermediate unit, stand alone left: = type 211 -</p> <p>Intermediate unit, stand alone right: = type 212 without surcharge</p> <p>Intermediate unit, completely stand alone: = type 213 -</p> <p>Height reductions (done on upper doors) are possible down to a total height of 201 cm. Width reductions are generally not possible. Depth reductions are possible (see „Special-sized products“).</p>						Not possible for Design U, I, N and T. 	1 lamp per unit 	1 lamp per unit 	1 lamp per unit 
				Carcass depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcass depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm	Information on the energy class: see page 37			
2	Intermediate unit 2 with doors and 5 drawers 80 cm wide								
<p>Interior TV unit fittings are possible, see page 36</p>  <p>Top: 2 doors with 2 fitted wooden shelves (door always with standard knob); inside width: 78.0 cm; inside depth: 56.0 cm</p> <p>Bottom: 5 drawers (inside depth: 48.5 cm); see page 31 for handle versions</p> <p>If a different wood/lacquer version is required for the lower drawers compared to the top hinge-doors, please state so in the order. When versions from different price groups are exchanged, the higher price group is always charged.</p>		229.6 cm high	Price gr. I II III	A0338	T0338	348			
		268.0 cm high	Price gr. I II III	A1338	T1338	348	382	3480	3482
		337.8 cm high	Price gr. I II III	A7338	T7338	348			
3	Intermediate unit 3 with doors and 5 drawers 100 cm wide								
<p>Interior TV unit fittings are possible, see page 36</p>  <p>Top: 2 doors with 2 fitted wooden shelves (door always with standard knob); inside width: 98.0 cm; inside depth: 56.0 cm</p> <p>Bottom: 5 drawers (inside depth: 48.5 cm); see page 31 for handle versions</p> <p>If a different wood/lacquer version is required for the lower drawers compared to the top hinge-doors, please state so in the order. When versions from different price groups are exchanged, the higher price group is always charged.</p>		229.6 cm high	Price gr. I II III	A03310	T03310	349			
		268.0 cm high	Price gr. I II III	A13310	T13310	349	382	3490	3492
		337.8 cm high	Price gr. I II III	A73310	T73310	349			
12	Intermediate unit 12 with doors and 5 drawers 120 cm wide								
<p>Interior TV unit fittings are possible, see page 36</p>  <p>Top: 2 doors with 2 fitted wooden shelves (door always with standard knob); inside width: 118.0 cm; inside depth: 56.0 cm</p> <p>Bottom: 5 drawers (inside depth: 48.5 cm); see page 31 for handle versions</p> <p>If a different wood/lacquer version is required for the lower drawers compared to the top hinge-doors, please state so in the order. When versions from different price groups are exchanged, the higher price group is always charged.</p>		229.6 cm high	Price gr. I II	A03312	X	370			
		268.0 cm high	Price gr. I II	A13312		370	382	3700	3702
		337.8 cm high	Price gr. I II	A73312		370			

For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

Please state the versions for the handles and the wardrobe interior fittings!








Intermediate units are also possible as basic and end units or stand-alone units. Two intermediate units can also be placed adjacently to one another.				Design A	Design T	Surcharge for passe-partout	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spotlamps	Surcharge for cornice with integrated LED light panels
<p>Intermediate unit, stand alone left: = type 211 -</p> <p>Intermediate unit, stand alone right: = type 212 without surcharge</p> <p>Intermediate unit, completely stand alone: = type 213 -</p> <p>Height reductions (done on upper doors) are possible down to a total height of 201 cm. Width reductions are generally not possible. Depth reductions are possible (see „Special-sized products“).</p>						Not possible for Design U, I, N and T. 			
				Carcass depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm	Carcass depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm	Information on the energy class: see page 37			
13	Intermediate unit 13 with doors and 3 drawers 80 cm wide								
<p>Interior TV unit fittings are possible, see page 36</p>  <p>Top: 2 doors with 2 fitted wooden shelves (door always with standard knob); inside width: 78.0 cm; inside depth: 56.0 cm</p> <p>Bottom: 3 drawers (inside depth: 48.5 cm); see page 31 for handle versions</p> <p>If a different wood/lacquer version is required for the lower drawers compared to the top hinge-doors, please state so in the order. When versions from different price groups are exchanged, the higher price group is always charged.</p>		229.6 cm high	Price gr. I II III	A0348	T0348	348			
		268.0 cm high	Price gr. I II III	A1348	T1348	348	382	3480	3482
		337.8 cm high	Price gr. I II III	A7348	T7348	348	-	-	-
14	Intermediate unit 14 with doors and 3 drawers 100 cm wide								
<p>Interior TV unit fittings are possible, see page 36</p>  <p>Top: 2 doors with 2 fitted wooden shelves (door always with standard knob); inside width: 98.0 cm; inside depth: 56.0 cm</p> <p>Bottom: 3 drawers (inside depth: 48.5 cm); see page 31 for handle versions</p> <p>If a different wood/lacquer version is required for the lower drawers compared to the top hinge-doors, please state so in the order. When versions from different price groups are exchanged, the higher price group is always charged.</p>		229.6 cm high	Price gr. I II III	A03410	T03410	349			
		268.0 cm high	Price gr. I II III	A13410	T13410	349	382	3490	3492
		337.8 cm high	Price gr. I II III	A73410	T73410	349	-	-	-
15	Intermediate unit 15 with doors and 3 drawers 120 cm wide								
<p>Interior TV unit fittings are possible, see page 36</p>  <p>Top: 2 doors with 2 fitted wooden shelves (door always with standard knob); inside width: 118.0 cm; inside depth: 56.0 cm</p> <p>Bottom: 3 drawers (inside depth: 48.5 cm); see page 31 for handle versions</p> <p>If a different wood/lacquer version is required for the lower drawers compared to the top hinge-doors, please state so in the order. When versions from different price groups are exchanged, the higher price group is always charged.</p>		229.6 cm high	Price gr. I II	A03412	X	370			
		268.0 cm high	Price gr. I II	A13412		370	382	3700	3702
		337.8 cm high	Price gr. I II	A73412		370	-	-	-

Intermediate units

Height: 229.6; 268.0 and 337.8 cm (heights with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)









Width: see table (widths with passepartout: + 1.7 cm each side; with cornice: + 0.5 cm each side)

Depth: see table (depths with passepartout and/or top LED lamp or cornice incl. LED lamp: see table page 13)

Intermediate units are also possible as basic and end units or stand-alone units. Two intermediate units can also be placed adjacently to one another.			Design A	Surcharge for passepartout	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spotlamps	Surcharge for cornice with integrated LED light panels
<p>Intermediate unit, stand alone left: = type 211 -</p> <p>Intermediate unit, stand alone right: = type 212 without surcharge</p> <p>Intermediate unit, completely stand alone: = type 213 -</p> <p>Height reductions (done on upper doors) are possible down to a total height of 201 cm. Width reductions are generally not possible. Depth reductions are possible (see „Special-sized products“).</p>			 <p>Carcass depth: 59.0 cm Front thickness: 2.0 cm Total depth (without handles): 61.0 cm</p>		 <p>1 lamp per unit</p>	 <p>1 lamp per unit</p>	 <p>1 lamp per unit</p>
			Information on the energy class: see page 37				
<p>16 Intermediate unit 16 with doors and 2 drawers 100 cm wide</p> <p>Interior TV unit fittings are possible, see page 36</p>  <p>Top: 2 doors with 2 fitted wooden shelves; see page 31 for handle versions; inside width: 98.0 cm; inside depth: 56.0 cm</p> <p>Bottom: 2 drawers (inside depth: 48.5 cm); see page 31 for handle versions</p> <p>If a different wood/lacquer version is required for the lower drawers compared to the top hinge-doors, please state so in the order. When versions from different price groups are exchanged, the higher price group is always charged.</p>	229.6 cm high	<p>Price gr.</p> <p>I -</p> <p>II -</p>	A03710	349			
	268.0 cm high	<p>Price gr.</p> <p>I -</p> <p>II -</p>	A13710	349	382	3490	3492
	337.8 cm high	<p>Price gr.</p> <p>I -</p> <p>II -</p>	A73710	349			
<p>17 Intermediate unit 17 with doors and 2 drawers 120 cm wide</p> <p>Interior TV unit fittings are possible, see page 36</p>  <p>Top: 2 doors with 2 fitted wooden shelves; see page 31 for handle versions; inside width: 118.0 cm; inside depth: 56.0 cm</p> <p>Bottom: 2 drawers (inside depth: 48.5 cm); see page 31 for handle versions</p> <p>If a different wood/lacquer version is required for the lower drawers compared to the top hinge-doors, please state so in the order. When versions from different price groups are exchanged, the higher price group is always charged.</p>	229.6 cm high	<p>Price gr.</p> <p>I -</p> <p>II -</p>	A03712	370			
	268.0 cm high	<p>Price gr.</p> <p>I -</p> <p>II -</p>	A13712	370	382	3700	3702
	337.8 cm high	<p>Price gr.</p> <p>I -</p> <p>II -</p>	A73712	370			

For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

Please state the versions for the handles and the wardrobe interior fittings!

<p>Intermediate units are also possible as basic and end units or stand-alone units. Two intermediate units can also be placed adjacently to one another.</p> <p>Intermediate unit, stand alone left: = type 211 - Intermediate unit, stand alone right: = type 212 without surcharge Intermediate unit, completely stand alone: = type 213 -</p> <p>Height reductions (done on upper door) are possible down to a total height of 201 cm. Width reductions are generally not possible. Depth reductions are possible (see „Special-sized products“).</p>			<p>Design U</p>  <p>Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth (without handles): 61.4 cm</p>		<p>Surcharge for passe-partout</p> 	<p>Surcharge for top LED lamp</p> <p>1 lamp per unit</p> 	<p>Surcharge for cornice with integrated LED spotlamps</p> <p>1 lamp per unit</p> 	<p>Surcharge for cornice with integrated LED light panels</p> <p>1 lamp per unit</p> 
			<p>Information on the energy class: see page 37</p>					
18	<p>Intermediate unit 18 with door and 3 drawers 70 cm wide</p>  <p>Top: 1 door with 2 fitted wooden shelves; inside width: 66.0 cm; inside depth: 56.0 cm</p> <p>Bottom: 3 drawers (inside depth: 48.5 cm)</p> <p>If a different wood/lacquer version is required for the lower drawers compared to the top hinge-doors, please state so in the order. When versions from different price groups are exchanged, the higher price group is always charged.</p> <p>The door hinges of any 1-door wardrobe units included which are situated directly next to the intermediate unit 18 must be fitted on the side next to this intermediate unit!</p>	<p>229.6 cm high</p> <p>Price gr. I II</p>	<p>U0371 L U0372 R</p> <p>- -</p>		<p>382</p> <p>-</p>	<p>3710</p> <p>-</p>	<p>3712</p> <p>-</p>	
	<p>268.0 cm high</p> <p>Price gr. I II</p>	<p>U1371 L U1372 R</p> <p>- -</p>						
<p>Fitted shelf for intermediate unit 18 2.3 cm thick</p> 	<p>790064</p> <p>-</p>	<p>337.8 cm high</p> <p>Price gr. I II</p>	<p>U7371 L U7372 R</p> <p>- -</p>					

Additional fittings for intermediate units

Please observe the space requirements given by the electrical dealer (heat build-up)!

Interior TV unit fittings for intermediate units


Interior TV unit fittings A for intermediate units 2, 3 and 12-17

TV compartment incl. cable aperture in TV panel (usable inside dims.: 68.1 cm high, 78.0 (or 98.0 or 118.0) cm wide, 35.5 cm deep; max. load: 60 kg); 2 open compartments below for electronic equipment (usable inside dims. per compartment: 10.0 cm high, 38.0 (or 48.0 or 58.0) cm wide, 47.0 cm deep)

Please note:

- When interior TV unit fittings are included, the doors of the intermediate units are fitted with 165° hinges ex-works.
- The 2 fitted shelves, which are fitted standard in the intermediate unit behind doors, are omitted and the price has already been deducted.
- Because of the 165° hinges on the intermediate unit including the interior TV unit fittings, the door hinges of any 1-door wardrobe units included which are situated directly next to the intermediate unit must be fitted on the side next to this intermediate unit!
- In the intermediate units **16 and 17** the interior TV fittings are assembled on the sides of the intermediate unit. For reasons of stability a construction shelf is also supplied, which is fitted below the lower open compartments.

Illustration:
interior TV unit fittings
in intermediate unit 3



Surcharge for interior TV unit fitting A

	for intermediate units 2, 3 and 12-15	for intermediate units 16 and 17
for 80 cm wide intermediate unit	79601 -	
for 100 cm wide intermediate unit	79611 -	79711 -
for 120 cm wide intermediate unit	79604 -	79704 -

Interior TV unit fittings B for intermediate units 2, 3 and 12-17


TV compartment incl. cable aperture in TV panel (usable inside dims.: 68.1 cm high, 78.0 (or 98.0 or 118.0) cm wide, 35.5 cm deep; max. load: 60 kg) and with flat screen support; 2 open compartments below for electronic equipment (usable inside dims. per compartment: 10.0 cm high, 38.0 (or 48.0 or 58.0) cm wide, 47.0 cm deep)

The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 102-216 cm (40"-85"; please observe the usable dims. of the TV compartment; see above); max. load 45 kg.
Suitable for curved TV's. Flat screen support compatible with VESA Norm standard: min.: 200 x 200 mm, max.: 600 x 400 mm

Please note:

- When interior TV unit fittings are included, the doors of the intermediate units are fitted with 165° hinges ex-works.
- The 2 fitted shelves, which are fitted standard in the intermediate unit behind doors, are omitted and the price has already been deducted.
- Because of the 165° hinges on the intermediate unit including the interior TV unit fittings, the door hinges of any 1-door wardrobe units included which are situated directly next to the intermediate unit must be fitted on the side next to this intermediate unit!
- In the intermediate units **16 and 17** the interior TV fittings are assembled on the sides of the intermediate unit. For reasons of stability a construction shelf is also supplied, which is fitted below the lower open compartments.

Illustration:
interior TV unit fittings
in intermediate unit 3




Surcharge for interior TV unit fitting B

	for intermediate units 2, 3 and 12-15	for intermediate units 16 and 17
for 80 cm wide intermediate unit	79602 -	
for 100 cm wide intermediate unit	79612 -	79712 -
for 120 cm wide intermediate unit	79614 -	79714 -

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V

Illuminated LED shelf for Design I and room system

		for wardrobe inside widths	Type no.	
 <p>Illuminated LED shelf 2.9 cm thick; LED-lamp incl. footswitch; can only be fitted behind hinge-doors of Design I and in the room system</p> <p>3.4-9.0 W</p>	for straight units	40 cm 50 cm 80 cm 100 cm	79832 79833 79834 79836	- - - -
	for hinge-door corner wardrobe	without clothes rod	79839	-
		with clothes rod	79840	-

Lamps

All hinge- and folding-door wardrobes are available with an optional cornice and LED lamps or with top LED lamps. Either one integrated LED spotlight (1 W), one LED light panel (2.7 W) or one top LED lamp (2.4 W) is fitted standard above each unit – 1 or 2 door. Exception: in the case of panorama units two integrated LED spotlights (or two LED light panels or two top LED lamps) are fitted. If required, an integrated LED spotlight, an LED light panel or a top LED lamp can be fitted centrally above each door. It is also possible to remove individual integrated LED spotlights or LED light panels with a price reduction. Please include a sketch in all cases.

Switching is done standard by an external footswitch. A remote control unit is also available as an alternative, which is charged extra. The remote control unit incorporates a transmitter and a receiver, with which the entire LED lamps can be switched on and off. The footswitch is omitted when the remote control unit is employed.

When an intermediate unit with integrated LED lamps and top LED lamps or a cornice with LED lamps are included together, the switch is coupled.

Please note: When planning a cornice, please note that a minimum distance of 2.0 cm to the ceiling must be observed.

Remote control

Surcharge for remote control (transmitter + receiver)

type **1601** = -

Surcharge for extra transmitter

type **1602** = -

Surcharge for extra receiver

type **1603** = -

Cornice with integrated LED spotlights

Surcharge for each additional spotlight (1W)

type **369** = -

Price reduction for one spotlight (if not required in cornice)

type **368** = -

Cornice with integrated LED light panels

Surcharge for each additional light panel (2.7 W)

type **3683** = -

Price reduction for one light panel (if not required in cornice)

type **3682** = -

Top LED lamp

Surcharge for each additional lamp (2.4 W)

type **3691** = -

Handle slat lamp for doors in Design J

0.3 W per 10 cm length



Magic-Tronic

The lamps are normally operated by an external footswitch. As an alternative we can also provide a Magic-Tronic switch, which is charged extra. By "stroking" the outer or top side of the unit at the same level as the invisible integrated sensor it is possible to switch all the lamps on and off ("Stroking method"). As an alternative the position of the hidden sensor can also be marked with a small metal plate on the furniture unit ("Marking method"). Lamps with a maximum power of 200 W can be operated by a Magic-Tronic unit (230 V). The footswitch is omitted when a Magic-Tronic unit is included.

The Magic-Tronic can only be fitted in a side passepartout. Standard fitting position: in the right passepartout in approx. 130 cm height. If the Magic-Tronic sensor is to be fitted in the left passepartout or differently from the described standard position, please state this clearly in the order and in the sketch. In case of doubt, please get in touch with your hülsta customer advisor!

7617





MULTI-FORMA II Sliding-door wardrobes

The modern, innovative MULTI-FORMA II wardrobe system is suitable for individual arrangements because it is particularly versatile. The front designs give MULTI-FORMA II its particularly exclusive look. As a universal wardrobe system, the design of MULTI-FORMA II enables you to combine its units with all of the units in the various hülsta bedroom ranges and almost every type of interior style.

Height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge
(Height and width reductions not possible for SOLIST and SOLIST P)!

Design idea

You can choose from a variety of design versions for the MULTI-FORMA II sliding-door wardrobes:

- Design A
- Design M
- Design G
- Design L
- SOLIST
- SOLIST P

The various wood, lacquer and high-gloss versions underline the versatility of the MULTI-FORMA II wardrobe system.

You can also choose from different versions for the wardrobe interior fittings for the MULTI-FORMA II sliding-door wardrobes:

- White lacquer (standard)
- Grey lacquer

Please state exactly in the order, in which version you require the interior fittings for your wardrobe. If no details of the version are given in the order, the interior fittings are delivered in the standard white lacquer version.

Concept/ planning possibilities

- Doors in Design A and M with optional mirror
- Optional:
 - with top LED lamp (12 V, 2.4 W)
 - with cornice and integrated LED spotlamps (12 V, 1 W)
 - with cornice and integrated light panels (12 V, 2.7 W)The lights are operated by a standard external footswitch.
- Wardrobe inside widths: 78, 88, 98, 108, 118, 133, 148 cm
- The wardrobe outer widths are calculated by adding 2 cm to the inside widths for each partition and side section; another 1.0 cm must be added for the side protrusion when a cornice is fitted
- Two different basic wardrobe heights: 229.6 cm and 268.0 cm
- MULTI-FORMA II is variable: height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge (height and width reductions not possible for SOLIST and SOLIST P).
- Wardrobe outside depth (incl. profiled handle): 67.7 cm
- Wardrobe inside depth: 56.0 cm
- Functional and high-quality **wardrobe interior fittings** (see „Wardrobe interior fittings“ type list)
- Standard interior fittings per unit: 2 fitted shelves, 1 clothes rod

Quality features

- All wardrobe doors with cushioning mechanism and brush seals
- Innovative door guiderail bracket
- Unobtrusive 2.5 mm size holes
- Low plinth with trapezoid-shaped brackets for simple assembly
- All partitions and side sections have a special plinth adjustment device which makes exact horizontal and vertical assembly much easier
- **hülsta-SoftGlide**: Doors of sliding-door wardrobes with air-cushioned auto pull-in feature


Dimensions	without cornice profile	with top LED lamp	with cornice profile incl. lamp
Heights incl. plinth	229.6 and 268.0 cm (Total height incl. sliding-door brackets: + 2.0 cm)	see dims. without cornice profile + 5.0 cm	see dims. without cornice profile + 4.8 cm
Depths (incl. profiled handle)	67.7 cm	72.0 cm	71.3 cm
Widths	see pages 44-51		
	Height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge; when reducing the height of doors in Design L only the top and bottom door panels are reduced in height (the middle panels always retain their original height); height and width reductions not possible for SOLIST and SOLIST P.		

Wardrobe examples for sliding-door wardrobes; lamps


- Mirror fronts for doors in Design A and M at a surcharge
- Cornice and lamps at a surcharge
- 2 different basic heights: 229.6; 268.0 cm
- Wardrobe outside widths: 162, 182, 202, 222, 242, 272, 302, 322, 332, 342, 362, 382, 402 cm
- Unit inside widths: 78, 88, 98, 108, 118, 133, 148 cm
- Outside depth: 67.7 cm
- Inside depth: 56.0 cm

For calculating the total width when fitting a cornice with lamp, please note the protrusion of 0.5 cm left and right!

Sliding-door wardrobe in 229.6 cm height



Sliding-door wardrobe in 268.0 cm height



Lamps

All sliding-door wardrobes are available with an optional cornice and LED lamps or with a top LED lamp. Either one integrated LED spotlight (1 W), one LED light panel (2.7 W) or one top LED lamp (2.4 W) is fitted standard above each unit; exception: in the case of the SOLIST, the cornice has no integrated LED spotlight or LED light panel above the middle door. It is also possible to remove individual spotlamps or light panels with a price reduction. Please include a sketch in all cases.







Switching is done by an external footswitch. A remote control unit is also available as an alternative, which is charged extra. The remote control unit incorporates one transmitter and one receiver which operate all the LED lamps. The footswitch is omitted when the remote control unit is employed.

See page 52 for further information!

Lists of versions for sliding-door wardrobes

Design versions for wardrobe doors

With the MULTI-FORMA II sliding-door wardrobes you can choose the carcass and the front in different versions. Please state this clearly in the order. When versions from different price groups are exchanged, the higher price group is always charged.

Design A	Design M	Design G	Design L	SOLIST	SOLIST P
					

Versions for wardrobe interior fittings

With the MULTI-FORMA II sliding-door wardrobes you can choose between two versions for the wardrobe interior fittings. The desired version must be stated in the order. If no details are given in the order, the wardrobe interior fittings are supplied in white lacquer.


Model no.	Versions	
045 046	White lacquer (standard) Grey lacquer	

Handle profile versions

MULTI-FORMA II sliding-door wardrobes can only be supplied with profiled handles in different optional lacquer versions (exception: sliding-door wardrobes in Design M and sliding-doors in a wooden version always with standard aluminium-coloured handles). Please be sure to state the required version in the order!

Wood/lacquer/high-gloss versions – Design A


Model no.	Carcass and front	Handle profile	Price group
Lacquer S76 S01 S02 S03	Pure white lacquer White lacquer Sand lacquer Grey lacquer	Pure white lacquer White lacquer Sand lacquer Grey lacquer	I I I I
High-gloss S05 S06 S07 S64	High-gloss pure white High-gloss white High-gloss sand High-gloss grey	Pure white lacquer * White lacquer * Sand lacquer * Grey lacquer *	II II II II
Veneer S65 S12	Natural oak Core walnut	Aluminium colour Aluminium colour	II II



* The profiled handle for high-gloss fronts is in matt lacquer in the matching colour.

Wood/lacquer/high-gloss versions – Design M

Model no.	Carcass and front	Handle profile	Price group
Lacquer S77 S14 S15 S16	Pure white lacquer White lacquer Sand lacquer Grey lacquer	Aluminium colour Aluminium colour Aluminium colour Aluminium colour	I I I I
High-gloss S18 S19 S20 S67	High-gloss pure white High-gloss white High-gloss sand High-gloss grey	Aluminium colour Aluminium colour Aluminium colour Aluminium colour	II II II II
Veneer S68 S25	Natural oak Core walnut	Aluminium colour Aluminium colour	II II




Changing versions:

With the MULTI-FORMA II sliding-door wardrobes you can choose the carcass and the front in different versions. Please state this clearly in the order. When versions from different price groups are exchanged, the higher price group is always charged.

MULTI-FORMA II

Wood/lacquer/high-gloss versions – Design G

Model no.	Carcass and front	Handle profile	Price group
Lacquer	S78 Pure white lacquer	Pure white lacquer	I
	S26 White lacquer	White lacquer	I
	S27 Sand lacquer	Sand lacquer	I
	S28 Grey lacquer	Grey lacquer	I
High-gloss	S30 High-gloss pure white	Pure white lacquer *	II
	S31 High-gloss white	White lacquer *	II
	S32 High-gloss sand	Sand lacquer *	II
	S70 High-gloss grey	Grey lacquer *	II
Veneer	S71 Natural oak	Aluminium colour	II
	S51 Core walnut	Aluminium colour	II




Model no.	Application
Lacquer	S78 Pure white lacquer
	S26 White lacquer
	S27 Sand lacquer
	S28 Grey lacquer
Veneer	S71 Natural oak
	S51 Core walnut

* The profiled handle for high-gloss fronts is in matt lacquer in the matching colour.

Wood/lacquer/high-gloss versions – Design L

Model no.	Carcass and front	Handle profile	Price group
High-gloss	S34 High-gloss pure white	Pure white lacquer *	II
	S35 High-gloss white	White lacquer *	II
	S36 High-gloss sand	Sand lacquer *	II
	S72 High-gloss grey	Grey lacquer *	II




Model no.	Application
Lacquer	S62 Pure white lacquer
	S53 White lacquer
	S54 Sand lacquer
	S55 Grey lacquer
Veneer	S73 Natural oak **
	S60 Core walnut **

* The profiled handle for high-gloss fronts is in matt lacquer in the matching colour.
The carcass is available in all the versions (see e.g. Design G). Please state clearly in the order!

** If the application is required in a wooden version, the side handles are always supplied in the same colour as the fronts.

Wood/lacquer/high-gloss versions – SOLIST

Model no.	Carcass and front	Handle profile	Price group
Lacquer	S79 Pure white lacquer	Pure white lacquer	I
	S38 White lacquer	White lacquer	I
	S39 Sand lacquer	Sand lacquer	I
	S40 Grey lacquer	Grey lacquer	I
High-gloss	S42 High-gloss pure white	Pure white lacquer *	II
	S43 High-gloss white	White lacquer *	II
	S44 High-gloss sand	Sand lacquer *	II
	S75 High-gloss grey	Grey lacquer *	II
Veneer	S80 Natural oak	Aluminium colour	II
	S47 Core walnut	Aluminium colour	II




Model no.	Application
Veneer	S80 Natural oak
	S47 Core walnut

* The profiled handle for high-gloss fronts is in matt lacquer in the matching colour.

Wood/lacquer/high-gloss versions – SOLIST P

Model no.	Carcass and front	Handle profile	Price group
Lacquer	S82 Pure white lacquer	Pure white lacquer	I
	S83 White lacquer	White lacquer	I
	S85 Sand lacquer	Sand lacquer	I
	S86 Grey lacquer	Grey lacquer	I
High-gloss	S87 High-gloss pure white	Pure white lacquer *	II
	S88 High-gloss white	White lacquer *	II
	S89 High-gloss sand	Sand lacquer *	II
	S90 High-gloss grey	Grey lacquer *	II
Veneer	S91 Natural oak	Aluminium colour	II
	S94 Core walnut	Aluminium colour	II



Model no.	Application
Veneer	S91 Natural oak
	S94 Core walnut













* The profiled handle for high-gloss fronts is in matt lacquer in the matching colour.

Sliding-door wardrobes

Height: 229.6 and 268.0 cm (total height incl. sliding-door brackets: + 2.0 cm; heights with top LED lamp or cornice incl. LED lamp: see table page 41)










Width: see table (widths with cornice: + 0.5 cm each side)

Depth: 67.7 cm (depths with top LED lamp or cornice incl. LED lamp: see table page 41); inside depth: 56.0 cm

Interior fittings per unit: 2 fitted shelves, 1 clothes rod			Design A	Design M	Design G	Design L
Height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge. When reducing the height of doors in Design L only the top and bottom door panels are reduced in height (the middle panels always retain their original height). Height and width reductions are not possible on the SOLIST and SOLIST P. Cornice is full-length up to 302 cm width. Not available with passepartout unit!						
	229.6 cm high	Price gr. I II	A55162 - -		G55162 - -	L55162 - -
	268.0 cm high	Price gr. I II	A65162 - -		G65162 - -	L65162 - -
	229.6 cm high	Price gr. I II	A55182 - -		G55182 - -	L55182 - -
	268.0 cm high	Price gr. I II	A65182 - -		G65182 - -	L65182 - -
	229.6 cm high	Price gr. I II	A55202 - -		G55202 - -	L55202 - -
	268.0 cm high	Price gr. I II	A65202 - -		G65202 - -	L65202 - -
	229.6 cm high	Price gr. I II	A55222 - -		G55222 - -	L55222 - -
	268.0 cm high	Price gr. I II	A65222 - -		G65222 - -	L65222 - -

For each project please remember to leave a 4 cm gap between wardrobe carcass and the ceiling and 2 cm at the side for assembly!

Please state the version for the wardrobe interior fittings!









SOLIST	SOLIST P	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spotlamps	Surcharge for cornice with integrated LED light panels		Surcharge for mirror: Each wardrobe door in Design A or each sliding-door panel in Design M can be fitted with an optional mirror which is charged extra (mirrors not possible for Design G, L, SOLIST and SOLIST P).			
		1 lamp per unit	1 spotlight per unit	1 lamp per unit					
		Information on the energy class: see page 52							
			 With SOLIST the cornice has no integrated LED spotlight above the middle door.	 With SOLIST the cornice has no integrated LED light panel above the middle door.					
		for Design A, M, G, L and SOLIST P	for SOLIST	for Design A, M, G, L and SOLIST P	for SOLIST	for Design A	for Design M		
		0383	31100		3112	Please mark exactly in the front sketch, or state in the order (from the left), which sliding-doors are to be fitted with a mirror. Surcharge for mirror per sliding-door: -	Please mark exactly in the front sketch, or state in the order (from the left), which sliding-door panels are to be fitted with a mirror. Surcharge for mirror per sliding-door panel: -		
		-	-		-				
		0383	31200		3122				
		-	-		-				
		0383	31300		3132				
		-	-		-				
		0383	31400		3142				
		-	-		-				
								Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products .	

Sliding-door wardrobes

Height: 229.6 and 268.0 cm (total height incl. sliding-door brackets: + 2.0 cm; heights with top LED lamp or cornice incl. LED lamp: see table page 41)










Width: see table (widths with cornice: + 0.5 cm each side)

Depth: 67.7 cm (depths with top LED lamp or cornice incl. LED lamp: see table page 41); inside depth: 56.0 cm

Interior fittings per unit: 2 fitted shelves, 1 clothes rod Height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge. When reducing the height of doors in Design L only the top and bottom door panels are reduced in height (the middle panels always retain their original height). Height and width reductions are not possible on the SOLIST and SOLIST P. Cornice is full-length up to 302 cm width. Not available with passepartout unit!			Design A	Design M	Design G	Design L
						
				M55242		
			229.6 cm high Price gr. I II	-	-	-
			268.0 cm high Price gr. I II			
			229.6 cm high Price gr. I II	A56242	G56242	L56242
				-	-	-
			268.0 cm high Price gr. I II	A66242	G66242	L66242
				-	-	-
			229.6 cm high Price gr. I II	M55272		
				-	-	-
			268.0 cm high Price gr. I II			
			229.6 cm high Price gr. I II	A56272	G56272	L56272
				-	-	-
			268.0 cm high Price gr. I II	A66272	G66272	L66272
				-	-	-

For each project please remember to leave a 4 cm gap between wardrobe carcass and the ceiling and 2 cm at the side for assembly!

Please state the version for the wardrobe interior fittings!

SOLIST	SOLIST P	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spotlamps		Surcharge for cornice with integrated LED light panels		Surcharge for mirror: Each wardrobe door in Design A or each sliding-door panel in Design M can be fitted with an optional mirror which is charged extra (mirrors not possible for Design G, L, SOLIST and SOLIST P).		
		1 lamp per unit	1 spotlight per unit		1 lamp per unit				
		Information on the energy class: see page 52							
				With SOLIST the cornice has no integrated LED spotlight above the middle door.		With SOLIST the cornice has no integrated LED light panel above the middle door.			
		for Design A, M, G, L and SOLIST P	for SOLIST	for Design A, M, G, L and SOLIST P	for SOLIST	for Design A	for Design M		
		0383	31500		3152		Please mark exactly in the front sketch, or state in the order (from the left), which sliding-doors are to be fitted with a mirror. Surcharge for mirror per sliding-door: -	Please mark exactly in the front sketch, or state in the order (from the left), which sliding-door panels are to be fitted with a mirror. Surcharge for mirror per sliding-door panel: -	
		-	-		-				
S56242	SP56242	0384	31600	S31600	3162	S3162			
-	-								
S66242	SP66242	-	-	-	-	-			
-	-								
		0383	31700		3172				
		-	-		-				
S56272	SP56272	0384	31800	S31800	3182	S3182			
-	-								
S66272	SP66272	-	-	-	-	-			
-	-								









Please also note the functional and high-quality **wardrobe interior fittings** in the „Wardrobe interior fittings“ type list as well as the special articles and possible **special-sized products**.

Sliding-door wardrobes

Height: 229.6 and 268.0 cm (total height incl. sliding-door brackets: + 2.0 cm; heights with top LED lamp or cornice incl. LED lamp: see table page 41)










Width: see table (widths with cornice: + 0.5 cm each side)

Depth: 67.7 cm (depths with top LED lamp or cornice incl. LED lamp: see table page 41); inside depth: 56.0 cm

Interior fittings per unit: 2 fitted shelves, 1 clothes rod			Design A	Design M	Design G	Design L
Height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge. When reducing the height of doors in Design L only the top and bottom door panels are reduced in height (the middle panels always retain their original height). Height and width reductions are not possible on the SOLIST and SOLIST P. Cornice is full-length up to 302 cm width. Not available with passepartout unit!						
	229.6 cm high	Price gr. I II		M55302 -		
	268.0 cm high	Price gr. I II				
	229.6 cm high	Price gr. I II	A56302 -		G56302 -	L56302 -
	268.0 cm high	Price gr. I II	A66302 -		G66302 -	L66302 -
	229.6 cm high	Price gr. I II	A57322 -		G57322 -	L57322 -
	268.0 cm high	Price gr. I II	A67322 -		G67322 -	L67322 -
	229.6 cm high	Price gr. I II	A56332 -		G56332 -	L56332 -
	268.0 cm high	Price gr. I II	A66332 -		G66332 -	L66332 -

For each project please remember to leave a 4 cm gap between wardrobe carcass and the ceiling and 2 cm at the side for assembly!

Please state the version for the wardrobe interior fittings!









SOLIST	SOLIST P	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spotlamps		Surcharge for cornice with integrated LED light panels		Surcharge for mirror: Each wardrobe door in Design A or each sliding-door panel in Design M can be fitted with an optional mirror which is charged extra (mirrors not possible for Design G, L, SOLIST and SOLIST P).		
		1 lamp per unit	1 spotlight per unit		1 lamp per unit				
		Information on the energy class: see page 52							
				With SOLIST the cornice has no integrated LED spotlight above the middle door.		With SOLIST the cornice has no integrated LED light panel above the middle door.			
		for Design A, M, G, L and SOLIST P	for SOLIST	for Design A, M, G, L and SOLIST P	for SOLIST	for Design A	for Design M		
		0383	31900		3192				
		-	-		-				
S56302	SP56302	0384	32000	S32000	3202	S3202	Please mark exactly in the front sketch, or state in the order (from the left), which sliding-doors are to be fitted with a mirror. Surcharge for mirror per sliding-door:	Please mark exactly in the front sketch, or state in the order (from the left), which sliding-door panels are to be fitted with a mirror. Surcharge for mirror per sliding-door panel:	
-	-								
S66302	SP66302	-	-	-	-	-			
-	-								
		0385	32100		3212				
		-	-		-				
S56332	SP56332	0384	32200	S32200	3222	S3222	Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products .		
-	-								
S66332	SP66332	-	-	-	-	-			
-	-								

Sliding-door wardrobes

Height: 229.6 and 268.0 cm (total height incl. sliding-door brackets: + 2.0 cm; heights with top LED lamp or cornice incl. LED lamp: see table page 41)








Width: see table (widths with cornice: + 0.5 cm each side)

Depth: 67.7 cm (depths with top LED lamp or cornice incl. LED lamp: see table page 41); inside depth: 56.0 cm

Interior fittings per unit: 2 fitted shelves, 1 clothes rod			Design A	Design M	Design G	Design L
Height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge. When reducing the height of doors in Design L only the top and bottom door panels are reduced in height (the middle panels always retain their original height). Height and width reductions are not possible on the SOLIST and SOLIST P. Cornice is full-length up to 302 cm width. Not available with passepartout unit!						
	229.6 cm high	Price gr. I II	A57342 - -		G57342 - -	L57342 - -
	268.0 cm high	Price gr. I II	A67342 - -		G67342 - -	L67342 - -
	229.6 cm high	Price gr. I II	A57362 - -		G57362 - -	L57362 - -
	268.0 cm high	Price gr. I II	A67362 - -		G67362 - -	L67362 - -
	229.6 cm high	Price gr. I II	A57382 - -		G57382 - -	L57382 - -
	268.0 cm high	Price gr. I II	A67382 - -		G67382 - -	L67382 - -
	229.6 cm high	Price gr. I II	A57402 - -		G57402 - -	L57402 - -
	268.0 cm high	Price gr. I II	A67402 - -		G67402 - -	L67402 - -

For each project please remember to leave a 4 cm gap between wardrobe carcass and the ceiling and 2 cm at the side for assembly!

Please state the version for the wardrobe interior fittings!

SOLIST	SOLIST P	Surcharge for top LED lamp	Surcharge for cornice with integrated LED spotlamps		Surcharge for cornice with integrated LED light panels		Surcharge for mirror: Each wardrobe door in Design A or each sliding-door panel in Design M can be fitted with an optional mirror which is charged extra (mirrors not possible for Design G, L, SOLIST and SOLIST P).		
		1 lamp per unit	1 spotlight per unit		1 lamp per unit				
		Information on the energy class: see page 52							
				With SOLIST the cornice has no integrated LED spotlight above the middle door.		With SOLIST the cornice has no integrated LED light panel above the middle door.			
		for Design A, M, G, L and SOLIST P	for SOLIST	for Design A, M, G, L and SOLIST P	for SOLIST	for Design A	for Design M		
		0385	32400		3242				
		-	-		-				
		0385	32500		3252				
		-	-		-				
		0385	32800		3282				
		-	-		-				
		0385	33000		3302				
		-	-		-				
							Please mark exactly in the front sketch, or state in the order (from the left), which sliding-doors are to be fitted with a mirror.		
							Please mark exactly in the front sketch, or state in the order (from the left), which sliding-door panels are to be fitted with a mirror.		
							Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products.		

Additional fitting for sliding-door wardrobes

Electrical opening system for sliding-door wardrobes

Electrical opening system for sliding-door wardrobes


The sliding-door wardrobes can also be fitted with an optional electrical opening system. The sliding-door then opens or closes automatically when pushed slightly. Open sliding-doors will close automatically after approx. 2 minutes.

The electrical opening system is not possible when a reversed sliding-door wardrobe is required. The centre sliding-door can only be opened to the left in the case of 3-door sliding-door wardrobes with electrical opening system.

For each project please remember to leave a **10.0 cm gap** between the wardrobe carcass and the ceiling for assembly if the electrical opening system for sliding-door wardrobes is included!

Special sizes for sliding-door wardrobes with electrical opening system:

- Height reductions are possible down to max. 180 cm height. For reasons of appearance, we also do not recommend the wardrobe being reduced below eye-level height.
- Width reductions are generally not possible.
- Depth reductions are possible for a maximum of 18 cm.



Electrical opening system for 2-door sliding-door wardrobes	3040
	-
Electrical opening system for 3-door sliding-door wardrobes	3050
	-
Electrical opening system for 4-door sliding-door wardrobes	3060
	-

Lamps

All sliding-door wardrobes are available with an optional cornice and LED lamps or with a top LED lamp. Either one integrated LED spotlight (1 W), one LED light panel (2.7 W) or one top LED lamp (2.4 W) is fitted standard above each unit; exception: in the case of the SOLIST, the cornice has no integrated LED spotlight or LED light panel above the middle door. It is also possible to remove individual spotlamps or light panels with a price reduction. Please include a sketch in all cases.

Switching is done by an external footswitch. A remote control unit is also available as an alternative, which is charged extra. The remote control unit incorporates one transmitter and one receiver which operate all the LED lamps. The footswitch is omitted when the remote control unit is employed.

This luminaire contains built-in LED lamps of the energy classes A++ to A.
The lamps cannot be changed in the luminaire. 12 V

Remote control

Surcharge for remote control (transmitter + receiver)

type 1601 = -

Surcharge for extra transmitter

type 1602 = -

Surcharge for extra receiver

type 1603 = -

Cornice with integrated LED spotlamps

Surcharge for each additional spotlight (1W)

type 369 = -

Price reduction for one spotlight (if not required in cornice)

type 368 = -



Cornice with integrated LED light panels

Surcharge for each additional light panel (2.7 W)

type 3683 = -

Price reduction for one light panel (if not required in cornice)

type 3682 = -



Top LED lamp

Surcharge for each additional lamp (2.4 W)

type 3691 = -



MULTI-FORMA II

Room and niche system

To enhance the competency of the range, MULTI-FORMA II also includes a walk-in room system. The tried and tested planning system from MULTI-FORMA II involving basic and extension units has been incorporated in the room/niche system. This guarantees a simple and comfortable initiation to the range including easy planning. As a universal wardrobe system, the design of MULTI-FORMA II enables you to combine its units with all of the units in the various hülsta bedroom ranges and almost every type of interior style.

Design idea

You can choose from different versions for the wardrobe fittings for the MULTI-FORMA II room and niche system:

- White lacquer (standard)
- Grey lacquer

Please state exactly in the order, in which version you require the fittings for your wardrobe. If no details of the version are given in the order, the fittings are delivered in the standard white lacquer version.

Concept/ planning possibilities

- Open carcass units that can all be combined at will
- Carcase inside widths: 38, 48, 78, 98, 158, 198 cm
- Carcase height: up to max. 268.0 cm
- Total depth: 59.0 cm
- Inside depth: 56.0 cm
- MULTI-FORMA II is variable: height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge
- Partitions and side sections with optional LED lamps; standard operation by remote control unit
- Corner carcass units (45° and with fully accessible corner 90°)

Quality features

- Unobtrusive 2.5 mm size holes
- Low plinth with trapezoid-shaped brackets for simple assembly
- All partitions and side sections have a special plinth adjustment device which makes exact horizontal and vertical assembly much easier
- Functional and high-quality **wardrobe interior fittings** (see "Wardrobe interior fittings" type list)
- Standard fittings: 2 fitted shelves, 1 clothes rod

Wardrobe fittings versions

With the MULTI-FORMA II room and niche system you can choose between two versions for the wardrobe fittings. The desired version must be stated in the order. If no details are given in the order, the wardrobe fittings are supplied in white lacquer.

Model no.	Versions	
045 046	White lacquer (standard) Grey lacquer	



Room and niche system

Height: max. 268.0 cm

Width: see table

Total depth: 59.0 cm

Inside depth: 56.0 cm

Open carcass basic units

with 2 outer side-sections (each 2 cm thick)









Interior fittings per unit:

2 fitted shelves, 1 clothes rod

Open carcass units optionally in white lacquer (standard) or grey lacquer. Please state clearly in the order!

For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination.

Please also note the functional and high-quality **wardrobe interior fittings** in the „Wardrobe interior fittings“ type list as well as the special articles and possible **special-sized products**.

<p>Open carcass unit, 42 cm wide</p> 	max. 268.0 cm high	<p>204</p> <p>-</p>	<p>Open carcass unit, 162 cm wide</p> 	max. 268.0 cm high	<p>216</p> <p>-</p>
<p>Open carcass unit, 52 cm wide</p> 	max. 268.0 cm high	<p>205</p> <p>-</p>	<p>Open carcass unit, 202 cm wide</p> 	max. 268.0 cm high	<p>220</p> <p>-</p>
<p>Open carcass unit, 82 cm wide</p> 	max. 268.0 cm high	<p>208</p> <p>-</p>	<p>Open carcass unit with fully accessible corner 90°, 112.7 x 112.7 cm wide</p>  <p>L</p> <p>Left-hand type (L): left 2 fitted shelves and 1 clothes rod, each 106.7 cm wide; right 2 fitted shelves and 1 clothes rod, each 52.5 cm wide Right-hand type (R): interior fittings in reverse order For production we require the details of series of assembly from left to right.</p>	max. 268.0 cm high	<p>26191 L 26192 R</p> <p>-</p>
<p>Open carcass unit, 102 cm wide</p> 	max. 268.0 cm high	<p>210</p> <p>-</p>	<p>Open corner carcass unit 45°, 97.3 x 97.3 cm wide</p>  <p>Interior fittings: 1 fitted shelf without clothes rod 1 fitted shelf with clothes rod For production we require the details of series of assembly from left to right.</p>	max. 268.0 cm high	<p>2219</p> <p>-</p>

Height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge

For each project please remember to leave a 2 cm gap to the ceiling and at the side for assembly!

Open carcass extension units

with 1 centre partition (2 cm thick)









Interior fittings per unit:

2 fitted shelves, 1 clothes rod

Open carcass units optionally in white lacquer (standard) or grey lacquer. Please state clearly in the order!

For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination.

Please also note the functional and high-quality **wardrobe interior fittings** in the „Wardrobe interior fittings“ type list as well as the special articles and possible **special-sized products**.

<p>Open carcass unit, 40 cm wide</p> 	max. 268.0 cm high	<p>0204</p> <p>-</p>	<p>Open carcass unit, 160 cm wide</p> 	max. 268.0 cm high	<p>0216</p> <p>-</p>
<p>Open carcass unit, 50 cm wide</p> 	max. 268.0 cm high	<p>0205</p> <p>-</p>	<p>Open carcass unit, 200 cm wide</p> 	max. 268.0 cm high	<p>0220</p> <p>-</p>
<p>Open carcass unit, 80 cm wide</p> 	max. 268.0 cm high	<p>0208</p> <p>-</p>	<p>Open carcass unit with fully accessible corner 90°, 110.7 x 112.7 cm wide</p>  <p>L</p> <p>Left-hand type (L): left 2 fitted shelves and 1 clothes rod, each 106.7 cm wide; right 2 fitted shelves and 1 clothes rod, each 52.5 cm wide Right-hand type (R): interior fittings in reverse order For production we require the details of series of assembly from left to right.</p>	max. 268.0 cm high	<p>026191 L 026192 R</p> <p>-</p>
<p>Open carcass unit, 100 cm wide</p> 	max. 268.0 cm high	<p>0210</p> <p>-</p>	<p>Open corner carcass unit 45°, 95.3 x 97.3 cm wide</p>  <p>Interior fittings: 1 fitted shelf without clothes rod 1 fitted shelf with clothes rod For production we require the details of series of assembly from left to right.</p>	max. 268.0 cm high	<p>02219</p> <p>-</p>

Lamps

This luminaire contains built-in LED lamps of the energy classes A++ to A.
The lamps cannot be changed in the luminaire. 12 V

LED lamp for partitions and outer side sections

7 resp. 14 W, incl. remote control

for fitting on partitions or outer side sections of open carcass units. In this case the total depth increases by 2.5 cm.

The LED lamps are fitted all along the front of the carcass sides and shine to the side
(when fitted on outer side sections they shine to one side, when fitted on partitions to both sides).







Illustration:
LED lamp on partition
(illuminates both sides)



Please also note the functional and high-quality **wardrobe interior fittings** in the „Wardrobe interior fittings“ type list as well as the special articles and possible **special-sized products**.

LED lamp for fitting on outer side sections; 7 W	LED lamp for fitting on partitions; 14 W
299	298
-	-

Illuminated LED shelf for Design I and room system

		for wardrobe inside widths	Type no.	
 <p>Illuminated LED shelf 2.9 cm thick; LED-lamp incl. footswitch; can only be fitted behind hinge-doors of Design I and in the room system</p> <p>3.4-9.0 W</p>	for straight units	40 cm 50 cm 80 cm 100 cm	79832 79833 79834 79836	- - - -
	for hinge-door corner wardrobe	without clothes rod	79839	-
		with clothes rod	79840	-

Magic-Tronic

The lamps are normally operated by an external footswitch. As an alternative we can also provide a Magic-Tronic switch, which is charged extra. By “stroking” the outer or top side of the unit at the same level as the invisible integrated sensor it is possible to switch all the lamps on and off (“Stroking method”). As an alternative the position of the hidden sensor can also be marked with a small metal plate on the furniture unit (“Marking method”). Lamps with a maximum power of 200 W can be operated by a Magic-Tronic unit (230 V). The footswitch is omitted when a Magic-Tronic unit is included.

Standard position of Magic-Tronic for consoles and chests:

- for consoles and chests of the MULTI-VARIS range: sensor is fitted 12 cm from the rear rim in the outer side next to the bed and in approx. 7-15 cm from the top rim of the unit

Standard position of Magic-Tronic for MULTI-FORMA II wardrobes:

- for hinge- and folding-door wardrobes of the MULTI-FORMA II range: sensor is fitted in the right passepartout in approx. 130 cm height (Magic-Tronic is not possible for wardrobes without passepartout, in sliding-door wardrobes and in the room and niche system)

Alternative positions:

If the Magic-Tronic sensor is to be fitted in the left passepartout of the wardrobe or at any position other than that stated as standard (e.g., if a unit is planned in a niche so that there is insufficient space to the right of the unit), please state this clearly in the order and mark the position in the sketch. If in doubt, please contact your hülsta customer advisor!




Illustration 1: “Stroking method“




Illustration 2: “Marking method“

Magic-Tronic
7617
-

Examples of use (schematic diagrams)


Black point = Standard position of Magic-Tronic sensor for consoles and chests (example 1) or hinge- and folding-door wardrobes MULTI-FORMA II (example 2)

Notes:

The black point in the drawings is the area where the Magic-Tronic sensor is invisibly integrated. If the surface is „stroked“ at this position, the lamps are switched on or off.


If you would like to mark the position of the Magic-Tronic sensor on the furniture, you can fit a small metal plate supplied separately at the corresponding position.

Example 1



for consoles and chests of the MULTI-VARIS range


Example 2



for hinge- and folding-door wardrobes of the MULTI-FORMA II range

Special-sized products

Special heights, special widths, special depths




Special heights

- Hinge-, folding- and sliding-door wardrobes can be reduced in height at intervals of 1.0 cm.
- Below eye-level we recommend fitting a top cover shelf made of panelling material.
- Please state in order!
- Special heights in stepped versions (not possible on sliding-door wardrobes) at a surcharge.

Surcharge per step:

00030


-



Special widths

Only applies to hinge- and folding-door wardrobes

- Single-door units, left or right hinges, can be reduced down to 25 cm width (apart from profiled doors).
- Twin-door units can be reduced at both sides down to 50 cm total width (apart from profiled doors).
- Interior fittings such as drawers and other fittings cannot be reduced in width.
- For notes on width reductions on MULTI-FORMA II sliding-door wardrobes please see special-sized products for MULTI-FORMA II!



Special depths

- Depth reductions are made on side sections, plinths, cornices and shelves.
- Interior fittings such as drawers and other fittings cannot be reduced in depth.
- A max. reduction of 30.0 cm is possible on hinge- and folding-door wardrobes.
- A max. reduction of 9.0 cm is possible on profiled hinge-doors.
- For sliding-door wardrobes, a max. reduction of 30.0 cm is possible (max. 18 cm in combination with the electrical opening system for MULTI-FORMA II).
- Please note that for technical production reasons not every special depth can be achieved:
2.5 cm standard reduction between 0 and 2.5 cm
5.0 cm standard reduction between 4.5 and 5.0 cm
27.5 cm standard reduction between 27.0 and 27.5 cm

Notes on calculating sizes of sloping units

Side sloping



Sloping is only possible on single-door units. The door hinge (left or right) is positioned on the taller outer side of the unit.

Measurements required:

- H 1 = Room height
- H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
- B 1 = Width of slope
- B 2 = Width of slope
- G = Total width
- S = Wardrobe width

Please note!

- If the slope cuts across the position of a handle, the handle of this door only is positioned further down in production.
- As floors, ceilings and walls are never exactly straight, the exact room size must be measured using a spirit level.
- If a cornice is fitted, please state if this is to be continued in the sloping section.





Rear sloping

Rear sloping is possible on all wardrobe units.

Measurements required:

- H 1 = Room height
- H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
- T 1 = Depth of slope
- T 2 = Depth of slope



MULTI-FORMA II

Special heights:

Hinge-/folding-door	- Wood/high-gloss (lacquer)	0003
Hinge-/folding-door	- Mirror	00031
Sliding-door	- Wood/high-gloss (lacquer)	0004
Sliding-door	- Mirror	00041

Special widths:

for single-door unit	- Wood/high-gloss lacquer	0005
for single-door unit	- Mirror	00051
for twin-door unit	- Wood/high-gloss lacquer	0006
for twin-door unit	- Mirror	00061
for panorama unit	- Wood/high-gloss lacquer	00062
for panorama unit	- Mirror	00063
Sliding-door	- Wood/high-gloss lacquer	00064
Sliding-door	- Mirror	00065

Special widths are not possible on profiled hinge-door end units, on intermediate units and on hinge-/folding-door wardrobes with doors with high-gloss fronts in design A, G, I and J.

When ordering extra fitted shelves and clothes rods

Size reduction per fitted shelf	9991	without surcharge
Size reduction per clothes rod	9992	without surcharge

Width reductions of sliding-door wardrobes: **minimum widths**

2-door sliding-door wardrobe (all widths):
reducible down to min. 152.0 cm width
(please note the next smaller width!)
3-door sliding-door wardrobe (width 242 cm):
reducible down to min. 227.0 cm width
3-door sliding-door wardrobe (widths 272, 302 and 332 cm):
reducible down to min. 243.0 cm width
(please note the next smaller width!)
4-door sliding-door wardrobe (all widths):
reducible down to min. 302.0 cm width
(please note the next smaller width!)

Note: If sliding-door wardrobes are required in a special width, the width of all the doors is reduced symmetrically.

Special depths:

per unit	0007	without surcharge
----------	-------------	-------------------

When ordering extra fitted shelves

Size reduction per fitted shelf	9993	without surcharge
---------------------------------	-------------	-------------------

Intermediate units

Depth reduction for intermediate units with front in design A and T	00071	-
Depth reduction for intermediate unit with front in design U	00072	-

Side sloping:

Surcharge per unit without cornice profile in the slope

Design A	99941	-
Design G	99943	-
Design L	99944	-
Design T	99945	-

Surcharge per unit with cornice profile in the slope

Design A	999161	-
Design G	999163	-
Design L	999164	-
Design T	999165	-

Carcase room system	99949	-
---------------------	--------------	---

Side sloping of profiled hinge-door end units and of doors in Design I, J, U and N are not possible.

Rear sloping:

Surcharge per unit	99912	-
--------------------	--------------	---

Rear sloping of profiled hinge-door end units on request.

Other:

Horizontal passepartout in high-gloss version only available in combination with a vertical passepartout.

Twin-door sliding-door wardrobes are also available in reverse order (left door runs in front, right door behind).

Please add an -S to the type no. in this case
(e.g. **A55162-S**)

without surcharge

Hinge-door units in widths of 42/40, 52/50, 72/70, 82/80 and 102/100 cm and in heights of 229.6 and 268.0 cm can also be fitted with **rod handle locks** against a surcharge (exception: rod handle locks not possible on hinge-doors in Design I, J, U and N).

Surcharge for rod handle lock per hinge-door:

for single-door hinge-door unit, left hinge	901	-
for single-door hinge-door unit, right hinge	902	-
for twin-door hinge-door unit	903	-

More special products are possible.

Please get in touch with your customer advisor.

Special-sized products

Special articles

Wardrobe doors are also available as separate units and are charged as follows:

For 1 hinge-door/folding-door wing: 50% of the concerning 1-door hinge-door extension unit

For 1 sliding-door including mechanism: 35% of the twin-door sliding-door wardrobe

For door superstructures, type **100** (max. 98 cm wide, only for assembly between wardrobes): 100% of twin-door hinge-door extension unit

Panels for side and top covering of fitted wardrobes (support construction and fitting materials must be acquired on site).

For veneered/lacquered versions (max. 268.0 cm long, max. 59.0 cm wide, 2.0 cm thick)

Basis charge per order:	9901	-
+ price per m ² - lacquer	990	-
+ price per m ² - veneer	990	-

Veneer match with fronts can not be guaranteed.

Edge veneer for veneered/lacquered versions per m. length	9902	-
---	-------------	---

165° hinges

Wardrobe doors can also be fitted with **165° hinges** against a surcharge (only possible on plain, straight hinge-doors). Please mark the doors clearly in the order!

Surcharge for 165° hinges per hinge-door:	180	-
---	------------	---

Individual special-sized products

If the special-sized product that you require is so unusual that it cannot be illustrated with the many special sized products that we already provide and charge for, then we will quote you the price using a 33 unit type factor. In your order please state for us the relevant enquiry number and the 33 unit type factor stated.

	33	-
--	-----------	---

Special colours; Note on „Blue Angel“ / Emissions label of DGM

Special colours

All the hülsta lacquer colours are possible for nearly all the hülsta ranges. Availability and prices on request.

Note on „Blue Angel“ (RAL-UZ 38) and Emissions label of DGM (Class A)

It is possible that the requirements of the „Blue Angel“ and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV (see here the different lacquer versions in the NEO range), depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

Wall composition / assembly instruction

Important notes:

The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.









Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete $\geq C12/15$, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

Materials table

with a description of which sets are to be used with the following types of walls:

Standard set	Assembly mortar set only suitable for the materials stated below!			
<div>Concrete C12/15</div> <div>Compression strength $\geq 15 \text{ N/mm}^2$</div> <div></div>	<div></div> <div>Building bricks Mz 12</div> <div>Compression strength $\geq 12 \text{ N/mm}^2$</div>	<div></div> <div>Solid blocks of light concrete V2</div> <div>Compression strength $\geq 2 \text{ N/mm}^2$</div>		
	<div></div> <div>Limestone blocks KS 12</div> <div>Compression strength $\geq 12 \text{ N/mm}^2$</div>	<div></div> <div>Perforated blocks of light concrete Hbl 2</div> <div>Compression strength $\geq 2 \text{ N/mm}^2$</div>		
	<div></div> <div>Perforated sand lime bricks KSL12</div> <div>Compression strength $\geq 12 \text{ N/mm}^2$</div>	<div></div> <div>Aerated concrete PP2</div> <div>Compression strength $\geq 2 \text{ N/mm}^2$</div>		
	<div></div> <div>Vertically perforated bricks HLz 12</div> <div>Compression strength $\geq 12 \text{ N/mm}^2$</div> <div>Bulk density $\geq 1.0 \text{ kg/dm}^3$</div>			

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.



Your Hotline to hülsta

Do you have any questions or require any alterations to your order confirmation?
Do you have any questions on our products or your current order?
Do you have any complaints about supplied goods or required replacement parts?
Contact Telephone: +49 (0) 2563 / 86-1627 • email: orders@huelsta.com

Do you have any questions, suggestions or wishes for the **hülsta product seminars**?
Contact Telephone: +49 (0) 2563 / 86-1493 • email: seminare@huelsta.com

hülsta Planning Service

Your furn plan planning is so complex that you need our support? We have created the hülsta Planning Service for this kind of situation. hülsta employees will check your planning as quickly as possible. The customer gets a planning that will inspire him!

hülsta Planning Service
Tel.: +49 (0) 2563 / 86-1060
Fax: +49 (0) 2563 / 86-1000
Mail: Planungsservice-Handel@huelsta.com
Mondays to Fridays from 9.00 a.m. until 5.00 p.m.

Special wishes? Come to us!

Maximum individuality! – Maximal flexibility! – hülsta makes most of your special wishes possible.
And if you do have a wish which is not quite so easy to implement, just give us a call or send us a mail or a fax. We have our own hülsta "Special Wishes Team" who are there to help you realise just these customer requests. These colleagues are professionals when it comes to special products. They plan and calculate the products possible for you and even develop an alternative suggestion if the idea should turn out to be technically impossible.

Here is an overview of the hülsta range of special wishes:

- A lot of special products can be ordered simply via the type list
- Special-sized products are planned simply and professionally
- Competent colleagues advise you by phone, by fax and by mail
- You will be sent alternative suggestions if the idea is technically impossible
- Many special-sized products are available without a surcharge
- Specially qualified carpenters and technicians implement your plans perfectly

hülsta Special Wishes Team
Tel.: +49 (0) 2563 / 86-1060
Fax: +49 (0) 2563 / 86-1000
Mail: Sonderwunsch@huelsta.com

We are open Saturdays for you, too!

Our **Saturday hotline** is available from **10.00 a.m. until 5.00 p.m.**

Telephone: +49 (0) 2563 / 86-1800

The hülsta Sales Department is available
mondays to fridays from 9.00 a.m. until 5.00 p.m.

hülsta MULTI-FORMA II

Stand: E 9. 2021

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress.

hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadthohe
Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000
www.huelsta.com

