

MULTI-VARIS SLEEPING





MULTI-VARIS

The comprehensive **MULTI-VARIS** ancillary unit range is most impressive with its intricate yet graceful appearance and an enormous selection of high-quality wood, lacquer and high-gloss versions allowing combinations with units from nearly all of hülsta's ranges. This range is especially convincing in combination with the modern, innovative MULTI-FORMA II wardrobe system. The enormous choice of units can be adapted individually to a variety of different furnishing styles by using units including a mixture of surface versions and materials, and highly refined and expressive single units can be created by using high-gloss carcasses and fronts in combination with a number of unique design features. The range is neatly rounded off by a variety of handle and plinth versions and some specially selected accessories.

Contents	Page
Range introduction, lists of versions	2-3
Plinth versions, wall bracket	4
Handle versions	6-7
Notes on total height, 2 Raster consoles	9
3 Raster consoles/chests	10-11
4 Raster chests	12-13
5 Raster chests	14-15
Corner unit for consoles and chests, dressing chests	16
Lamps, Magic-Tronic, remote control unit	17
Ancillary tables	18
General information:	
Switch options for lamps	19-21
Special-sized products, special articles	22-24
Important notes:	
Quality of walls / assembly instructions	25

Product information

- Many consoles and chests; in four heights, nine widths and one depth, dressing chests with mirror, corner shelves
- Consoles, chests and dressing chests optionally:
 - with different plinth versions: plinth adjusters (standard), plinth slat, legs or plinth legs;
 - many consoles and chests can also be used as wall units
 - with wooden cover shelf or rear-lacquered glass cover shelf
 - with different handles in a variety of versions
- Ancillary tables and bed shelf in special lacquer versions
- **hülsta-SoftFlow:** Drawers of ancillary units on hidden bearings incl. auto pull-in feature with cushioning bracket as fully pull-out units
- **hülsta-MagicClose:** All wooden hinge-doors with door cushioning system

List of versions ancillary units

	Model no.	Versions	Price group
Lacquer	648 640 644 641	Pure white lacquer White lacquer Sand lacquer Grey lacquer	I I I I
High-gloss	862 860 863 861	High-gloss pure white High-gloss white High-gloss sand High-gloss grey	II II II II
Veneer	685 680	Natural oak Core walnut	II II

Important notes:

With MULTI-VARIS it is possible to order the carcass, front and cover shelf in different versions. In this case, please state the model number for the carcass, front and cover shelf separately. Please state this clearly in the order! If versions from different price groups are exchanged, the higher price group is always charged.

- Standard cover shelf version:
 - for carcass version of wood: with a 1.1 cm thick wooden cover shelf in the matching wood version
 - for carcass version of lacquer or high-gloss: with a 0.8 cm thick rear-lacquered glass cover shelf in the matching lacquer/high-gloss version
- Standard plinth version: 1.8 cm high plinth adjusters
- Standard handle version: handle 110 in matt chrome
- Ancillary unit interior carcass in standard white lacquer
- Drawer frames in standard grey
- Open compartment only available in wood version, please state the required version clearly in the order!
- 160 cm wide drawers with full-width front not available in the high-gloss versions

List of versions ancillary tables and bed shelf

	Model no.	Versions	Price group
Lacquer	668 669 670 671 646	Quartz lacquer Anthracite lacquer Oxide lacquer Bronze lacquer Cream lacquer	I I I I I

Ancillary tables and bed shelf of lacquered metal

Labelling in type list drawings / assembly notes for wall units

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes. Please be sure to note here the information and notes in the "Wall composition" chapter!

3
4

Notes on delivery

Notes on delivery:

The majority of the units are delivered standard as **fully connected units (glued)** so that the carcass **cannot be disassembled**. There are however some **exceptions** to this rule:

Some carcasses are delivered as complete units but can be **disassembled into individual sections** in the final customer's home. These types are marked with a **1** in the type list.





Some carcasses are delivered **in individual sections** because of their size. These types are marked with a **2** in the type list.

The fronts with the number **2** are delivered separately and can therefore always be (dis-) assembled.


Wall fitting


Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15. For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Plinth versions

Plinth versions MULTI-VARIS offers a number of different plinth versions. If no details are given in the order, standard 1.8 cm high plinth adjusters are supplied. These are included in the price of the individual units. Alternative plinth versions can be ordered at a surcharge. Please state clearly in the order!					
Plinth adjuster – 1.8 cm high (standard plinth) 		Standard (without surcharge)	Legs – 2.5 cm high optionally matt chrome or high-gloss chrome 	Matt chrome	2041 Surcharge: -
				High-gloss chrome	2051 Surcharge: -
Plinth slat – 2.3 cm high 	black	2011 Surcharge: -	Plinth legs – 10.0 cm high optionally aluminium coloured or high-gloss chrome 	aluminium coloured	2021 Surcharge: -
				High-gloss chrome	2031 Surcharge: -

Wall bracket

Wall bracket If MULTI-VARIS consoles and chests are to be included as wall units, a wall bracket must be ordered. Please state clearly in the order! 5 Raster chests and dressing chests can not be fitted as wall units.			
Wall bracket 		2061 -	











Handle versions

Handle versions

MULTI-VARIS provides a number of different handle versions. If no details are given in the order, a standard handle 110 is supplied. This is included in the price of the individual units. Alternative handle versions can be ordered with or without a surcharge. Please state clearly in the order!

One handle slot is required for each front section (for types 108, 107 and 141). To calculate the number of handles or knobs per front section, please see the sketches on the following pages and the notes on the handles illustrated below!

Handle 110/109 optionally in matt chrome (handle 110; standard handle) or high-gloss chrome (handle 109)  15.0 cm wide	Matt chrome	Standard handle 110 without surcharge	Handle 113/126 optionally in matt chrome (handle 113) or high-gloss chrome (handle 126) - matching the MULTI-FORMA II handle 013 or 026  18.8 cm wide	Matt chrome	113 without surcharge
	High-gloss chrome	109 without surcharge		High-gloss chrome	126 without surcharge
Important note: Drawers from 120 cm width with 2 handles 110 or 109!			Important note: 160 cm wide drawers with 2 handles 113 or 126!		
Handle 115/114 optionally in matt chrome (handle 115) or high-gloss chrome (handle 114) - matching the MULTI-FORMA II handle 015 or 014  6.8 cm wide	Matt chrome	115 without surcharge	Handle 130/129 optionally in matt chrome (handle 130) or high-gloss chrome (handle 129) - matching the MULTI-FORMA II handle 030 or 029  25.5 cm wide	Matt chrome	130 without surcharge
	High-gloss chrome	114 without surcharge		High-gloss chrome	129 without surcharge
Important note: Drawers from 100 cm width with 2 handles 115 or 114!			Important note: 160 cm wide drawers with 2 handles 130 or 129!		
Handle 111 matt chrome - matching the MULTI-FORMA II handle 011  24.0 cm wide			Handle 112 handle connection in matt chrome, handle section in wood/lacquer version (not available in high-gloss versions) - matching the MULTI-FORMA II handle 012  24.9 cm wide matching version		
	Matt chrome	111 without surcharge		Wood/lacquer version, matt chrome	112 without surcharge
Important note: 160 cm wide drawers with 2 handles 111!			Important note: 160 cm wide drawers with 2 handles 112!		
Handle knob 001/002 optionally in matt chrome (handle knob 002) or high-gloss chrome (handle knob 001) - matching the MULTI-FORMA II intermediate unit handle knob  2.5 cm long, Ø 1.1 cm	Matt chrome	002 without surcharge	Handle 146/147 optionally in matt chrome (handle 146) or high-gloss chrome (handle 147) - matching the MULTI-FORMA II handle 046/047 or 048/049  6.3 cm wide	Matt chrome	146 without surcharge
	High-gloss chrome	001 without surcharge		High-gloss chrome	147 without surcharge
Important note: Drawers from 100 cm width with 2 handle knobs 001 or 002!			Important note: Drawers from 100 cm width with 2 handles 146 or 147!		






Handle versions

MULTI-VARIS

Handle versions

MULTI-VARIS provides a number of different handle versions. If no details are given in the order, a standard handle 110 is supplied. This is included in the price of the individual units. Alternative handle versions can be ordered with or without a surcharge. Please state clearly in the order!

One handle slot is required for each front section (for types 108, 107 and 141). To calculate the number of handles or knobs per front section, please see the sketches on the following pages and the notes on the handles illustrated below!

Handle 1511/1512 optionally in high-gloss chrome (handle 1511) or antique silver (handle 1512) - matching the short FENA handle	 8.6 cm wide	Antique silver	1512 without surcharge	Handle 1513/1514 optionally in high-gloss chrome (handle 1513) or antique silver (handle 1514) - matching the long FENA handle	 17.8 cm wide	Antique silver	1514 without surcharge
Important note: Drawers from 100 cm width with 2 handles 1511 or 1512!		High-gloss chrome	1511 without surcharge	Important note: 160 cm wide drawers with 2 handles 1513 or 1514!		High-gloss chrome	1513 without surcharge
Handle 157/158 optionally in matt chrome (handle 158) or high-gloss chrome (handle 157) - matching the MULTI-FORMA II handle 057 or 058	 5.6 cm wide	Matt chrome	158 without surcharge				
Important note: Drawers from 100 cm width with 2 handles 157 or 158!		High-gloss chrome	157 without surcharge				
Handle slat 108/107 optionally aluminium coloured (handle 108) or high-gloss chrome (handle 107) - matching the METIS plus handle 013 or 026	 for all widths	Aluminium colour	108 without surcharge	Handle slat 141 handle slat bronzed; handle section, 9.2 cm wide, optionally in natural oak or core walnut	 for all widths <small>in natural oak or core walnut</small>	Natural oak	141 Surcharge per handle slat: -
Important note: All drawers with 1 handle slat 108 or 107!		High-gloss chrome	107 Surcharge per handle slat: -	Important note: Drawers from 100 cm width with 2 handle sections of the handle slat!		Core walnut	141 Surcharge per handle slat: -

Possible arrangements







Notes on the total height

With MULTI-VARIS you can choose from a number of different plinth versions and cover shelves (see page 3).

This means that the total height of the units varies.






Please note the overview below on this subject.

Calculating the total height:















Cover shelf height:	0.8 cm glass cover shelf or 1.1 cm wooden cover shelf			
+				
Carcase height:	2 Raster	3 Raster	4 Raster	5 Raster
+				
				
Plinth height:	1.8 cm plinth adjuster (standard) or 2.3 cm plinth slat or 2.5 cm legs or 10.0 cm plinth legs 0.0 cm when used as wall unit (possible up to max. 4 Raster height)			
=				
Total height of the unit				

2 Raster consoles

Accessories: see page 17!

2 Raster consoles Minimum/maximum total height: 39.2/49.5 cm (The total height varies according to the cover shelf and plinth version, see above); 40.1 cm deep Please be sure to observe the important notes on the consoles/chests on the following double page concerning the heights, plinths, handles, cover shelves and exchanging versions! Max. load when fitted as a wall unit: 30 kg	Width:	50 cm wide	60 cm wide	80 cm wide
		2 drawers	2 drawers	2 drawers
				
	Price gr. I II	5025 - -	5026 - -	5028 - -
			open compartment; 1 drawer	open compartment; 1 drawer
				
	Price gr. I II		5326 - -	5328 - -

3 Raster consoles/chests

<p>3 Raster consoles/chests Minimum/maximum total height: 58.4/68.7 cm (The total height varies according to the cover shelf and plinth version, see page 9); 40.1 cm deep</p> <p>Interior fittings: 1 fitted wooden shelf is included behind door(s).</p> <p>Max. load of glass cover shelf: 20 kg</p> <p>Max. load per unit when fitted as a wall unit: 30 kg</p> <p>Important notes: Standard versions (if not otherwise stated in the order): Plinth: 1.8 cm high plinth adjusters Cover shelf: Of matching wood for wood versions; of matching rear-lacquered glass for lacquer/high-gloss versions Handle: Handle 110 in matt chrome</p> <p>Changing plinth, handle and cover shelf: With MULTI-VARIS you can choose from a multitude of plinth versions, cover shelves and handles – contrary to the standard versions described above. These are charged partly without and partly with a surcharge. The number of handles varies for 100 and 120 cm wide drawers. The standard handle 110 shows the number of handles per front in the sketches.</p> <p>Changing versions: In MULTI-VARIS colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.</p> <p>Please be sure to observe the information and notes on the plinth versions, cover shelves, handles, number of handles and surface versions on the introductory pages!</p>	Width:	50 cm wide	60 cm wide	80 cm wide	100 cm wide	120 cm wide	
		3 drawers	3 drawers	3 drawers	3 drawers	3 drawers	
							
	Price gr. I II	5035 - -	5036 - -	5038 - -	50310 - -	50312 - -	
					1 door; 3 drawers		
					 4 L 50 50		
	Price gr. I II				as illustr. 523101 v. versa (R) 523102 - -		
		1 door	1 door		2 doors	2 doors	
		 L	 L				
	Price gr. I II	51351 L 51352 R - -	51361 L 51362 R - -		51310 - -	51312 - -	
			open compartment; 2 drawers	open compartment; 2 drawers	open compartment; 2 drawers	open compartment; 2 drawers	
							
	Price gr. I II		5336 - -	5338 - -	53310 - -	53312 - -	

Notes on delivery:
Please see here the information on range introduction pages.














1
2

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter!















3
4

Accessories: see page 17!

MULTI-VARIS

	140 cm wide	150 cm wide	160 cm wide			180 cm wide
			3 drawers with split drawer frames; drawers not available in high-gloss versions!	4 drawers; lower drawers with split drawer frames not available in high-gloss versions!	6 drawers	
			 2 4	 2 4	 2 4	
			503163 -	503164 -	503166 -	
	1 door; 3 drawers		1 door; 3 drawers			1 door; 3 drawers
	 2 4 L		 2 4 L			 2 4 L
	as illustr. v. versa (R) 523141 523142 -		as illustr. v. versa (R) 523161 523162 -			as illustr. v. versa (R) 523181 523182 -
		2 doors; 3 drawers				2 doors; 3 drawers
		 2 6				 2 6
		52315 -				52318 -
	open compartment; 2 drawers; 1 door		open compartment; 2 drawers; 1 door	open compartment; 3 drawers; lower drawers with split drawer frames not available in high-gloss versions!	open compartment; 5 drawers	open compartment; 2 drawers; 1 door
	 2 4 L		 2 4 L	 2 4	 2 4	 2 4 L
	as illustr. v. versa (R) 553141 553142 -		as illustr. v. versa (R) 553161 553162 -	as illustr. v. versa 5531641 5531642 -	as illustr. v. versa 5531661 5531662 -	as illustr. v. versa (R) 553181 553182 -

4 Raster chests

<p>4 Raster chests Minimum/maximum total height: 77.6/87.9 cm (The total height varies according to the cover shelf and plinth version, see page 9); 40.1 cm deep</p> <p>Interior fittings: 1 fitted wooden shelf is included behind door(s).</p> <p>Max. load of glass cover shelf: 20 kg</p> <p>Max. load per unit when fitted as a wall unit: 30 kg</p> <p>Important notes: Standard versions (if not otherwise stated in the order): Plinth: 1.8 cm high plinth adjusters Cover shelf: Of matching wood for wood versions; of matching rear-lacquered glass for lacquer/high-gloss versions Handle: Handle 110 in matt chrome</p> <p>Changing plinth, handle and cover shelf: With MULTI-VARIS you can choose from a multitude of plinth versions, cover shelves and handles – contrary to the standard versions described above. These are charged partly without and partly with a surcharge. The number of handles varies for 100 and 120 cm wide drawers. The standard handle 110 shows the number of handles per front in the sketches.</p> <p>Changing versions: In MULTI-VARIS colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.</p> <p>Please be sure to observe the information and notes on the plinth versions, cover shelves, handles, number of handles and surface versions on the introductory pages!</p>	Width:	50 cm wide	60 cm wide	80 cm wide	100 cm wide	120 cm wide	
		4 drawers	4 drawers	4 drawers	4 drawers	4 drawers	
							
	Price gr. I II	5045 - -	5046 - -	5048 - -	50410 - -	50412 - -	
					1 door; 4 drawers 		
	Price gr. I II				as illustr. v. versa (R) 524101 524102 - -		
		1 door 	1 door 		2 doors 	2 doors 	
	Price gr. I II	51451 L 51452 R - -	51461 L 51462 R - -		51410 - -	51412 - -	
			open compartment; 3 drawers 	open compartment; 3 drawers 	open compartment; 3 drawers 	open compartment; 3 drawers 	
	Price gr. I II		5346 - -	5348 - -	53410 - -	53412 - -	

Notes on delivery:
Please see here the information on range introduction pages.














1
2

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter!

















3
4

Accessories: see page 17!

MULTI-VARIS

	140 cm wide	150 cm wide	160 cm wide			180 cm wide
			4 drawers with split drawer frames; drawers not available in high-gloss versions!	5 drawers; lower drawers with split drawer frames not available in high-gloss versions!	8 drawers	
						
			504164	504165	504168	
			-	-	-	
1 door; 4 drawers			1 door; 4 drawers			1 door; 4 drawers
						
as illustr. v. versa (R)	524141 524142		as illustr. v. versa (R)	524161 524162		as illustr. v. versa (R)
	-		-	-		-
		2 doors; 4 drawers				2 doors; 4 drawers
						
		52415				52418
		-				-
open compartment; 3 drawers; 1 door			open compartment; 3 drawers; 1 door	open compartment; 4 drawers; lower drawers with split drawer frames not available in high-gloss versions!	open compartment; 7 drawers	open compartment; 3 drawers; 1 door
						
as illustr. v. versa (R)	554141 554142		as illustr. v. versa (R)	554161 554162	as illustr. v. versa	as illustr. v. versa (R)
	-		-	-	-	-

5 Raster chests

<p>5 Raster chests Minimum/maximum total height: 96.8/107.1 cm (The total height varies according to the cover shelf and plinth version, see page 9); 40.1 cm deep</p> <p>Interior fittings: Fitted wooden shelves are included behind door(s).</p> <p>Max. load of glass cover shelf: 20 kg</p> <p>5 Raster chests cannot be used as wall units.</p> <p>Important notes: Standard versions (if not otherwise stated in the order): Plinth: 1.8 cm high plinth adjusters Cover shelf: Of matching wood for wood versions; of matching rear-lacquered glass for lacquer/high-gloss versions Handle: Handle 110 in matt chrome</p> <p>Changing plinth, handle and cover shelf: With MULTI-VARIS you can choose from a multitude of plinth versions, cover shelves and handles – contrary to the standard versions described above. These are charged partly without and partly with a surcharge. The number of handles varies for 100 and 120 cm wide drawers. The standard handle 110 shows the number of handles per front in the sketches.</p> <p>Changing versions: In MULTI-VARIS colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.</p> <p>Please be sure to observe the information and notes on the plinth versions, cover shelves, handles, number of handles and surface versions on the introductory pages!</p>	Width:	50 cm wide	60 cm wide	80 cm wide	100 cm wide		120 cm wide	
		5 drawers	5 drawers	5 drawers	5 drawers		5 drawers	
								
	Price gr. I II	5055 - -	5056 - -	5058 - -	50510 - -		50512 - -	
					1 door; 5 drawers			
								
	Price gr. I II				as illustr. 525101 v. versa (R) 525102 - -			
		1 door	1 door		2 doors	1 drawer; 2 doors	2 doors	
								
	Price gr. I II	51551 L 51552 R - -	51561 L 51562 R - -		51510 - -	515103 - -	51512 - -	
			open compartment; 4 drawers	open compartment; 4 drawers	open compartment; 4 drawers	open compartment; 2 doors	open compartment; 4 drawers	
								
	Price gr. I II		5356 - -	5358 - -	53510 - -	545103 - -	53512 - -	

L/R = Door hinge left/right

E 9. 2021

MULTI-VARIS

Notes on delivery:
Please see here the information on range introduction pages.
















1
2

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter!





3
4

Accessories: see page 17!




MULTI-VARIS


120 cm wide	140 cm wide	150 cm wide	160 cm wide			180 cm wide
			5 drawers with split drawer frames; drawers not available in high-gloss versions!	6 drawers; lower drawers with split drawer frames not available in high-gloss versions!	10 drawers	
			 2 4	 2 4	 2 4	
			505165	505166	5051610	
			-	-	-	
	1 door; 5 drawers		1 door; 5 drawers			1 door; 5 drawers
	 2 4 L		 2 4 L			 2 4 L
	as illustr. 525141 v. versa (R) 525142		as illustr. 525161 v. versa (R) 525162			as illustr. 525181 v. versa (R) 525182
	-		-			-
1 drawer; 2 doors		2 doors; 5 drawers				2 doors; 5 drawers
 2		 2 6				 2 6
515123		52515				52518
-		-				-
open compartment; 2 doors	open compartment; 4 drawers; 1 door		open compartment; 4 drawers; 1 door	open compartment; 5 drawers; lower drawers with split drawer frames not available in high-gloss versions!	open compartment; 9 drawers	open compartment; 4 drawers; 1 door
 2	 2 4 L		 2 4 L	 2 4	 2 4	 2 4 L
545123	as illustr. 555141 v. versa (R) 555142		as illustr. 555161 v. versa (R) 555162	as illustr. 5351661 v. versa 5351662	as illustr. 53516101 v. versa 53516102	as illustr. 555181 v. versa (R) 555182
-	-		-	-	-	-

Corner units for consoles and chests

<p>Corner unit incl. vertical panel</p> <p>If MULTI-VARIS consoles and chests are planned round corners, it is possible to fit corner shelves incl. vertical panels (non accessible corner). Only consoles and chests of the same height can be planned round corners.</p> <p>The corner shelves are supplied standard in the same version as the cover shelves of the adjacent consoles and chests. See here also the information on the introductory pages.</p>	Corner shelf incl. vertical panel for 2 Raster high consoles		Corner shelf incl. vertical panel for 3 Raster high consoles/chests		
					
	48.5 x 48.5 cm		48.5 x 48.5 cm		
	Price gr. I II	572		573	
		- -		- -	
Corner shelf incl. vertical panel for 4 Raster high chests		Corner shelf incl. vertical panel for 5 Raster high chests			
					
48.5 x 48.5 cm		48.5 x 48.5 cm			
Price gr. I II	574		575		
	- -		- -		

Dressing chests


Dressing chests Minimum/maximum total height incl. mirror: 133.4/143.7 cm; Height of dressing chest: 77.6/87.9 cm (The total height varies according to the cover shelf and plinth version, see page 9); Depth incl. mirror: 40.6 cm Depth of dressing chest: 40.1 cm Interior fittings: 1 fitted wooden shelf is included behind door(s). The centre storage shelf is always in the same version as the cover shelf. Max. load of glass cover shelf: 20 kg. Dressing chests cannot be used as wall units. Please be sure to observe the important notes for the chests on the previous double page on heights, plinths, handles, cover shelves and exchanging versions!	Width:	160 cm wide		
	1 mirror, 1 door left and right, 1 storage shelf in the middle		1 mirror, 1 door left, 4 drawers right, 1 storage shelf in the middle	1 mirror, 4 drawers left and right, 1 storage shelf in the middle
				
	Price gr. I II	56162 - -	as illustr. v. versa 561651 561652 - -	56168 - -

 <p>LED light strip for open compartments of consoles/chests Standard switch with an external footswitch; alternatively also available with a Magic-Tronic or remote control unit (at a surcharge, see below).</p> <p>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V; 1.7-4.8 W</p>	for 60 cm width	for 80 cm width	for 100 cm width	for 120 cm width
	1.7 W 500	2.9 W 501	3.9 W 502	4.8 W 503
<p>LED inside drawer lamps Consoles with drawers can be fitted with optional LED inside drawer lamps (powered by standard AAA 1.5 V batteries included – rechargeable batteries not possible; with automatic on/off switch). Please state exactly in your order which drawer is to be fitted with LED inside drawer lamps.</p> <p>This type of luminaire is excepted from obligatory labelling in accordance with EU-VO 874/2012 guidelines (Reason: battery-operated and/or < 30 Lumen).</p>	<p>Surcharge for LED inside drawer lamps per drawer:</p> <p>-</p>			





Magic-Tronic

<p>The lamps are normally operated by an external footswitch. As an alternative we can also provide a Magic-Tronic switch, which is charged extra. By “stroking” the outer or top side of the unit at the same level as the invisible integrated sensor it is possible to switch all the lamps on and off (“Stroking method”). As an alternative the position of the hidden sensor can also be marked with a small metal plate on the furniture unit (“Marking method”). Lamps with a maximum power of 200 W can be operated by a Magic-Tronic unit (230 V). The footswitch is omitted when a Magic-Tronic unit is included.</p> <p>Please be sure to observe the information and notes regarding the assembly position!</p>		<p>7617</p> <p>-</p>
---	--	-----------------------------

Remote control unit with changing colours

<p>The lamps are normally operated by an external footswitch. The colour temperature of the LED lamps is cold white if a footswitch is used. A 4-channel remote control unit, which is charged extra, is also available as an alternative. Several lamps (up to a total load of a maximum 30 W per transformer and receiver) can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control unit must be ordered. It is also possible to switch all channels on and off simultaneously with the “all on” or “all off” buttons. Up to 4 transmitters can operate as many receivers as required. Transmitters and receivers must be ordered separately. The footswitch is omitted when the remote control unit is used.</p>		Price per transmitter	Price per receiver
		2316	2317
		-	-

Ancillary tables, bed shelf

Ancillary tables, bed shelf Ancillary tables and bed shelf of metal; only available in one of the special lacquer versions (see list of versions)	Ancillary table BB 01		Ancillary table BB 02	
				
	Height x Width x Depth42.5 x 42.5 x 40		50 x 43.5 x 41	
		50		51
		-		-
	Ancillary table BB 03		Bed shelf BB 04	
				
Height x Width x Depth52.1 x 51.5 x 32		20.3 x 13.3 x 32		
	52		53	
	-		-	

Magic-Tronic

The lamps are normally operated by an external footswitch. As an alternative we can also provide a Magic-Tronic switch, which is charged extra. By “stroking” the outer or top side of the unit at the same level as the invisible integrated sensor it is possible to switch all the lamps on and off (“Stroking method”). As an alternative the position of the hidden sensor can also be marked with a small metal plate on the furniture unit (“Marking method”). Lamps with a maximum power of 200 W can be operated by a Magic-Tronic unit (230 V). The footswitch is omitted when a Magic-Tronic unit is included.

Standard position of Magic-Tronic for consoles and chests:

- for consoles and chests of the MULTI-VARIS range: sensor is fitted 12 cm from the rear rim in the outer side next to the bed and in approx. 7-15 cm from the top rim of the unit

Standard position of Magic-Tronic for MULTI-FORMA II wardrobes:

- for hinge- and folding-door wardrobes of the MULTI-FORMA II range: sensor is fitted in the right passepartout in approx. 130 cm height (Magic-Tronic is not possible for wardrobes without passepartout, in sliding-door wardrobes and in the room and niche system)

Alternative positions:

If the Magic-Tronic sensor is to be fitted in the left passepartout of the wardrobe or at any position other than that stated as standard (e.g., if a unit is planned in a niche so that there is insufficient space to the right of the unit), please state this clearly in the order and mark the position in the sketch. If in doubt, please contact your hülsta customer advisor!




Illustration 1: “Stroking method“




Illustration 2: “Marking method“

Magic-Tronic
7617
-

Examples of use (schematic diagrams)


Black point = Standard position of Magic-Tronic sensor for consoles and chests (example 1) or hinge- and folding-door wardrobes MULTI-FORMA II (example 2)

Notes:

The black point in the drawings is the area where the Magic-Tronic sensor is invisibly integrated. If the surface is „stroked“ at this position, the lamps are switched on or off.


If you would like to mark the position of the Magic-Tronic sensor on the furniture, you can fit a small metal plate supplied separately at the corresponding position.

Example 1



for consoles and chests of the MULTI-VARIS range

Example 2



for hinge- and folding-door wardrobes of the MULTI-FORMA II range

Remote control unit with changing colours


The lamps are normally operated by an external footswitch. The colour temperature of the LED lamps is cold white if a footswitch is used. A 4-channel remote control unit, which is charged extra, is also available as an alternative. Several lamps (up to a total load of a maximum 30 W per transformer and receiver) can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control unit must be ordered. It is also possible to switch all channels on and off simultaneously with the “all on” or “all off” buttons. Up to 4 transmitters can operate as many receivers as required. Transmitters and receivers must be ordered separately. The footswitch is omitted when the remote control unit is used.

The following points must be noted with the radio remote control unit:

- The receiver must be positioned behind a rear wall or under plinth shelves (at least 20 mm space required under plinth shelves).
- The total wattage power of all lamps included per power supply unit/receiver must not exceed 30 W.
- 4 channels = 4 light groups
- 1 light group = x lights
- All lamps within a light group can be dimmed to the same brightness.
- The same light colour can be set for all lamps in all the light groups. This light colour is then valid for all the lamps.
- The remote control unit is not suitable for equipment operating on 110 V.

Important notes:

The information on basic settings for the LED lamps as well as setting the colour temperature do not apply to the MULTI-VARIS range!
Please be sure to note the operating and programming instructions!



4-channel remote control unit with changing colours

Price per transmitter	type	2316	-
Price per receiver	type	2317	-

Examples of use (schematic diagrams)

Example 1

Lights inside a unit

Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlight in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps in the open compartment


Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlight in the right cabinet

Required are:

1 transmitter	1x type	2316	-
1 receiver	1x type	2317	-

Notes:

The total wattage power of all lamps included per power supply unit/receiver must not exceed 30 W. The same light colour can be set for all lamps in all the light groups. This light colour is then valid for all the lamps.



Example 2

Lights in units set apart

Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlight and the LED light panels in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps and the LED light panels in the centre cabinet


Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlight and the LED light panels in the right cabinet

Required are:

1 transmitter	1x type	2316	-
3 receivers	3x type	2317	3x -

Notes:

The total wattage power of all lamps included per power supply unit/receiver must not exceed 30 W. The same light colour can be set for all lamps in all the light groups. This light colour is then valid for all the lamps.



Example 3

Lights in units set apart

Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamps in the left, centre and right cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the top LED light panels in the left, centre and right cabinet


Channel 3 operates (and dims) all the lights in light group 3, i.e. the bottom LED light panels in the left, centre and right cabinet

Required are:


1 transmitter	1x type	2316	-
3 receivers	3x type	2317	3x -

Notes:

The total wattage power of all lamps included per power supply unit/receiver must not exceed 30 W. The same light colour can be set for all lamps in all the light groups. This light colour is then valid for all the lamps.



Special heights, special widths, special depths




Special heights

- Hinge-, folding- and sliding-door wardrobes can be reduced in height at intervals of 1.0 cm.
- Below eye-level we recommend fitting a top cover shelf made of panelling material. Please state in order!
- Special heights in stepped versions (not possible on sliding-door wardrobes) at a surcharge.

Surcharge per step:

00030


-



Special widths

Only applies to hinge- and folding-door wardrobes



- Single-door units, left or right hinges, can be reduced down to 25 cm width (apart from profiled doors).
- Twin-door units can be reduced at both sides down to 50 cm total width (apart from profiled doors).
- Interior fittings such as drawers and other fittings cannot be reduced in width.
- For notes on width reductions on MULTI-FORMA II sliding-door wardrobes please see special-sized products for MULTI-FORMA II!



Special depths

- Depth reductions are made on side sections, plinths, cornices and shelves.
- Interior fittings such as drawers and other fittings cannot be reduced in depth.
- A max. reduction of 30.0 cm is possible on hinge- and folding-door wardrobes.
- A max. reduction of 9.0 cm is possible on profiled hinge-doors.
- For sliding-door wardrobes, a max. reduction of 30.0 cm is possible (max. 18 cm in combination with the electrical opening system for MULTI-FORMA II).
- Please note that for technical production reasons not every special depth can be achieved:
2.5 cm standard reduction between 0 and 2.5 cm
5.0 cm standard reduction between 4.5 and 5.0 cm
27.5 cm standard reduction between 27.0 and 27.5 cm

Notes on calculating sizes of sloping units



Side sloping



Sloping is only possible on single-door units. The door hinge (left or right) is positioned on the taller outer side of the unit.

Measurements required:

- H 1 = Room height
- H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
- B 1 = Width of slope
- B 2 = Width of slope
- G = Total width
- S = Wardrobe width

Please note!

- If the slope cuts across the position of a handle, the handle of this door only is positioned further down in production.
- As floors, ceilings and walls are never exactly straight, the exact room size must be measured using a spirit level.
- If a cornice is fitted, please state if this is to be continued in the sloping section.



Rear sloping

Rear sloping is possible on all wardrobe units.

Measurements required:

- H 1 = Room height
- H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
- T 1 = Depth of slope
- T 2 = Depth of slope

MULTI-VARIS

Special articles

Ancillary units

Special heights (drawers not possible in special height):		
Carcase wood/lacquer	99902	-
Carcase high-gloss	999021	-
Door wood/lacquer	99903	-
Door high-gloss	999031	-

More special products are possible.
Please get in touch with your customer advisor.

Individual special-sized products
If the special-sized product that you require is so unusual that it cannot be illustrated with the many special sized products that we already provide and charge for, then we will quote you the price using a 33 unit type factor. In your order please state for us the relevant enquiry number and the 33 unit type factor stated.

33-

Special colours; Note on „Blue Angel“ / Emissions label of DGM

Special colours
All the hülsta lacquer colours are possible for nearly all the hülsta ranges.
Availability and prices on request.

Note on „Blue Angel“ (RAL-UZ 38) and Emissions label of DGM (Class A)
It is possible that the requirements of the „Blue Angel“ and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV (see here the different lacquer versions in the NEO range), depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

Important notes

Wall composition / assembly instruction

Important notes:

The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.









Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete $\geq C12/15$, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

Materials table

with a description of which sets are to be used with the following types of walls:

Standard set	Assembly mortar set only suitable for the materials stated below!			
Concrete C12/15 Compression strength $\geq 15 \text{ N/mm}^2$ 		Building bricks Mz 12 Compression strength $\geq 12 \text{ N/mm}^2$		Solid blocks of light concrete V2 Compression strength $\geq 2 \text{ N/mm}^2$
		Limestone blocks KS 12 Compression strength $\geq 12 \text{ N/mm}^2$		Perforated blocks of light concrete Hbl 2 Compression strength $\geq 2 \text{ N/mm}^2$
		Perforated sand lime bricks KSL12 Compression strength $\geq 12 \text{ N/mm}^2$		Aerated concrete PP2 Compression strength $\geq 2 \text{ N/mm}^2$
		Vertically perforated bricks HLz 12 Compression strength $\geq 12 \text{ N/mm}^2$ Bulk density $\geq 1.0 \text{ kg/dm}^3$		

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.



Mounting sets

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.

3 = 3 support boards

4 = 4 support boards, etc.

One **assembly mortar set** is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.

Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard trade mastic tool which are the basic essentials for safe and clean workmanship.

Standard set

The standard set consists of 4 plastic Rawl plugs and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.

Assembly mortar set for up to a maximum of 3 support boards consisting of:

9x injection retaining sleeve
 9x screw-in sleeve
 1x injection cartridge
 2x static mixer
 1x assembly instructions

Please use the mounting screws from the standard set (supplied free of charge).

Example of order:

- Add up number of support boards for all existing unit types
 - Divide the sum by "3"
 - Round up the result to a full number
- = Number of assembly mortar sets required

M2

-

Your Hotline to hülsta

Do you have any questions or require any alterations to your order confirmation?
Do you have any questions on our products or your current order?
Do you have any complaints about supplied goods or required replacement parts?
Contact Telephone: +49 (0) 2563 / 86-1627 • email: orders@huelsta.com

Do you have any questions, suggestions or wishes for the **hülsta product seminars**?
Contact Telephone: +49 (0) 2563 / 86-1493 • email: seminare@huelsta.com

hülsta Planning Service

Your furn plan planning is so complex that you need our support? We have created the hülsta Planning Service for this kind of situation. hülsta employees will check your planning as quickly as possible. The customer gets a planning that will inspire him!

hülsta Planning Service
Tel.: +49 (0) 2563 / 86-1060
Fax: +49 (0) 2563 / 86-1000
Mail: Planungsservice-Handel@huelsta.com
Mondays to Fridays from 9.00 a.m. until 5.00 p.m.

Special wishes? Come to us!

Maximum individuality! – Maximal flexibility! – hülsta makes most of your special wishes possible.
And if you do have a wish which is not quite so easy to implement, just give us a call or send us a mail or a fax. We have our own hülsta "Special Wishes Team" who are there to help you realise just these customer requests. These colleagues are professionals when it comes to special products. They plan and calculate the products possible for you and even develop an alternative suggestion if the idea should turn out to be technically impossible.

Here is an overview of the hülsta range of special wishes:

- A lot of special products can be ordered simply via the type list
- Special-sized products are planned simply and professionally
- Competent colleagues advise you by phone, by fax and by mail
- You will be sent alternative suggestions if the idea is technically impossible
- Many special-sized products are available without a surcharge
- Specially qualified carpenters and technicians implement your plans perfectly

hülsta Special Wishes Team
Tel.: +49 (0) 2563 / 86-1060
Fax: +49 (0) 2563 / 86-1000
Mail: Sonderwunsch@huelsta.com

We are open Saturdays for you, too!

Our **Saturday hotline** is available from **10.00 a.m. until 5.00 p.m.**

Telephone: +49 (0) 2563 / 86-1800

The hülsta Sales Department is available
mondays to Fridays from 9.00 a.m. until 5.00 p.m.

hülsta MULTI-VARIS

Stand: E 9. 2021

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress.

hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadthohe
Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000
www.huelsta.com

