1/21 E

hülsta 🛱



HUELSTA.COM



# **NEO** LIVING

### **Contents**

	Page
Range introduction, lists of versions, important notes	2-5
Concept and possible arrangements	6
Suggested combinations	7-11
1 - 12 Raster units	12-30
1 - 3 Raster lowboards	32-37
2 - 3 Raster media lowboards	38-41
Media accessories for lowboards	42-43
Usable size of lowboards, cable management for lowboards	44-45
Media panels, accessories for media panels, column system, flat screen supports	46-48
4 and 6 Raster side- and highboards	50-55
2 Raster wall units	56-57
Free planning possibilities	58-59
Carcase units	60-65
Centre partitions, constructional shelves, fitted shelves, open compartments, metal substructures, cover shelves	66-70
Fronts – drawers, flaps, doors	71-79
Rear wall panelling (room dividers)	80-83
Side-panels, accessories for side-panels	84-87
Accessories for (carcase) units	88-91
Lamps, radio remote control	92-93
Wall shelves, angled shelves	94
Dining rooms, coffee tables	95
Sketch raster	97
General information:	

### General information:

Special-sized products, special articles	98-99
Switch options for lamps	100-101
Cable apertures	102
Important notes: quality of walls / assembly instruction	103

### **Updated living**

The clean and simple lines are typical of Neo. The design focuses on handle-less fronts and crisp shapes. It effortlessly matches every lifestyle, personal taste and the respective living environment. A wide choice of dimensions and units makes individual planning particularly easy. Neo has been designed for people who love individuality, comfort and sophisticated functionality. Neo offers different styles, ranging from functional to cosily warm.

### Focussing on the essential:

Neo is unmistakably a hülsta product. The unfussy look perfectly matches minimalist interior design trends, which consistently renounce anything unnecessary.

### **Maximum planning flexibility:**

Neo offers many different units in various sizes, which can be freestanding, stacked or wall-mounted. Both open compartments and fronts such as doors, flaps and drawers are possible. The range is complemented by a side-panel system and wall panels.

### Wide choice of finishes:

Neo is available in lacquer, high-gloss lacquer in different colours plus wood, thus allowing highly individual designs. Carcases and fronts are available in the same finish or in a mix of materials.

### **Functional sophistication:**

Design and purpose are closely connected with Neo. Handle-less fronts such as drawers, doors and flaps can be easily opened using Push-to-open-technology. Special fittings allow units in all sizes to be wall-mounted. Versatile drawer accessories for CDs, cutlery and much more ensure that every inch of the available storage space is usable.

### **Integrated media functions:**

Neo offers functional yet beautiful solutions for the use of contemporary media. Media panels and media lowboards provide an outstanding media experience.

### **Lists of versions**


Model no.	Carcase, fronts, wall panels, frames of open compartments, angled shelves	Price group	Model no.	Open compartments (inside), side-panels and shelves, wall shelves, rear walls	Price group	Model no.	Cover shelves	Price group
648 045 046 663	Pure white lacquer White lacquer Grey lacquer Silk grey lacquer	-	648 045 046 663	Pure white lacquer White lacquer Grey lacquer Silk grey lacquer	!	648 045 046 663	Pure white lacquer White lacquer Grey lacquer Silk grey lacquer	-
051 053 610 048 049 614 NCS	Natural oak Core walnut High-gloss pure white lacquer * High-gloss white lacquer * High-gloss grey lacquer * High-gloss silk grey lacquer * Free choice of colours acc. to the NCS index - Matt lacquer Free choice of colours		051 053 NCS	Natural oak Core walnut Free choice of colours acc. to the NCS index - Matt lacquer	III	051 053 610 048 049 614 NCS	Natural oak Core walnut High-gloss pure white lacquer High-gloss white lacquer High-gloss grey lacquer High-gloss silk grey lacquer Free choice of colours acc. to the NCS index - Matt lacquer Free choice of colours	
Free colou Information Changing v Colour com clearly and	Free choice of colours acc. to the NCS index - High-gloss lacquer *  The inner carcase for high-gloss lacquer versions is in matt lacquer in the matching colour.  Free colour choice according to NCS (Natural Colour System) information on this subject can be found at the bottom of this page.  Finanging versions in the order of th					730 720 723 733 164 165 188 143 145 146	acc. to the NCS index - High-gloss lacquer  Rear-lacquered glass, pure white Rear-lacquered glass, white Rear-lacquered glass, grey Rear-lacquered glass, silk grey  Ceramic zaha stone Ceramic storm nero Ceramic white Ceramic grey Ceramic calacatta Ceramic concrete	

### Note on "Blue Angel" (RAL-UZ 38) and Emissions label of DGM (Class A)

It is possible that the requirements of the "Blue Angel" and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV, depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

### **Optional knobs for fronts**

All fronts are delivered standard without knobs (hülsta-Push-to-open). It is however possible to fit fronts with knobs (without surcharge; exception: knobs are not possible on all-glass fronts or fronts with glass insets). One knob is fitted on each front of drawers and flaps, two knobs are fitted from a width of 105.6 cm. The hülsta-Push-to-open device is not fitted when optional knobs are included. If drawers are fitted with knobs, these are supplied with hülsta-SoftFlow on hidden roller bearings as fully pullout units, with automatic cushioning device. Please state the type number and the required version clearly in the order!



### NCS - the Natural Colour System®©



The NCS index includes all the 1950 standard colours in the NCS system. The Natural Colour System is a logically organised colour classification system which is based on the natural colour perception of people.

147

Ceramic pulpis

With NCS you can describe every imaginable colour visually and classify it. The NCS is based on 100 years of colour research and is today one of the most widely and frequently used colour designation systems in the world.

### Note on "Blue Angel" (RAL-UZ 38) and Emissions label of DGM (Class A)

It is possible that the requirements of the "Blue Angel" and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV, depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

# **Range introduction**

### Important notes

#### Changing versions:

Colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.

#### Clear glass fronts:

Glass doors and flaps with panels of clear glass on lacquered aluminium frame. Rear-side rim lacquering of clear glass doors and flaps optionally in pure white, white, grey or silk grey. The aluminium frame is in a standard lacquer colour matching the rear-side rim lacquering of the clear glass doors and flaps. When ordering units with clear glass doors and flaps please be sure to state the colour of the rear-side rim lacquering!

#### Fitted glass shelves:

Fitted glass shelves behind fronts are of clear glass.

#### Glass cover shelves

Glass cover shelves optionally rear-lacquered in pure white, white, grey or silk grey. When ordering rear-lacquered glass cover shelves please be sure to state the desired version!

#### Ceramic cover shelves:

Ceramic cover shelves optionally in zaha stone, storm nero, white, grey, calacatta, concrete or pulpis. When ordering ceramic cover shelves please be sure to state the desired version!

### Open glass compartments:

Open glass compartments with sides of clear glass, top and bottom shelf as well as rear wall in wood/lacquer version. If units are planned above the open glass compartments, these must be fitted with a wall bracket.

#### Metal substructures:

Metal substructures optionally in high-gloss chrome (metal substructure A) resp. in high-gloss chrome or anthracite structured lacquer (metal substructure B). When ordering metal substructure B please be sure to state the desired version!

#### Standard interior fittings:

Wooden shelves are fitted at intervals of 2 rasters behind wooden doors and glass shelves are fitted behind doors with clear glass fronts and rear side rim lacquering as well behind the clear glass panel of doors with clear glass panels.

#### Fabric-covered flaps:

Fabric-covered flaps optionally in the versions black, white or silver. Please state clearly in the order!

Drawer frames in standard grey

#### Wall units:

If units are planned as wall units, a wall bracket must be ordered.

#### Stacked units:

If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open class compartment.

#### Combinations of floor and wall units:

If floor and wall units are combined within an arrangement, there must not be any skirting boards in the room near the floor units, otherwise they must be removed.

#### Max Inad

Max. load of wooden and glass shelves (up to 70.4 cm width) as well as drawers: 25 kg Max. load of wooden and glass shelves (between 70.4 and 105.6 cm width): 15 kg Max. load of wooden and glass shelves (from 105.6 cm width): 10 kg Max. load of cover shelves: 35 kg per metre length for floor units.

Please also note any existing maximum load data for individual units which may be stated later and the important notes on the quality of walls at the end of this type list.

### hülsta-Push-to-open/hülsta-SoftFlow:

Drawers and flaps with hülsta Push-to-open. All drawers on hidden bearings as fully pull-out units. If drawers are fitted with knobs, these are supplied with hülsta-SoftFlow on hidden roller bearings as fully pull-out units with automatic cushioned closing device.

### Room dividers / rear wall panelling

Low-, side- and highboards in 45.0 and 52.0 cm depth can be used as room dividers.

1 - 6 Raster (carcase) units which are at least 140.8 cm wide, as single units or in a combination of several units, can be used as room dividers in 45.0 and 52.0 cm depth.

The standard rear side of clearly defined room-divider single units is panelled to look like a door if not otherwise stated in the order.

The rear wall panelling is split in the middle in the case of 6 Raster high units from a width of 105.6 cm.

The rear wall panelling is only available in front version.

Units which are fitted with an extra cover shelf can not be used as room dividers.

### Information on the sketches

### Partitions behind flaps/glass flaps

Partitions are used behind flaps/glass flaps in front widths from 140.8 cm. In the sketches the partitions are shown by dotted lines or are shown visibly behind glass flaps.



### Partitions behind doors/glass doors

Partitions are used behind doors/glass doors in front widths from 105.6 cm. In the sketches the partitions are shown by dotted lines or are shown visibly behind glass doors.




### Split drawer frames

Split drawer frames are used for drawers in front widths from 140.8 cm (the partitions are shown by dotted lines in the sketches). The front widths of the drawers are illustrated at the sketches of the units so that you can order suitable accessories for the drawers.

### Order of markings

The markings for the fronts go from left to right and/or from top to bottom.



Range introduction NEO

### **Wall fitting**

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hüsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15. For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used.

For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

### Wall units / stacked units

If 1 and 2 Raster units as well as lowboards are included as wall units, a maximum load per unit of 15 kg per metre must not be exceeded for reasons of stability! Max. load 15 kg per metre:

35.2 cm width: 5.0 kg 52.8 cm width: 7.5 kg 70.4 cm width: 10.0 kg 105.6 cm width: 15.0 kg 140.8 cm width: 20.0 kg 158.4 cm width: 20.0 kg 176.0 cm width: 25.0 kg 211.2 cm width: 30.0 kg 246.4 cm width: 30.0 kg

If 4 - 12 Raster units, side- or highboards are included as wall units, a maximum load per unit of 40 kg must not be exceeded for reasons of stability!

The wall units can only be fitted on absolutely solid walls. Light masonry is not suitable for this purpose.

For each project please remember to leave a 2.0 cm gap at the top to be able to mount units.

If units are planned as wall units, a wall bracket must be ordered

If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.

# Labelling in type list drawings / assembly notes for wall units

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes. Please be sure to note here the information and notes in the "Wall composition" chapter!

# Notes on delivery

Notes on delivery:

3

4

The majority of the units are delivered standard as **fully connected units (glued)** so that the carcase **cannot be disassembled**. There are however some **exceptions** to this rule:

Some carcases are delivered as complete units but can be **disassembled into individual sections** in the final customer's home. These types are marked with a  $\bf 1$  in the type list.

Some carcases are delivered **in individual sections** because of their size These types are marked with a **2** in the type list.

The fronts with the number  ${\bf 2}$  are delivered separately and can therefore always be (dis-) assembled.




2

# **Concept and possible arrangements**


### **Combination with units**

- 2x 12 Raster unit with door/glass door
- 1x 4 Raster sideboard with six drawers
- 1x Metal substructure for 4 Raster sideboard
- 2x Wall shelf




### Combination with units and side-panels

- 1x 8 Raster unit with door
- 1x Cover shelf for 8 Raster unit
- 3x 8 Raster side-panel
- 1x 6 Raster side-panel
- 13x Fitted wooden shelf for (wall) side-panels
- 1x 2 Raster lowboard: floor unit with one drawer left, fabric-covered frame front in black (for loudspeakers) in the centre and one flap right
- 1x 2 Raster wall unit with flap



### **Combination with units and side-panels**


- 1x Wall shelf with LED lamp
- 1x 2 Raster wall unit with two flaps, two centre drawers
- 1x 2 Raster lowboard with two drawers
- 1x 2 Raster corner shelf incl. vertical panel
- 1x 2 Raster lowboard with one flap
- 3x 8 Raster side-panel
- 1x 6 Raster side-panel
- 13x Fitted wooden shelf for side-panels
- 1x 8 Raster unit with door
- 1x Cover shelf for 8 Raster unit



### Combination with units, media panel and wall side-panels

- 5x 8 Raster wall side-panel
- 20x Fitted wooden shelf for (wall) side-panels
- 1x 2 Raster lowboard with four drawers
- 1x 6 Raster media panel with flat screen support, e.g. THIN 315
- 1x Media panel shelf






# **Suggested combinations**

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra. S = Drawer S = Drawer 980036 980035 I III IV Ш Ш IV S = Drawer K = Flap S = Drawer -45 980002 980102 980026 as illustr. v. versa as illustr. v. versa 980126 Price gr. Price gr. İ III IV III IV S = Drawer K = Flap -211.2 980034 980134 980033 980133 v. versa Price gr. I II III IV 8 iv


Wohnen: NEO


E 1.2021

9



# **Suggested combinations**





# 1 Raster units

Accessories and lamps: see pages 88-93

1 Raster units 17.6 cm high (19.4 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep			1 dra	awer	1 drawer		1 drawer			
		35.2 cm wide		52.8 ci	m wide	70.4 c	m wide	105.6 d	m wide	
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	
		13831	1381	15831	1581	17831	1781	110831	11081	
	Price gr.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
	IV	-	-	-	-	-	-	-	-	
		1 flap		1 flap		1 flap		1 flap		
		35.2 c	m wide	52.8 ci	m wide	70.4 c	m wide	105.6 c	m wide	
		Flap hinge	at bottom	Flap hinge	at bottom	Flap hinge	at bottom	Flap hinge	at bottom	
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	
		13838	1388	15838	1588	17838	1788	109838	10988	
When used as wall units or stacked units: Max. load 15 kg per metre: 35.2 cm width: 5.0 kg 52.8 cm width: 7.5 kg 70.4 cm width: 10.0 kg 105.6 cm width: 15.0 kg	Price gr. I II III IV	- - - -	- - - -	- - - -	- - - -	- - -	- - - -	- - -	- - -	

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4352	4528	4704	4105
	-	-	-	-


**NEO** 

# 1 Raster open glass compartments

1 Raster open glass compartments 17.6 cm high 33.0 or 45.0 cm deep

Further units resp. a cover shelf must be planned above and below the open glass compartments. Units that are planned above the open glass compartments must be fitted with a wall bracket.

Please state the required version clearly in the order!



IV

# 2 Raster units

Accessories and lamps: see pages 88-93

2 Raster units 35.2 cm high (37.0 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep	1 door		1 0	loor									
			L		L								
		17.6 cn	n wide	35.2 cr	n wide								
		33.0 cm	45.0 cm	33.0 cm	45.0 cm								
		213311 L	21311 L	233311 L	23311 L								
	Price gr.  I II	213312 R - - -	21312 R - - -	233312 R - -	23312 R - -								
	iv	-	-	-	-								
						1 dra	awer	1 dra	wer	1 dra	awer	1 dra	awer
				35.2 cm wide		52.8 cr		70.4 cm wide		105.6 cm wide			
				33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep		
				23831	2381	25831	2581	27831	2781	210831	21081		
	Price gr. I II III			- - -	-	- - -	- - -	- - -	- - -	- - -	- - -		
				2 dra	wers	2 dra		2 dra	awers	2 dra	wers		
				35.2 cr 33.0 cm		52.8 cr 33.0 cm		70.4 c 33.0 cm	m wide	105.6 c			
				deep	45.0 cm deep	deep	45.0 cm deep	deep	45.0 cm deep	deep	45.0 cm deep		
				23931	2391	25931	2591	27931	2791	210931	21091		
When used as wall units or stacked units: Max. load 15 kg per metre: 35.2 cm width: 5.0 kg 52.8 cm width: 7.5 kg 70.4 cm width: 10.0 kg 105.6 cm width: 15.0 kg	Price gr. IIIIIIV			- - - -	-	- - -	- - -	- - - -	- - -	- - -	- - -		

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4170	4352	4528	4704	4105
	-	-	-	-	-

**NEO** 

# 2 Raster units

2 Raster units 1 flap 1 flap 1 flap 1 flap 35.2 cm high (37.0 cm high incl. 1.8 cm high plinth adjusters). 33.0 or 45.0 cm deep 3 52.8 cm wide 35.2 cm wide 70.4 cm wide 105.6 cm wide Flap hinge at bottom Flap hinge at bottom Flap hinge at bottom Flap hinge at bottom 33.0 cm deep 45.0 cm deep 2388 2588 20988 23838 25838 27838 2788 209838 Price gr. Ш Ш ΙV 1 flap 1 flap 1 flap 1 flap 3 35.2 cm wide 52.8 cm wide 70.4 cm wide 105.6 cm wide Flap hinge at top Flap hinge at top Flap hinge at top Flap hinge at top 33.0 cm deep 45.0 cm deep 23839 2389 25839 2589 27839 2789 209839 20989 Price gr. Ш Ш IV 1 glass flap 1 glass flap 1 glass flap 1 glass flap 35.2 cm wide 52.8 cm wide 70.4 cm wide 105.6 cm wide Flap hinge at bottom Flap hinge at bottom Flap hinge at bottom Flap hinge at bottom 45.0 cm deep 45.0 cm deep 45.0 cm deep 45.0 cm deep 33.0 cm deep 33.0 cm deep 33.0 cm deep 33.0 cm deep 2584 23834 2384 25834 27834 2784 209834 20984 Price gr Ш Ш IV 1 glass flap 1 glass flap 1 glass flap 1 glass flap 35.2 cm wide 52.8 cm wide 70.4 cm wide 105.6 cm wide Flap hinge at top Flap hinge at top Flap hinge at top Flap hinge at top 33.0 cm deep 45.0 cm deep 45.0 cm deep 33.0 cm deep 45.0 cm deep 33.0 cm deep 45.0 cm deep 33.0 cm deep 23835 2385 25835 2585 27835 2785 209835 20985 When used as wall units or stacked units: Max. load 15 kg per metre: 35.2 cm width: 5.0 kg 52.8 cm width: 7.5 kg 70.4 cm width: 10.0 kg 105.6 cm width: 15.0 kg Ш Ш ΙV

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.		4528	4704	4105


# 2 Raster open glass compartments

Accessories and lamps: see pages 88-93

2 Raster open glass compartments 35.2 cm high 33.0 or 45.0 cm deep

Further units resp. a cover shelf must be planned above and below the open glass compartments. Units that are planned above the open glass compartments must be fitted with a wall bracket.

Please state the required version clearly in the order!



# 3 Raster units

**NEO** 

3 Raster units 52.8 cm high		1 d	loor								
(54.6 cm high incl. 1.8 cm high plinth adjusters),											
33.0 or 45.0 cm deep		F									
			L								
		17.6 cr	m wide								
		33.0 cm	45.0 cm								
		313311 L	31311 L								
	Price gr.	313312 R	31312 R								
	I   II		-								
	III IV	-	-								
		.1		1 drawe	er; 1 flap	1 drawe	er; 1 flap	1 draw	er; 1 flap	1 drawe	er; 1 flap
					<b>—</b>						
					è		è		¥		¥
				35.2 cr	n wide	52.8 cı	m wide	70.4 c	m wide	105.6 c	m wide
				Flap hinge	at bottom 45.0 cm		at bottom	Flap hinge	at bottom	Flap hinge	
				33.0 cm deep	deep	33.0 cm deep	45.0 cm deep	deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
				33831	3381	35831	3581	37831	3781	309831	30981
	Price gr.			-	-	_	-	-	-	-	-
	II   III				-	-	-	-	-	-	-
	IV			- 0.45	-	- 0.1:	-	- 0.4	-	- 0.4	-
				2 dra	wers	2 dra	awers	2 dra	awers	2 dra	wers
				35.2 cr		1	m wide		m wide	105.6 cm wide	
				33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
				33931	3391	35931	3591	37931	3791	310931	31091
	Price gr.			_	_	_	_	_	_	_	_
	ii III			-	-	-	-	-	-	-	-
	iv	<u> </u>		-	-	-	-	-	-	-	-
				1 flap; 1	drawer	1 flap; 1	l drawer	1 flap; 1	l drawer	1 flap; 1	drawer
					T v				, v		
				35.2 cr	m wide	52.8 c	m wide	70.4 c	m wide	105.6 c	m wide
					at bottom		e at bottom		e at bottom		at bottom
				33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
				33631	3361	35631	3561	37631	3761	309631	30961
When used as wall units or stacked units:	Price gr.										
Max. load 15 kg per metre:	I			-	-	-	-	-	-	-	-
Max. load 15 kg per metre: 35.2 cm width: 5.0 kg 52.8 cm width: 7.5 kg 70.4 cm width: 10.0 kg	I   II   III			-	-	- - -	-	- - -	-	-	-

# Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4170	4352 -	4528 -	4704 -	4105 -

L/R = Door hinge left/right

# 4 Raster units

Accessories and lamps: see pages **88-93** 

4 Raster units 70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters),		1 c	oor	1 d	oor	1 d	oor	1 c	loor	2 d	oors
33.0 or 45.0 cm deep			L		L		L				3
			m wide		m wide	52.8 cı		1	m wide		cm wide
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep						
		413311 L 413312 R	41311 L 41312 R	433311 L 433312 R	43311 L 43312 R	453311 L 453312 R	45311 L 45312 R	473311 L 473312 R	47311 L 47312 R	410331	41031
	Price gr.	-	-	_	-	-	-	-	-	_	-
	III	_	-	-	-	-	-	-	-	-	-
	iv	-	-	-	-	-	-	-	-	-	-
			2 dra	wers	2 dra	wers	2 dra	awers	2 dra	awers	
					m wide	52.8 cı			m wide		cm wide
				33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
				43831	4381	45831	4581	47831	4781	410831	41081
	Price gr.										
	ii			-	-	-	-	-	-	-	-
	III IV			-	-	-	-	-	-	-	-
				3 dra	wers	3 dra	wers	3 dra	awers	3 dra	awers
					m wide	52.8 cı		l	m wide		cm wide
				33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
				43931	4391	45931	4591	47931	4791	410931	41091
	Price gr.			_	_	_	_	_	_	_	_
	ii.			-	-	-	-	-	-	-	-
	III IV			-	-	-	-	-	-	-	-
				1 glas	s door	1 glas	s door	1 glas	ss door	2 glas	s doors
				# <b>L</b>		# L		#		3	
					m wide	52.8 cı			m wide		cm wide
				33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	Price gr.			434311 L 434312 R	43411 L 43412 R	454311 L 454312 R	45411 L 45412 R	474311 L 474312 R	47411 L 47412 R	410431	41041
	I II			-	-	-	-	-	-	-	-
When used as wall units or stacked units:	III			-	-	-	-	-	-	-	-
Max. load per unit: 40 kg	IV			-	-	-	-	-	-	-	-

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4170 -	4352 -	4528 -	4704 -	4105 -

**NEO** 

# **5 Raster units**

5 Raster units 1 door 1 door 1 door 1 door 2 doors 88.0 cm high (89.8 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep 3 17.6 cm wide 35.2 cm wide 52.8 cm wide 70.4 cm wide 105.6 cm wide 33.0 cm 45.0 cm deep deep deep deep deep deep deep deep deep 513311 L 51311 L 533311 L 53311 L 553311 L 55311 L 573311 L 57311 L 510331 51031 513312 R 51312 R 533312 R 53312 R 553312 R 55312 R 573312 R 57312 R Price gr. П Ш lv 3 drawers 3 drawers 3 drawers 3 drawers 35.2 cm wide 52.8 cm wide 70.4 cm wide 105.6 cm wide 33.0 cm 45.0 cm 33.0 cm 45.0 cm 33.0 cm 45.0 cm 33.0 cm 45.0 cm deep deep deep deep deep deep deep 53931 5391 55931 5591 57931 5791 510931 51091 Price gr. Ш IV 1 glass door 1 glass door 2 glass doors 1 glass door 3 35.2 cm wide 52.8 cm wide 70.4 cm wide 105.6 cm wide 45.0 cm 33.0 cm 45.0 cm 33.0 cm 45.0 cm 33.0 cm 45.0 cm 33.0 cm deep deep deep deep deep deep deep deep 534311 L 53411 L 554311 L 55411 L 574311 L 57411 L 510431 51041 534312 R 53412 R 554312 R 55412 R 574312 R 57412 R Price gr. Ш IV When used as wall units or stacked units: Max. load per unit: 40 kg

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.		4352 -	4528 -	4704 -	4105 <u>-</u>

# **6 Raster units**

Accessories and lamps: see pages 88-93

6 Raster units 105.6 cm high		1 d	oor	1 d	oor	1 d	loor	1 c	loor	2 d	oors
(107.4 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep					<b>L</b>				 	<i></i>	3
		17.6 c	m wide	35.2 ci	_	52.8 cm wide		70.4 ci	m wide	105.6 c	_
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep						
		613311 L 613312 R	61311 L 61312 R	632311 L 632312 R	63211 L 63212 R	652311 L 652312 R	65211 L 65212 R	672311 L 672312 R	67211 L 67212 R	610231	61021
	Price gr.		-	-	-	-	-	-	-	-	-
	II III	-	- - -	-	-	-	-	-	-	-	-
	IV	-	-	2 drawer	s; 1 door	2 drawer	rs; 1 door	- 2 drawe	rs; 1 door	- 2 drawer	s; 2 doors
					L		L		L		
				35.2 cı		1	m wide	ı	m wide		m wide
				33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	Dais a sur			634311 L 634312 R	63411 L 63412 R	654311 L 654312 R	65411 L 65412 R	674311 L 674312 R	67411 L 67412 R	610431	61041
	Price gr.			-	-	-	-	- -	-	-	-
	iii IV			-	-	-	-	- -	- -	-	-
				3 dra	wers	3 dra	awers	3 dra	awers	3 dra	wers
				35.2 cr	n wide	52.8 c	m wide	70.4 ci	m wide	105.6 0	m wide
				33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
				63631	6361	65631	6561	67631	6761	610631	61061
	Price gr.			-	-	-	-	-	-	-	-
	III III			-	-	-	-	- - -	-	-	-
	IV			- 4 dra	wers	- 4 dra	awers		awers	- 4 dra	awers
				35.2 cı			m wide		m wide	105.6 c	
				33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
				63731	6371	65731	6571	67731	6771	610731	61071
	Price gr.			-	-	-	-	-	-	-	-
When used as wall units or stacked units: Max. load per unit: 40 kg	III III IV			-	-	- - -	- - -	- - -	- -	- - -	- - -
	1			<u>I</u>		I		1		<u> </u>	-

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4170	4352	4528	4704	4105

**NEO** 

# **6 Raster units**

6 Raster units 105.6 cm high (107.4 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep 1 glass door 1 glass door 1 glass door 2 glass doors 35.2 cm wide 105.6 cm wide 52.8 cm wide 70.4 cm wide 33.0 cm deep 33.0 cm deep 45.0 cm deep 45.0 cm deep 45.0 cm deep 45.0 cm deep 33.0 cm deep 33.0 cm deep 635341 L 63541 L 655341 L 65541 L 675341 L 67541 L 610534 61054 635342 R 63542 R 655342 R 65542 R 675342 R 67542 R Price ar. IV 1 door/glass door 1 door/glass door 1 door/glass door 2 doors/glass doors L 3 35.2 cm wide 52.8 cm wide 70.4 cm wide 105.6 cm wide 33.0 cm deep 45.0 cm deep 633341 L 63341 L 653341 L 65341 L 673341 L 67341 L 610334 61034 67342 R 633342 R 63342 R 653342 R 65342 R 673342 R Price gr. IV 1 door/glass door 1 door/glass door 2 doors/glass doors 3 52.8 cm wide 70.4 cm wide 105.6 cm wide 45.0 cm deep 33.0 cm deep 45.0 cm deep 45.0 cm deep 33.0 cm deep 33.0 cm deep 654341 L 65441 L 674341 L 67441 L 61044 610434 as illustr. (L) v. versa (R) Price gr. 654342 R 65442 R 674342 R 67442 R IV When used as wall units or stacked units: Max. load per unit: 40 kg

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4352	4528	4704	4105
	-	-	-	-

Accessories and lamps: see pages **88-93** 

8 Raster units 140.8 cm high (142.6 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep		1 d	1 door		1 door		1 door		1 door		2 doors	
			L		 <b>L</b>				 L	1		
		17.6 cı		35.2 cı		52.8 cı		70.4 cı		105.6 c		
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	
		813311 L	81311 L	832311 L	83211 L	852311 L	85211 L	872311 L	87211 L	810231	81021	
	Price gr.	813312 R	81312 R	832312 R	83212 R	852312 R	85212 R	872312 R	87212 R			
		-	-	-	_	-	-	-	-	-	-	
	III	-	-	-	-	-	-	-	-	-	-	
	IV	-   2 do	-	- 2 do	-	- 2 do	- nore	- 2 d	oors	- 4 de	oors	
		2 uc	uis	2 00	Juis	Z ut	Juis	Z U	uuis	4 00	JOIS	
			 L				L		L	1	3	
		17.6 cr 33.0 cm	n wide 45.0 cm	35.2 cr 33.0 cm	n wide 45.0 cm	52.8 cı 33.0 cm	m wide 45.0 cm	70.4 cr 33.0 cm	n wide 45.0 cm	105.6 c 33.0 cm	m wide 45.0 cm	
		814311 L 814312 R	81411 L 81412 R	833311 L 833312 R	45.0 cm deep 83311 L 83312 R	853311 L 853312 R	85311 L 85312 R	873311 L 873312 R	87311 L 87312 R	33.0 cm deep 810331	45.0 cm deep <b>81031</b>	
	Price gr.	-	-	-	-	-	-	-	-	-	-	
		-	- -	- -	-		-	-	-	-	-	
	iv	-	-	-	-	-	-	-	-	-	-	
				1 door; 3	drawers	1 door; 3	drawers	1 door; 3	drawers	2 doors; \$	3 drawers	
					L		L		L	1	3	
				35.2 ci 33.0 cm	m wide 45.0 cm	52.8 c 33.0 cm	m wide 45.0 cm	70.4 ci	m wide 45.0 cm	105.6 c	m wide 45.0 cm	
				deep	deep	deep	deep	deep	deep	deep	deep	
	Price gr.			834311 L 834312 R	83411 L 83412 R	854311 L 854312 R	85411 L 85412 R	874311 L 874312 R	87411 L 87412 R	810431	81041	
	I   II			-	-		-	-	-	-	-	
When used as wall units or stacked units:	III			-	-	-	-	-	-	-	-	
Max. load per unit: 40 kg	IV			-	-	-	-	-	-	-	-	

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4170	4352 -	4528 -	4704 -	4105 -

1

# 8 Raster units

8 Raster units 140.8 cm high (142.6 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep	1 glass door; 1 door			1 glass door; 1 door		1 glass door; 1 door		2 glass doors; 2 doors	
	L				L		L	1	
		35.2 ci	m wide	52.8 c	m wide	70.4 cı	n wide	105.6 c	m wide
		33.0 cm deep 831341 L	45.0 cm deep 83141 L	33.0 cm deep <b>851341 L</b>	45.0 cm deep <b>85141 L</b>	33.0 cm deep 871341 L	45.0 cm deep 87141 L	33.0 cm deep <b>810134</b>	45.0 cm deep <b>81014</b>
	Price gr. IIIIIIV	831342 R - - -	83142 R - - - -	851342 R	85142 R - - - -	871342 R	87142 R - - - -	- - - -	- - - -
		1 glass doo	r; 3 drawers	1 glass doo	oor; 3 drawers 1 glass door; 3 drawers		r; 3 drawers	2 glass door	s; 3 drawers
			L	L			L	1	3
		35.2 cr		52.8 cr		70.4 cr		105.6 cm wide	
		33.0 cm deep 832341 L	45.0 cm deep 83241 L	33.0 cm deep 852341 L	45.0 cm deep 85241 L	33.0 cm deep 872341 L	45.0 cm deep 87241 L	33.0 cm deep 810234	45.0 cm deep 81024
	Price gr.	832342 R	83242 R	852342 R	85242 R	872342 R	87242 R	610234	61024
	I II	-	-	-	- -	-	- -	-	- -
	III IV	-	-	-	-	-	- -	-	- -
		1 glas	es door	1 glas	es door	1 glas	ss door	2 glass	doors
		<b>L</b> 35.2 cm wide		52.00	L m wide	70.4.0	L m wide	105.6	3 em wide
		35.2 C 33.0 cm deep			m wide	33.0 cm deep			
	Price gr.	835341 L 835342 R	45.0 cm deep 83541 L 83542 R	33.0 cm deep 855341 L 855342 R	45.0 cm deep 85541 L 85542 R	875341 L 875342 R	45.0 cm deep 87541 L 87542 R	33.0 cm deep 810534	45.0 cm deep <b>81054</b>
When used as wall units or stacked units: Max. load per unit: 40 kg	I II III IV	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

### **Wall bracket**

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4352	4528	4704	4105

**23** 

Accessories and lamps: see pages **88-93** 


8 Raster units 140.8 cm high (142.6 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep	1 door/glass door			1 door/glass door		1 door/glass door		2 doors/glass doors	
		L			L	L		1 105.6 cm wide	
		35.2 cr		52.8 ci			m wide		
		33.0 cm deep 833341 L	45.0 cm deep 83341 L	33.0 cm deep <b>853341 L</b>	45.0 cm deep 85341 L	33.0 cm deep 873341 L	45.0 cm deep 87341 L	33.0 cm deep <b>810334</b>	45.0 cm deep <b>81034</b>
		833342 R	83342 R	853342 R	85342 R	873342 R	87342 R	010334	01034
	Price gr.	-	-	-	-	-	-	-	-
	II   III	-	-	-	-	-	-	-	-
	IV	-	-	-	-	-	-	-	-
				1 door/gl	ass door	1 0007/9	lass door	2 doors/g	lass doors
				L		L		1 05 Committee	
				52.8 cm wide		70.4 cm wide		105.6 cm wide	
				33.0 cm deep <b>854341 L</b>	45.0 cm deep 85441 L	33.0 cm deep 874341 L	45.0 cm deep 87441 L	33.0 cm deep <b>810434</b>	45.0 cm deep <b>81044</b>
				854342 R	85442 R	874342 R	87442 R	010434	01044
	Price gr.			-	-	-	-	-	-
	II III				-	-	-	-	-
	iv			-	-	-	-	-	-
When used as wall units or stacked units: Max. load per unit: 40 kg									

	If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
	ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4352	4528	4704	4105
24		-	-	-	-

1

2

# 10 Raster units



### **Wall bracket**

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4170	4352	4528	4704	4105
	-	-	-	-	-

E 1.2021


Accessories and lamps: see pages 88-93

10 Raster units 176.0 cm high (177.8 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep	1 glass door; 1 door			1 glass door; 1 door		1 glass door; 1 door		2 glass doors; 2 doors	
				L		L		1 3	
		35.2 ci	m wide	52.8 ci	m wide	70.4 ci	m wide	105.6 c	m wide
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	Price gr.	1031341 L 1031342 R	103141 L 103142 R	1051341 L 1051342 R	105141 L 105142 R	1071341 L 1071342 R	107141 L 107142 R	1010134	101014
	I I	-	-	-	-	-	-	-	-
	III IV	-	-	-	-	-	-	-	-
			r; 3 drawers		r; 3 drawers	1 glass doo	r; 3 drawers	2 glass door	s; 3 drawers
								1 3	
		35.2 cr	m wide	52.8 cm wide		70.4 ci	n wide	105.6 c	
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	_	1032341 L 1032342 R	103241 L 103242 R	1052341 L 1052342 R	105241 L 105242 R	1072341 L 1072342 R	107241 L 107242 R	1010234	101024
	Price gr.  I II III IV	- - - -	- - -	- - -	- - -	- - - -	- - -	- - - -	- - - -
		1 glass door		1 glas	ss door	1 glass door		2 glass	s doors
							1 3		
	35.2 cm wide			m wide		m wide		m wide	
	D.i.	33.0 cm deep 1035341 L 1035342 R	45.0 cm deep 103541 L 103542 R	33.0 cm deep 1055341 L 1055342 R	45.0 cm deep 105541 L 105542 R	33.0 cm deep 1075341 L 1075342 R	45.0 cm deep 107541 L 107542 R	33.0 cm deep 1010534	45.0 cm deep 101054
When used as wall units or stacked units: Max. load per unit: 40 kg	Price gr.  I II III IV	- - - -	- - -	- - -	- - -	- - -	- - - -	- - - -	- - - -

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.		4528 -	4704 -	4105 -

1 2

# 10 Raster units



If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4352 -	4528 -	4704 -	4105 -

Accessories and lamps: see pages **88-93** 


12 Raster units 211.2 cm high (213.0 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep		1 d	oor	1 d	oor	1 d	oor	1 d	loor	2 doors			
						<b>L</b> 52.8 cm wide				1	3		
		17.6 cr	n wide 45.0 cm	35.2 ci 33.0 cm	n wide 45.0 cm	52.8 cr 33.0 cm	n wide 45.0 cm	70.4 cr 33.0 cm	n wide 45.0 cm	105.6 c	m wide 45.0 cm		
		deep	deep	deep	deep	deep	deep	deep	deep	deep	deep		
	Price gr.	1213311 L 1213312 R	121311 L 121312 R	1232311 L 1232312 R	123211 L 123212 R	1252311 L 1252312 R	125211 L 125212 R	1272311 L 1272312 R	127211 L 127212 R	1210231	121021		
	I II		- -	-	- -	- -	- -	- -	-	- -	-		
	III IV	-	-	-	-	-	-	-	-	-	-		
		2 doors		2 dd	oors	2 dd	oors	2 d	oors	4 d	oors		
		  L		  								1	
		17.6 cr 33.0 cm	n wide 45.0 cm	35.2 cm wide 33.0 cm 45.0 cm		52.8 cr 33.0 cm	n wide 45.0 cm	70.4 cr 33.0 cm	n wide 45.0 cm	105.6 c	m wide 45.0 cm		
		deep 1214311 L	deep	deep 1233311 L	deep 123311 L	deep 1253311 L	deep	deep 1273311 L	deep	deep 1210331	deep 121031		
	Price gr.	1214311 R	121412 R	1233312 R	123311 E 123312 R	1253312 R	125311 E 125312 R	1273311 R	127311 E 127312 R	1210001	121031		
	I	-	-	-	-	-	-	-	-	-	-		
	III IV	-	-	-	-	-	-	-	-	-	-		
	14		-	1 door; 3	drawers	1 door; 3	drawers		drawers	2 doors;	3 drawers		
				35.2 ci	<b>L</b> m wide	52.8 ci	<b>L</b>	70.4 ci	<b>L</b> m wide	1 105.6 c	3 cm wide		
				33.0 cm	45.0 cm	33.0 cm	45.0 cm	33.0 cm	45.0 cm	33.0 cm	45.0 cm		
				deep 1234311 L 1234312 R		deep 1254311 L 1254312 R		deep 1274311 L 1274312 R	127411 L 127412 R	deep 1210431	121041		
	Price gr.			-	-	-	-	-	-	-	-		
When used as wall units or stacked units:	II III				-	-	-	-	-	-	-		
Max. load per unit: 40 kg	IV			-	-	-	-	-	-	-	-		

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4170	4352	4528	4704	4105

1

29

# 12 Raster units



for 105.6 cm width	for 70.4 cm width	for 52.8 cm width	for 35.2 cm width	If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-
4105	4704	4528	4352	ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.
2	4704	4528		unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above

Accessories and lamps: see pages **88-93** 

12 Raster units 211.2 cm high (213.0 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep	1 door/glass door			1 door/gl:	ass door	1 door/g	ass door	2 doors/glass doors		
				=======================================		=		1	3	
		35.2 cr	n wide	52.8 cr	n wide	70.4 ci	n wide	105.6 c		
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	
		1233341 L	123341 L	1253341 L	125341 L	1273341 L	127341 L	1210334	121034	
	Price gr.	1233342 R	123342 R	1253342 R	125342 R	1273342 R	127342 R			
	I   II	-	-	-	-	-	- -	- -	-	
	III IV	-	-	-	-	-	- -	- -	-	
	-			1 door/gl		1 door/g			lass doors	
				L		L		1	3	
				52.8 cm wide		70.4 cr	n wide	105.6 c	m wide	
				33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	
				1254341 L 1254342 R	125441 L 125442 R	1274341 L 1274342 R	127441 L 127442 R	1210434	121044	
	Price gr.			_	-	-	_	_	_	
	ii III			-	-	-	-	-	-	
	iv			-	-	-	-	-	-	
When used as wall units or stacked units: Max. load per unit: 40 kg										

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4352	4528	4704	4105
	-	-	-	-





# 1 Raster lowboards

Accessories: see pages 88-90


1 Hactor lowboa											
1 Raster lowboards 17.6 cm high			1 drawer			2 drawers			3 drawers		
(19.4 cm high incl. 1.8 cm high plinth adjusters),											
33.0; 45.0 or 52.0 cm deep					_ ا		1 -	_			
incl. centre cable aperture behind						70,4	3		52,8 70,4	52,8 4	
flap in rear wall of each compart- ment			105.6 cm wide			140.8 cm wide			176.0 cm wide		
52.0 cm deep lowboards cannot		33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	
be used as wall units!	as illustr. v. versa	10311	10411	10511	144131	14411	14511	174131	17411	17511	
	Price gr.	_	_	_	_	_	_	_	_	_	
	li	-	-	-	-	-	-	-	-	-	
	III IV	-	-	-	-	-	-	-	-	-	
		•	2 drawers			1 drawer; 1 flap			1 drawer; 1 flap		
				_	_		1	_		<u> </u>	
			52,8 52,8	3	Ĺ	70,4 70,4	<b>∛</b> 3	_	70,4	i,6	
			105.6 cm wide			140.8 cm wide			176.0 cm wide		
		33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	
	as illustr. v. versa	104231	10421	10521	1442381 1442382	144281 144282	145281 145282	173211 173212	174211 174212	175211 175212	
	Price gr.				1442302	144202	143202	173212	177212	173212	
		-	-	-	-	-	-	-	-	-	
	III IV	-	-	-	-	-	-	-	-	-	
		I	ı 1 flap	<u> </u>		1 flap			1 flap		
						•					
				_			m·.			<b>→</b> .′	
				V		70,4 70,4	₹ 3		88,0	3,0 4	
			105.6 cm wide			140.8 cm wide			176.0 cm wide		
		33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	
		10318	10418	10518	144138	14418	14518	17318	17418	17518	
	Price gr.										
	I   II	-	-	-	-	-	-	-	-	-	
	iii IV	-	-	-	-	-	-	-	-	-	
	IV	-	-	-	-	2 flaps	-	-	2 flaps	-	
						2 11460			,-		
						70,4	<b>3</b>		105,6	4	
						70,4			70,4	_	
		Ī				140.8 cm wide	l		176.0 cm wide	EQ 0 am doon	
	as illustr.				33.0 cm deep	45.0 cm deep	52.0 cm deep <b>14538</b>	33.0 cm deep	45.0 cm deep	52.0 cm deep 175281	
When used as wall units or stacked units:	v. versa				1-77000	14400	1,4000	173282	174282	175282	
Max. load 15 kg per metre: 105.6 cm width: 15.0 kg	Price gr.				-	-	-	-	-	-	
140.8 cm width: 20.0 kg 176.0 cm width: 25.0 kg 211.2 cm width: 30.0 kg	III					-		-	-	-	
246.4 cm width: 30.0 kg	iv				-	-	-	-	-	-	
Wall bracket											

# **Wall bracket**

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 105.6 cm widtl	n	for 140.8 cm	width	for 176.0 cr	m width	
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4105 -		4140 -		4176 -		

### Metal substructures and cover shelves

Metal substructures and cover shelves see pages 90-91



	2 drawers			3 drawers		1 drawer; 1	open compartme	nt; 1 drawer	1 drawer;	1 open compartm	ient; 1 flap		
	105,6	05,6 4		70,4 70,4	70,4 4		70,4 105,6	70,4 4		0,4 105,6	70,4 4		
	211.2 cm wide			211.2 cm wide			246.4 cm wide			246.4 cm wide			
33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep		
11311	11411	11511	114331	11431	11531	13332	13432	13532	133321 133322	134321 134322	135321 135322		
									100022	104022	103022		
-	-	-	-	-	-	-	-		-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-		
	1 drawer; 1 flap	<u> </u>		1 drawer; 1 flap			1 drawer; 1 flap			-			
	70,4 140,8	4		105,6	6 4		05,6	4					
	211.2 cm wide			211.2 cm wide			246.4 cm wide						
33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep					
1142311 1142312	114211 114212	115211 115212	113311 113312	114311 114312	115311 115312	133311 133312	134311 134312	135311 135312					
1142312	117212	110212	113312	114312	115512	133312	134312	133312					
-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-					
	1 flap				l		1 flap						
								704					
	105,6	6 <b>4</b>				70	0,4 105,6	70,4					
	211.2 cm wide						246.4 cm wide						
33.0 cm deep	45.0 cm deep	52.0 cm deep				33.0 cm deep	45.0 cm deep	52.0 cm deep					
11318	11418	11518				13318	13418	13518					
	_	_					_	_					
-	-	-				-	-	-					
- -	-	- -				-	- -	- -					
	2 flaps	•					2 flaps						
	1	<u> </u>											
70,4 140,8 4							05,6	4					
	211.2 cm wide				246.4 cm wide								
33.0 cm deep	45.0 cm deep	52.0 cm deep				33.0 cm deep	45.0 cm deep	52.0 cm deep					
1143381	114381	115381				133331	134331	135331					
1143382	114382	115382				133332	134332	135332					
-	-	-				-	-	-					
	-	-				-	-	-					
-		_				-		-					

for 211.2 cm wi	dth	for 211.2 c	m width	for 246.4 (	m width	for 246.4 cm width		
4211 -		4211 <u>-</u>		4246 <u>-</u>		<b>4246</b> -		

# 2 Raster lowboards

Accessories: see pages 88-90

Z master lowboa	IUJ													
2 Raster lowboards			1 drawer			2 drawers		1 drawer	r; 1 fabric cov	vered flap				
35.2 cm high (37.0 cm high incl. 1.8 cm high														
plinth adjusters),							_							
33.0; 45.0 or 52.0 cm deep		ſ												
incl. centre cable aperture behind		L		_		70,4	3		70,4	105,6				
flap in rear wall of each compart-		10	05.6 cm wid	de	1.	40.8 cm wid	de	1	76.0 cm wi	de				
ment		33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm				
52.0 cm deep lowboards cannot		deep	deep	deep	deep	deep	deep	deep	deep	deep				
be used as wall units!	as illustr. v. versa	204131	20411	20511	244131	24411	24511	273161	274161 274162	275161 275162				
	Price gr.							273162	2/4/02	2/5/02				
1	l ,	-	-	-	-	-	-	-	-	-				
1	II   III	-	_	[	-	_	-	]	_					
	iv	] -	-	-		_	-	-	-	-				
			2 drawers		1	drawer; 1 fla	D	1	drawer; 1 fla	ap	2	drawers; 1 fl	ap	
						, .			,			,		
1			_				_							
				]			`			`\ <u>\</u>			V	
			52,8 52,	3		70,4 70,	4 3		70,4	05,6		70,4	05,6	
		4.			_		1-				] ].			
		33.0 cm	05.6 cm wid	ue 52.0 cm	33.0 cm	40.8 cm wid	se 52.0 cm	33.0 cm	76.0 cm wid	1 52.0 cm	33.0 cm	76.0 cm wid	1e 52.0 cm	
		deep	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep	
	as illustr. v. versa	204331	20431	20531	2442381		245281	273171	274171	275171	273181	274181		
	Price gr.				2442382	244282	245282	273172	274172	275172	273182	274182	275182	
	I	-	-	-	-	-	-	-	-	-	-	-	-	
	II.	-	-	-	-	-	-	-	-	-	-	-	-	
	III   IV	_	-	_	_	_	-	_	_	_	_	_	_	
		1	1 flap			1 flap			1 flap	-				
									·					
							<b>&gt;</b> .			<b>_</b> .				
				ì			\\ \			· ·				
		L				70,4 70	4 3	_	88,0	88,0 4				
		10	05.6 cm wid	de	1.	40.8 cm wid	de	1:	76.0 cm wi	de				
		33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm				
		deep	deep	deep	deep	deep	deep	deep	deep	deep				
		20318	20418	20518	244138	24418	24518	27318	27418	27518				
	Price gr.													
		-	-	-	-	-	-	-	-	-				
	liii	-	-	-	_	-		_	_	-				
	IV	-	-	-	-	-	-	-	-	-				
						4 drawers			4 drawers			2 flaps		
						<b>~</b> .								
													è	
					70,4 70,	3		70,4	105,6		70,4	5,6		
					1 1	40.8 cm wi	de.	1.	76.0 cm wi	de	17	76.0 cm wid	de	
		1			33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	
					deep	deep	deep	deep	deep	deep	deep	deep	deep	
	as illustr. v. versa				244231	24421	24521	273211	274211 274212	275211 275212	273191 273192	274191	275191 275192	1
When used as wall units or stacked units: Max. load 15 kg per metre:	Price gr.							213212	214212	213212	213192	214192	213192	1
105.6 cm width: 15.0 kg 140.8 cm width: 20.0 kg	1				-	-	-	-	-	-	-	-	-	1
176.0 cm width: 25.0 kg	II III				-	-	-	-	-	] -	-	-	_	1
211.2 cm width: 30.0 kg		1			I -		_	l _		_	_	_	l -	1
246.4 cm width: 30.0 kg	IV				-	_	_	_		1	1	_	_	

# **Wall bracket**

	f units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 105.6 cm width		for 140.8 cm width		for 176.0 cm width		for 176.0 cm width		
ther, a unit(s stack	at wall bracket is only to be ordered for the stacked if the stacked unit is wider than the floor unit resp. ad in an off-set position or the unit is planned above en glass compartment.	4105 -		4140 -		4176 -		4176 -		

### Metal substructures and cover shelves

Metal substructures and cover shelves see pages 90-91




Assembly notes for wall units: Please be sure to note here the information and notes in the "Wall composition" chapter!
---

											IILO
1 drawer; 1 fabric covered flap; 1 flap					1 drawer; 1	open compartme	nt; 1 drawer	1 drawer;	1 open compartm	ient; 1 flap	
52,8 105,6 52,8 4						70,4 105,6 70,4 246.4 cm wide 246.4 cm wide					70,4 4
	211.2 cm wide	52.0 cm deep						52.0 cm deep			52.0 cm deep
33.0 cm deep <b>213161</b>	45.0 cm deep <b>214161</b>	215161				33.0 cm deep	45.0 cm deep <b>23432</b>	23532	33.0 cm deep <b>233321</b>	45.0 cm deep <b>234321</b>	235321
213162	214162	215162				20002	20.02	20002	233322	234322	235322
-	-	-				-	-	-	-	-	-
-	-	-				-	-	-	-	- -	-
-	1 drawar 1 flan	-		0 duament 1 flan		-	- drawar 1 flan	-	-	-	-
	1 drawer; 1 flap			2 drawers; 1 flap			1 drawer; 1 flap				
	70,4 140,8	4		70,4 140,8 4							
	211.2 cm wide			211.2 cm wide			246.4 cm wide				
33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep			
2143311 2143312	214311 214312	215311 215312	2144311 2144312	214411 214412	215411 215412	2343311 2343312	234311 234312	235311 235312			
-	-	-	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-			
	1 flap						1 flap				
105,6 105,6 4						77	0,4 105,6	70,4			
211.2 cm wide							246.4 cm wide				
33.0 cm deep	45.0 cm deep	52.0 cm deep				33.0 cm deep	45.0 cm deep	52.0 cm deep			
21318	21418	21518				23318	23418	23518			
-	-	-				-	-	-			
-	-	- -				-	-	-			
	4 drawers			2 flaps			2 flaps				
105,6 105,6 4			70,4		105,6						
211.2 cm wide				211.2 cm wide			246.4 cm wide				
33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep			
21321	21421	21521	2143381 2143382	214381 214382	215381 215382	233331 233332	234331 234332	235331 235332			
_	-	-	_	_	_	-	_	_			
	-	- -	-	-	- -	-	-	-			
-	-	-	-	-		-	-	-			

for 211.2 cm width		for 211.2 (	m width	for 246.4	cm width	for 246.4 cm width		
4211 -		4211 -		4246 -		<b>4246</b> -		

# 3 Raster lowboards

Accessories: see pages 88-90




### **Wall bracket**

f units are to be included as wall units, a wall bracket nust be ordered. If units are stacked on top of one ano-	for 105.	6 cm width	for 140.8 cm width			
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4105 -		4140 -			

### **Metal substructures and cover shelves**

Metal substructures and cover shelves see pages 90-91



for 176.0	cm width	for 211.2	2 cm width	for 246.4 cm width		
4176 -		4211 -		<b>4246</b> -		

# 2 Raster media lowboards

Z Raster media i		
2 Raster media lowboards	1 fabric-covered flap, 1 drawer	1 drawer; 1 fabric-covered flap, 1 drawer
35.2 cm high (37.0 cm high incl. 1.8 cm high		
plinth adjusters), <b>52.0 cm deep</b>		
52.0 cm deep		
Cover shelf with cable cover in		
high-gloss chrome on rear edge		
incl. centre cable aperture behind flap in rear wall of each compart-		
flap in rear wall of each compart- ment		
Max. load: 40 kg		
2 Raster media lowboards cannot		
be used as wall units!		35.2 105,6
		35,2 105,6
	105.6 cm wide	140.8 cm wide
	as illustr. 210075	2140751
	v. versa 210075	2140751
	Price gr.	
		-
	-	-
	IV -	-
		1 flap; 1 fabric-covered flap, 1 drawer
		K 105,6
		35,2 105,6
		140.8 cm wide
	as illustr	2141751
	as illustr. v. versa	2141751
	Price gr.	
		-
		_
	IV	-
K = Flap		
Please observe the space requirements given by the electrical dealer (heat build-up)!	Price gr.	
dealer (heat build-up)!		
ω,	l <b>III</b>	
	IV	

### Metal substructures and cover shelves

Metal substructures ar	cover shelves see pages <b>90-91</b>	

1 drawer; 1 fabric-covered flap, 1 drawer  1 drawer; 1 fabric-covered flap, 1 drawer; 1 fabric-cove	ap, 1 drawer; 1 drawer
70,4 105,6 52,8	05,6 70,4
176.0 cm wide 211.2 cm wide 246.4 cm	wide
2170751 221075 22407 2170752	75
1 flap; 1 fabric-covered flap, 1 drawer  1 drawer; 1 fabric-covered flap, 1 drawer; 1 flap  1 drawer; 1 fabric-covered	flap, 1 drawer; 1 flap
70,4 105,6 52,8 T05,6 52,8	05,6 70,4
176.0 cm wide 211.2 cm wide 246.4 cm	
2171751     2211751     224175       2171752     2211752     224175	51 52
1 flap; 1 fabric-covered flap, 1 drawer; 1 flap 1 flap; 1 fabric-covered flap, 1 drawer; 1 flap 1 flap; 1 fabric-covered fl	ap, 1 drawer; 1 flap
35,2 105,6 35,2 K K S2,8 105,6 52,8	05,6 70,4
176.0 cm wide 211.2 cm wide 246.4 cm	
217275 221275 22427	5

# 3 Raster media lowboards

o naster media i				
3 Raster media lowboards 52.8 cm high		1 fabric-covered flap, 1 drawer	2 drawers; 1 fabric-covered flap, 1 drawer	
(54.6 cm high incl. 1.8 cm high				
plinth adjusters), <b>52.0 cm deep</b>				
Cover shelf with cable cover in			35,2 105,6	
high-gloss chrome on rear edge		105.6 cm wide	140.8 cm wide	
incl. centre cable aperture behind flap in rear wall of each compart-	as illustr. v. versa	310075	3140751	
ment	Price gr.		3140752	
Max. load: 40 kg		- -		
3 Raster media lowboards cannot be used as wall units!	III IV	<u>-</u>	_	
	iv i	<u> </u>	1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer	
			K	
			105,6	
			35,2 103,6 140.8 cm wide	
	as illustr.		3141751	
	v. versa		3141752	
	Price gr.		-	
			-	
	IV		-	
			2 flaps; 1 fabric-covered flap, 1 drawer	
			II K	
			К	
			35,2 105,6	
			140.8 cm wide	
	as illustr. v. versa		3142751 3142752	
	Price gr.		_	
	ii l		-	
	III IV			
			1 door; 1 fabric-covered flap, 1 drawer	
			т	
			35,2 105,6	
			140.8 cm wide	
	as illustr. v. versa		3143751	
	Price gr.		3143752	
	III IV			
	1		1 open compartment, 1 drawer; 1 fabric-covered flap, 1 drawer	
			105,6	
K = Flap T = Door			140.8 cm wide	
i – 2001	as illustr.		3144751	
Please observe the space requi-	v. versa		3144752	
rements given by the electrical	Price gr.		-	
dealer (heat build-up)!			-	
	IV		-	

### Metal substructures and cover shelves

	Accessories, see pages 42-43	NEU
2 drawers; 1 fabric-covered flap, 1 drawer; 2 drawers	2 drawers; 1 fabric-covered flap, 1 drawer; 2 drawers	2 drawers; 1 fabric-covered flap, 1 drawer; 2 drawers
35,2 105,6 35,2	52,8 105,6 52,8	70,4 105,6 70,4
176.0 cm wide	211.2 cm wide	246.4 cm wide
317075	321075	324075
-	=	-
- -	- -	-
1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer; 2 drawers	1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer; 2 drawers	1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer; 2 drawers
35,2 105,6 35,2	52,8 105,6 52,8	70,4 105,6 70,4
176.0 cm wide	211.2 cm wide	246.4 cm wide
3171751 3171752	3211751 3211752	3241751 3241752
- - -	- - -	- - -
1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer; 1 flap, 1 drawer	1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer; 1 flap, 1 drawer	1 flap, 1 drawer; 1 fabric-covered flap, 1 drawer; 1 flap, 1 drawer
35,2 105,6 35,2	52,8 105,6 52,8	70,4 105,6 70,4
176.0 cm wide	211.2 cm wide	246.4 cm wide
317275	321275	324275
- - - -	- - - -	- - - -
1 door; 1 fabric-covered flap, 1 drawer; 1 door	1 door; 1 fabric-covered flap, 1 drawer; 1 door	2 doors; 1 fabric-covered flap, 1 drawer; 2 doors
7 T T T T T T T T T T T T T T T T T T T	52,8 105,6 52,8 211.2 cm wide	70,4 105,6 70,4 246.4 cm wide
317375	321375	324375
- - - -	- - - -	- - - -
1 open compartment, 1 drawer; 1 fabric-covered flap, 1 drawer; 1 open compartment, 1 drawer	1 open compartment, 1 drawer; 1 fabric-covered flap, 1 drawer; 1 open compartment, 1 drawer	1 open compartment, 1 drawer; 1 fabric-covered flap, 1 drawer; 1 open compartment, 1 drawer
35,2 105,6 35,2	52,8 105,6 52,8	70,4 105,6 70,4
176.0 cm wide	211.2 cm wide	246.4 cm wide
317475	321475	324475
_	<u>_</u>	_
-	-	-
 <del>-</del>	<u> </u>	
		<u>'</u>

### Media accessories for lowboards


		for 105.6 cm width	for 140.8 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 ci width
0	ļ	109 Price gr I - II - V -	149 - - - - -	179 - - - -	219 - - - -	249 - - - - -
	Subwoofer base cut-out section Base cut-out section 12 x 23.2 cm The sounds from the subwoofer pass out through th without hindrance. The exact position in the carcase is predetermined 6				1	4
	Cable aperture K1 silver-coloured; Ø 8.0 cm It is possible to fit a cable aperture in the top shelf o can be made at the rear of the top shelf. The positio distance from centre of aperture to rear edge of unit If media panels are fitted on a lowboard, please stat aperture in the order.	n is in the centre of the co t: 10.0 cm.	mpartment,		k	<b>(1</b>
	Cable aperture K7 silver-coloured; 7.0 x 12.0 cm It is possible to fit a cable aperture in the top shelf of centre of the compartment, flush with the rear edge If media panels are fitted on a lowboard, please stat aperture in the order.	of the unit.			k	.7
	Cable aperture K8 silver-coloured; 12.8 x 3.2 cm It is possible to fit a cable aperture in the top shelf of the made at the rear rim of the top shelf. Positioned if media panels are fitted on a lowboard, please stat aperture in the order.  The cable aperture K8 cannot be fitted above an open	in centre of compartment.			ŀ	(8
	Cable aperture K9 13.0 x 1.6 cm It is possible to fit a cable aperture in a fitted shelf of ture can be made at the rear rim of the fitted shelf of behind the rear wall. Positioned in centre of compare	or at the rear rim of the bot	cable aper- tom shelf		ŀ	(9

### Multiple socket

### Multiple socket

7.4 cm high, 44.6 cm long, 5.7 cm deep Can be fitted in the lowboard in front of the rear wall optionally left (L) or right (R) in the compartment behind the fabric-covered flap, switch can be fitted in wooden cover shelf optionally left or right (see sketch) or possible when fitting an optional glass or ceramic cover shelf in the left or right outer carcase side of the lowboards. Please state the required position clearly in the order! If the multiple socket is planned into 45.0 cm deep lowboards, the drawer depth is reduced by 3.0 cm.

Not for sale in the UK!



Multiple socket with on/off function continuous current all 6 sockets

292 R

## IR repeater set

#### IR repeater set

Infrared signal transmission set for operating media units behind wooden/lacquered fronts. You can operate all the units in one compartment with one set. The following applies:

- One set must be used in each compartment. 2 transmitters can also be installed in large compartments in order to increase performance. In this case only one additional transmitter needs to be ordered.
- The transmitter must be placed in the direct vicinity of the receiver eye.
- Transmittable IR frequency band 20 60 kHz
- Up to 3 transmitters can be combined with one receiver.

It is possible to use 3 transmitters via 1 receiver including Master box. This enables simultaneous operation of 3 different furniture compartments or in critical situations it allows fitting out one furniture compartment with several transmitters in order to increase the performance in this compartment or to operate 2 end units placed next to one another.

The IR repeater set consists of:

- 1 receiver eye (Ø 3.0 cm) incl. standing bracket 1 electrical transmitter
- 1 plug EVG 12 V
- Cable clips

Please note the details stated in the operating instructions!

IR repeater set 1 receiver eye and 1 transmitter incl. standing bracket  2001  - Extra transmitter 2003	
- Extra transmitter	1 receiver eye and 1 transmitter incl. standing
	2001
	_
2003	Extra transmitter
	2003

### TV columns

TV columns can be rotated and adjusted in angle, for fitting on floor lowboards with partition (not possible with 2 Raster lowboards with 2 drawers on top of one another and wall lowboards).

The TV column can only be fitted above a partition in the centre. The partition is provided with a cut-out section for cables (no surcharge). No drawers are possible below the TV column


The revolving TV column 52 is suitable for flat screens with a screen diagonal of 38"-52" (96-132 cm), max. load: 35 kg


TV revolving column 52 compatible with VESA Norm standard: min. 75 x 75 mm, max. 400 x 400 mm

The revolving TV column 65 is suitable for flat screens with a screen diagonal of  $38^\circ$ -65 $^\circ$  (96-165 cm), max. load: 40 kg

TV revolving column 65 compatible with VESA Norm standard:

min. 75 x 75 mm, max. 800 x 400 mm





TV column 52	TV column 65
9404	9403
-	-

### Sufficient ventilation for hi-fi (media) units

Please observe the space requirements given by the electrical dealer (heat build-up)!

### Usable sizes of 1 and 2 Raster lowboards




Usable sizes behind 52 cm wide flap: Height 1 / 2 Raster: 13.8 / 31.4 cm Width: 49 cm Depth 33 / 45 cm: 28.3 / 40.3 cm



Usable sizes behind 70 cm wide flap: Height 1 / 2 Raster: 13.8 / 31.4 cm Width: 66.6 cm Depth 33 / 45 cm: 28.3 / 40.3 cm



Usable sizes behind 105 cm wide flap: Height 1 / 2 Raster: 13.8 / 31.4 cm Width: 97 cm Depth 33 / 45 cm: 28.3 / 40.3 cm





Usable sizes in 70 cm wide, open compartment: Height: 9.4 cm Width: 62.2 cm Depth 33 / 45 cm: 26.2 / 38.2 cm



Usable sizes in 105 cm wide, open compartment: Height: 9.4 cm Width: 97.4 cm Depth 33 / 45 cm: 26.2 / 38.2 cm

### Usable sizes for 2 Raster media lowboards






For 176.0 cm wide media lowboards:
Usable sizes behind fabric-covered flap:


Height: 10.8 cm Width: 97 cm Depth: 38 cm

Usable sizes behind centre flap: Height: 15.7 cm Width: 97 cm Depth: 47.3 cm

Usable sizes behind outer flaps

(per side): Height: 31.4 cm Width: 31.4 cm Depth: 47.3 cm






For 246.4 cm wide media lowboards:


Usable sizes behind fabriccovered flap: Height: 10.8 cm Width: 97 cm Depth: 38 cm Usable sizes behind centre

Usable sizes behind centre flap: Height: 15.7 cm Width: 97 cm Depth: 47.3 cm

Usable sizes behind outer flaps (per side):
Height: 31.4 cm
Width: 66.6 cm
Depth: 47.3 cm

### Usable sizes for 3 Raster media lowboards





# 6 Raster media panels

6 Raster media panels 104.1 cm high; 9.6 cm thick incl. assembly	lamps)				
space		25.2	25.2	35,2	35.2
for fitting anywhere on walls using invisible special bracket		35,2	35,2 32,4 30.8	32.4 90.8	35,2 32,4 30.8
		140.8 cm wide	176.0 cm wide	211.2 cm wide	246.4 cm wide
		6145	6175	6215	6245
	Price gr.	- -	<del>-</del> -	- -	- -
	iv	-	-	-	-

# **Accessories for media panels**

	ioi ilicula palicis					
			52.8 c	m wide	70.4 c	m wide
	<b>Media panel shelves</b> 23.4 cm deep; 2.9 cm thick					
	Can only be fitted at fixed positions at the left and/or right and top and/or bottom of the media panels (see the sketches at top). Please state clearly in the order.  Price gr.		5	55	75	
	top). I loude state steamy in the state.	Price gr.		- -		
4	Max. load: 15 kg	iv		- -		-
This luminaire contain	s built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	LED lamp	s incl. foot switch. A	A radio remote conti surcharge).	rol is possible for o	peration (against a
_			for 52.8	cm width	for 70.4	cm width
		2.4	1 W	4.7 W		
	LED lamps for media panel shelves					
		512 -		812 -		
<u> </u>	Top LED lamps for media panels	for 140.8 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width	
	for fitting at top behind media panels	9.8 W	12.5 W	15.3 W	17.5 W	
		914 -	917	921 -	924	
1	Side LED lamps for media panels for fitting left (L) and/or right (R) behind the media panels		6.3 W			
R	ior intuing left (L) and/or right ( <b>n</b> ) behind the media panels		691 L 692 R -			
Cable aperture K3 silver-coloured; Ø 7.2 cm (aperture 5.6 cm) It is possible to fit a cable aperture in the media panels above the lower media panel shelves (see sketch on the left). The cable aperture is made 37.5 cm from the lower rim and 35.2 cm from the left and/or right side of the media panel. Please state the exact position (left and/or right) clearly in						
L	the order!		K3 -			
14.2 cm high 93.0 cm wide 40.0 cm deep  Top glass section for TV Glass top, 1.0 cm thick, of clear glass, fitted on lowboards. Max. load: 50 kg						
				19	17	
			<u> </u>		E 1.202	1 Wohnen: NE

## IR repeater sets

#### IR repeater sets Infrared signal transmission sets for operating media units behind wooden/lacquered fronts. You can operate all the units in one compartment with one set. The following applies: IR repeater set 2 1 receiver eye and 1 transmitter (always fitted IR repeater set 1 1 receiver eye One set must be used in each compartment. 2 transmitters can also be installed in large compartments in order to increase performance. In this case only one additional transmitter needs to be ordered. The transmitter must be placed in the direct vicinity of the receiver eye of the media unit. Transmittable IR frequency band 20 – 60 kHz and 1 transmitter incl. standing at left of media bracket panel) Up to 3 transmitters can be combined with one receiver. It is possible to use 3 transmitters via 1 receiver including Master box. This enables simultaneous operation of 3 different furniture compartments or in critical situations it allows fitting out one furniture compartment with several transmitters in order to increase the performance in this compartment or to operate 2 end units placed next to one another. 2001 2002 The IR repeater set consists of: in the case of IR repeater set 1: 1 receiver eye (Ø 3.0 cm) incl. standing bracket in the case of IR repeater set 2: 1 receiver eye (Ø 3.0 cm) Extra transmitter 1 electrical transmitter 1 plug EVG 12 V Cable clips Standard fitting position of IR repeater set 2: in media panels: 4.0 cm from the lower rim and 12.0 cm from the left outer side of the media panels Please note the details stated in the operating instructions! 2003

## Column system, flat screen supports

#### Column system Audio/DVD support consisting of a metal column (for fitting anywhere on wall) of metal; for fitting anywhere on walls above top rim of of metal; can be positioned at any height on the column and of audio/DVD support(s), for fitting anywhere on coplinth slat; cables can be laid and hidden at any height; and be adjusted to suit audio/DVD players of any size; with audio/DVD supports can be fitted anywhere on the column. rubber padding at front to prevent units from slipping; max. Example of use: 36.8 cm high 64.1 cm high 9201 9202 Flat screen support THIN 315 Flat screen support WTL6 Flat screen support THIN 345, ideally adaptable The flat screen support can be adjusted 3-dimensionally. It The flat screen support can be adjusted 3-dimensionally. is suitable for flat screens with a screen diagonal of 102-It is suitable for flat screens with a screen diagonal of 81-216 cm (40"-85"); max. load: 45 kg. 140 cm (32"-55") and a maximum depth of 4.5 cm; max Suitable for Curved TV's.

min.: 200 x 200 mm

max.: 600 x 400 mm

Flat screen support compatible with VESA Norm standard:


load: 25 kg

Go to www.vogels.com to check if your flat screen can be fitted on this flat screen support. Enter the name THIN 345. After a few steps you can see if your flat screen TV is compatible with the flat screen support.

Not suitable for Curved TV's

Flat screen support compatible with VESA Norm standard: min.: 100 x 100 mm

max.: 600 x 400 mm



The flat screen support can be angled up to a max. 15°. It is suitable for flat screens with a screen diagonal of 102-165 cm (40"-65") and a maximum depth of 5.0 cm; max. load: 25 kg.

9203

Go to www.vogels.com to check if your flat screen can be fitted on this flat screen support. Enter the name THIN 315. After a few steps you can see if your flat screen TV is compatible with the flat screen support.

Not suitable for Curved TV's

Flat screen support compatible with VESA Norm standard: min · 100 x 100 mm

max.: 600 x 400 mm




for fitting anywhere on walls	for fitting at fixed positions on media panels (see below; later assembly not pos- sible; incl. cable aperture in support and wall panel)	for fitting anywhere on walls	for fitting at fixed positions on media panels (see below; later assembly not pos- sible; incl. cable aperture in support and wall panel)	for fitting anywhere on walls	for fitting anywhere on media panels (a cable aperture K1 is supplied and can be fitted on site)
9704	9705	9304	9305	9504	9505
-	_	-	_	_	-

# Assembly positions of flat screen supports on media panels


Besides being able to mount the flat screen support anywhere on a wall, it is also possible to mount it in front of media panels in the range. For reasons of statics and construction, only the assembly positions shown below are possible for the flat screen supports types 9705 and 9305, other positions must not be used. Please state clearly in your order at which position the flat screen support is to be mounted, the media panels are then provided with mounting holes accordingly. Later assembly is not possible. The flat screen support type 9505 can be mounted at any position - even at a later date. Height position: centrally in wall panel.

### Possible width positions of flat screen supports on media panels




for 140.8 cm width

The centre of the flat screen support is 70.4 cm from the left and right side of the media panel




for 176.0 cm width

In sketch 2: The centre of the flat screen support in position 1 (or position 3) is 61.6 cm from The centre of the flat screen support in position 2 is 88.0 cm from the left and right side of the media panel.



for 211.2 cm width

The centre of the flat screen support in position (or position 3) is 70.4 cm from the left (or right) side of the media panel. The centre of the flat screen support in position 2 is 105.6 cm from the left and right side of the media panel.



for 246.4 cm width

The centre of the flat screen support in position 1 (or position 3) is 71.6 cm from the left (or right) side of the media panel. The centre of the flat screen support in position 2 is 123.2 cm from the left and right side of the media panel.

#### Note on measurements in sketches:

The size scale above the sketches is not true to scale. The sizes are always based on the centre of the flatscreen TV support in the given fitted position.



# **4 Raster sideboards**

Accessories and lamps: see pages **88-93** 

4 Raster sideboards 70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 45.0 or 52.0 cm deep		6 dra	awers	1 door; 3	drawers	1 door; 3 drawers; 1 door			
		70,4	105,6	70,4	105,6 3	52.8 70,4 52,8 3			
			cm wide		cm wide		cm wide		
		45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep		
	as illustr. v. versa	417121 417122	417111 417112	417221 417222	417211 417212	41732	41731		
	Price gr.	717122	417112	717222	717212				
		-	-	_	- -	-	-		
	III	-	-	-	-	-	-		
	IV	-	-	-	-	-	-		
		4 d	oors	1 door; 3 dra	en compartment; 1 door				
		35.2 56		35.2	105,6 35,2 3	35,2 70,4 35,2 <b>3</b>			
		176.0 c	I		cm wide	176.0 cm wide			
		45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep		
	Price gr. I II III	41742 - - - -	41741 - - - -	41752 - - - -	41751 - - - -	41762 - - - -	41761 - - - -		
		1 door; 2 drawers, 1 ope	en compartment; 1 door	2 drawers, 1 open cor	npartment; 3 drawers	2 drawers, 1 open o	compartment; 1 door		
		52,8	70,4 52,8 <b>3</b>	176.0 0	70,4 <b>3</b>	176.0 cm wide			
		45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep	45.0 cm deep	52.0 cm deep		
	as illustr. v. versa	41772	41771	417721 417722	417711 417712	417421 417422	417411 417412		
	Price gr.	_	_	_	_	_	_		
	II	-	-	-	-	-	-		
When used as wall units or stacked units: Max. load per unit: 40 kg	III IV	-	-	-		-	-		

### **Wall bracket**

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 176.0 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4176 -

### Metal substructures and cover shelves


### **4 Raster sideboards**

Notes on delivery: Please see here the information on range introduction pages.

2

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter!

NEO




### Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 211.2 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4211 -

### Metal substructures and cover shelves

# 4 Raster sideboards

Accessories and lamps: see pages 88-93



### **Wall bracket**

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 246.4 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4246 -

### Metal substructures and cover shelves

# **6 Raster highboards**

Notes on delivery: Please see here the information on range introduction pages.


1

2

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter!

4

**NEO** 




### Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 176.0 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	4176 -

### Metal substructures and cover shelves

## **6 Raster highboards**

Accessories and lamps: see pages **88-93** 



### Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 211.2 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	

### Metal substructures and cover shelves


# **6 Raster highboards**

Notes on delivery: Please see here the information on range introduction pages.

2

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter!

**NEO** 



### Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano-	for 246.4 cm width
ther, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.	

### Metal substructures and cover shelves

Accessories and lamps: see pages **88-93** 

2 nasiti wali ul	IIILO		see pages <b>00-93</b>						
2 Raster wall units 35.2 cm high, 33.0 cm deep		1 flap	1 flap	1 flap					
for fitting anywhere on walls									
		3	3	3					
		70.4 cm wide	105.6 cm wide	140.8 cm wide					
		Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom					
		33.0 cm deep <b>2718</b>	33.0 cm deep <b>2098</b>	33.0 cm deep <b>2148</b>					
	Price gr.								
	I II	-	- -	-					
	III IV	- -		-					
		1 flap	1 flap	1 flap					
		3	3	3					
		70.4 cm wide	105.6 cm wide	140.8 cm wide					
		Flap hinge at top 33.0 cm deep	Flap hinge at top 33.0 cm deep	Flap hinge at top 33.0 cm deep					
		2719	2099	2149					
	Price gr.								
		- -	- -	-					
	III IV	- -	- -						
		1 glass flap	1 glass flap	1 glass flap					
		3	3	3					
		70.4 cm wide	105.6 cm wide	140.8 cm wide  Flap hinge at bottom					
		Flap hinge at bottom 33.0 cm deep	Flap hinge at bottom 33.0 cm deep	33.0 cm deep					
		2714	2094	2144					
	Price gr.								
		- -	-	-					
	III IV	- -	-	-					
		1 glass flap	1 glass flap	1 glass flap					
		3	3	3					
		70.4 cm wide	105.6 cm wide	140.8 cm wide					
	-	Flap hinge at top	Flap hinge at top	Flap hinge at top					
		33.0 cm deep <b>2715</b>	33.0 cm deep <b>2095</b>	33.0 cm deep <b>2145</b>					
lax. load of wall units: lax. load 15 kg per metre: 0.4 cm width: 10.0 kg	Price gr.	-							
05.6 cm width: 15.0 kg 40.8 cm width: 20.0 kg 176.0 cm width: 25.0 kg		- -	- -						
211.2 cm width: 30.0 kg 246.4 cm width: 30.0 kg	III IV	-	- -						
	1			F 1 2021 Wohner: NEO					

	L	INEU
1 flap	1 flap	1 flap
4	<b>4</b>	4
176.0 cm wide	211.2 cm wide	246.4 cm wide
Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom
33.0 cm deep	33.0 cm deep	33.0 cm deep
2168	2208	2248
_	_	_
-	-	-
- -	- -	<u> </u>
1 flap	1 flap	1 flap
		<b>^</b>
4	4	4
176.0 cm wide	211.2 cm wide	246.4 cm wide
Flap hinge at top	Flap hinge at top	Flap hinge at top
33.0 cm deep	33.0 cm deep	33.0 cm deep
2169	2209	2249
- -	- -	
- -	- -	- -
1 glass flap	1 glass flap	
V	V	
4	4	
176.0 cm wide	211.2 cm wide	
Flap hinge at bottom	Flap hinge at bottom	
33.0 cm deep	33.0 cm deep	
2164	2204	
- -	- -	
- -	- -	
1 glass flap	1 glass flap	
	_	
^	^	
4	4	
176.0 cm wide	211.2 cm wide	
Flap hinge at top	Flap hinge at top	
33.0 cm deep	33.0 cm deep	
2165	2205	
-	-	
- -	- -	
- Mohnon NEO E 1 2021	-	

## Planning and possible arrangements for free planning with floor units

Choosing the carcase unit consisting of: carcase - on 1.8 cm high plinth adjusters (from 52.8 cm width also optionally on a metal substructure) or with a wall bracket - and rear wall; also with optional extra top cover shelf.  1 Carcase unit, 8 Raster high (142.6 cm incl. 1.8 cm high plinth adjusters),	81040
105.6 cm wide, 42.3 cm deep	
Position Quantity	
Step 2:	840
Choosing the interior fittings (partitions, constructional shelves, fitted shelves, accessories)  Note: Partitions, constructional and fitted shelves can be fitted anywhere within the Raster system. Partitions must be included from 140.8 cm width, though no partitions can be fitted on glass shelves (please see sketch raster). If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a constructional shelves for carcase unit, for 35.2 cm width and 42.3 cm depth	634
page.  3 Constructional shelves for carcase unit, for 70.4 cm width and 42.3 cm depth	674
4 1 Fitted shelf for carcase unit, for 35.2 cm width and 42.3 cm depth	134
5 1 Fitted glass shelf for carcase unit, for 70.4 cm width and 42.3 cm depth	374
Step 3:  Choosing the fronts (drawers, flaps, doors and open compartments for carcase units)  The step 3:  1 Open compartment for carcase unit, for 2 Raster height, 35.2 cm width and 42.3 cm depth	2035
Note: Drawer fronts and flaps must be fitted between constructional shelves and partitions/carcase sides. Each compartment must be fitted with a front or an open compartment for carcase units.  2 1 Door for carcase unit, 4 Raster high for 35.2 cm width	40311 L
3 1 2 drawers for carcase unit, 2 Raster high for 35.2 cm width and 42.3 cm depth	2301
4 1 Drawer for carcase unit, 2 Raster high for 70.4 cm width and 42.3 cm depth	2702
5 1 Glass door for carcase unit, 4 Raster high for 70.4 cm width	40742 R
6 1 2 drawers for carcase unit, 2 Raster high for 70.4 cm width and 42.3 cm depth	2701

# Planning and possible arrangements for free planning with wall units, wall low-, side- and highboards

Fixed partitions are necessary for several wall units, wall low-, side- and highboards for reasons of safety. As a general rule the maximum full-length compartment width for wall units, wall low-, side- and highboards is 105.6 cm. If wider units are to be included, fixed partitions must be fitted (see below). Please also observe the notes on maximum loads and the notes on the quality of walls in the "Wall composition" chapter. Partition Widths: 140.8 cm 1-2 Raster lowboards as well as 4-6 Raster side- and highboards 158.4 cm in 140.8; 158.4; 176.0 and 211.2 cm width 176.0 cm At least 1 partition is essential. 211.2 cm Partition Partition Width: 1-2 Raster lowboards as well as 4-6 Raster side- and highboards 246.4 cm in 246.4 cm width At least 2 partitions are essential. for 105.6 cm width for 70.4 cm

### **Carcase units**

### 1 Raster carcase units

17.6 cm high (19.4 cm high incl. 1.8 cm high plinth adjusters)

### 49.3 cm deep 1 Raster carcase units cannot be fitted as wall units!

Carcase unit depths: 30.3; 42.3 cm and 49.3 cm

Carcase units consisting of carcase and rear wall

Partitions, constructional and fitted shelves can be fitted anywhere within the Raster system.

When used as wall units or stacked units:
Max. load 15 kg per metre:
17.6 cm width: 5.0 kg
35.2 cm width: 5.0 kg
52.8 cm width: 7.5 kg
70.4 cm width: 10.0 kg;
from 105.6 cm width: max. load per unit: 40 kg

	35.2 cm wide			52.8 cm wide			70.4 cm wide			105.6 cm wide			
	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	
	13530	13540	13547	15230	15240	15247	17030	17040	17047	11030	11040	11047	
Price gr.	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	- -	-	-	-	-	-	
IV	-	-	-	-	-	-	-	-	-	-	-	-	

#### 2 Raster carcase units

35.2 cm high (37.0 cm high incl. 1.8 cm high plinth adjusters)

49.3 cm deep 2 Raster carcase units cannot be fitted as wall units!

				I .			ı .			l .					]	
	1	7.6 cm wid	le	3	5.2 cm wid	е	5	52.8 cm wid	le		70.4 cm wid	ie	10	05.6 cm wi	de	
	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	
Duine au	21830	21840	21847	23530	23540	23547	25230	25240	25247	27030	27040	27047	21030	21040	21047	
Price gr.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

### 3 Raster carcase units

52.8 cm high (54.6 cm high incl. 1.8 cm high plinth adjusters) 49.3 cm deep 3 Raster carcase units cannot be fitted as wall units!


							1									
				3	5.2 cm wid	е	5	2.8 cm wid	е	7	70.4 cm wid	le	10	05.6 cm wid	et	
	deep deep deep		49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	
	31830	31840	31847	33530	33540	33547	35230	35240	35247	37030	37040	37047	31030	31040	31047	
Price gr.	-	-	_	_	_	-	-	-	_	-	-	-	_	-	-	
<u>  II.</u>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ĺ
III IV	-	-	-	-	-	-	-	-		-	-	-	-	-	-	

### **Wall bracket**

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.

	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
	4170	4352	4528	4704	4105	
ı	-	-	-	-	-	

### Metal substructures and cover shelves



# **Carcase units** 4 Raster carcase units 70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters)

# Carcase unit depths: 30.3; 42.3 cm and 49.3 cm

Carcase units consisting of carcase and rear wall

When used as wall units or stacked units:
Max. load 15 kg per metre:
17.6 cm width: 5.0 kg
35.2 cm width: 5.0 kg
52.8 cm width: 7.5 kg
70.4 cm width: 10.0 kg;
from 105.6 cm width: max. load per unit: 40 kg











	1	17.6 cm wid	de	3	35.2 cm wid	le	5	52.8 cm wid	de	7	70.4 cm wid	de	10	05.6 cm wi	de	1
	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	
	41830	41840	41847	43530	43540	43547	45230	45240	45247	47030	47040	47047	41030	41040	41047	
Price gr.																l
lii l	_	_	[	_	-	-	_	_	[	-	-	_	-	_		l
liii l	-	_	_	_	_	-	_	-	] -	_	_	_		_	_	ı
ĪV	-	-	-	-	-	-	-	-	-	_	-	-	_	-	-	ı

### 5 Raster carcase units

88.0 cm high (89.8 cm high incl. 1.8 cm high plinth adjusters)











																1
	1	7.6 cm wid	de	3	35.2 cm wid	le	5	52.8 cm wid	le	7	70.4 cm wid	de	10	05.6 cm wid	de	
	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	
	51830	51840	51847	53530	53540	53547	55230	55240	55247	57030	57040	57047	51030	51040	51047	
Price gr.	-	-	-	-	-	_	-	-	-	_	-	-	-	-	-	
11	-	-	-	-	-	-	-	-	-	-	-	-	- '	- !	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IV	-	-	-	-	-	-	-	-	-	-	-	-	- '	-	-	

### 6 Raster carcase units

105.6 cm high

(107.4 cm high incl. 1.8 cm high plinth adjusters)











	1	7.6 cm wid	le	3	5.2 cm wid	le	5	52.8 cm wid	le	7	0.4 cm wid	de	1	05.6 cm wi	de	
	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	30.3 cm deep	42.3 cm deep	49.3 cm deep	
	61830	61840	61847	63530	63540	63547	65230	65240	65247	67030	67040	67047	61030	61040	61047	Г
Price gr.	_	-	_	-	-	-	-	-	-	-	-	-	_	-	_	
<u>                                      </u>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
lii IV	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	

### **Wall bracket**


If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.

	for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
	4170	4352	4528	4704	4105	
	-	-	-	-	-	

### Metal substructures and cover shelves


1

2



for 140.8 cm width	for 158.4 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width
4140	4150	4176	4211	4246
-	-	-	-	-

### **Carcase units**



### **Wall bracket**

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position or the unit is planned above an open glass compartment.

for 17.6 cm wid	lth	for 35.2 cm	width	for 52.8 cn	n width	for 70.4 c	m width	for 105.6 cn	n width
4170		4352		4528		4704		4105	

### **Metal substructures and cover shelves**

oardase units io	111100				IILO
2 and 3 Raster carcases for media lowboards 35.2 or 52.8 cm high (37.0 or 54.6 cm high incl.	2 Raster	carcase units			
1.8 cm high plinth adjusters), 52.0 cm deep  All carcase units incl. 1 fabric-		105,6	70,4	105,6	105,6
covered flap and 1 drawer		140.8 cm wide	176.0 cm wide	211.2 cm wide	246.4 cm wide
Cover shelf with cable cover in high-gloss chrome on rear edge	as illustr. v. versa Price gr.	214491 214492	276491 276492	221491 221492	224491 224492
Incl. cable aperture at centre of rear wall behind flap per compartment	I II III IV	- - - -	- - - -	- - - -	- - - -
Max. load: 40 kg					
Carcase units for media lowboards cannot be used as wall units!			35,2 105,6 35,2	52,8 105,6 52,8	70,4 105,6 70,4
			176.0 cm wide	211.2 cm wide	246.4 cm wide
			27649	22149	22449
	Price gr. I II III IV		- - - -	- - - -	- - - -
	3 Raster	carcase units			
		105,6 35,2	105,6 70,4	105,6 105,6	105,6
		140.8 cm wide	176.0 cm wide	211.2 cm wide	246.4 cm wide
	as illustr. v. versa Price gr.	314491 314492	376491 376492	321491 321492	324491 324492
	I II III IV	- - - -	- - - -	- - - -	- - - -
	-       -				
			35,2 105,6 35,2	52,8 105,6 52,8	70,4 105,6 70,4
			176.0 cm wide	211.2 cm wide	246.4 cm wide
			37649	32149	32449
	Price gr.		-	-	-
	II III		- -		
1	IV		-	_	-

### **Metal substructures and cover shelves**

## **Centre partitions for carcase units**

Centre partitions for carcase units 3.8 cm thick Depths: 28.0 cm (for 30.3 cm depth), 40.0 cm (for 42.3 cm for 1 Raster height for 2 Raster height for 3 Raster height depth) or 47.0 cm (for 49.3 cm depth) for 30.3 cm for 49.3 cm for 30.3 cm for 49.3 cm for 49.3 cm for 42.3 cm for 30.3 cm for fitting anywhere in carcase units within the Raster system depth depth depth depth depth depth depth depth depth 130 140 147 230 240 247 330 340 347 Cannot be fitted on or below fitted glass shelves! Price ar. IV for 5 Raster height for 6 Raster height for 4 Raster height for 30.3 cm depth for 42.3 cm depth for 42.3 cm depth for 42.3 cm depth for 49.3 cm for 30.3 cm for 49.3 cm for 30.3 cm for 49.3 cm depth depth 430 440 447 530 540 547 630 640 647 Price gr. IV for 12 Raster height for 8 Raster height for 10 Raster height for 30.3 cm for 42 3 cm for 49 3 cm for 42.3 cm depth for 49.3 cm for 42 3 cm for 49.3 cm for 30.3 cm for 30.3 cm depth 847 830 840 1030 1040 1047 1230 1240 1247 Price gr.

## **Constructional shelves for carcase units**

**Constructional shelves for** carcase units 3.8 cm thick Depths: 28.0 cm (for 30.3 cm depth), 40.0 cm (for 42.3 cm depth) or 47.0 cm (for 49.3 cm depth) for fitting anywhere in carcase units within the Raster system If different fronts like drawers, flap units or doors are stacked on for 17.6 cm width for 35.2 cm width for 52.8 cm width for 70.4 cm width for 105 6 cm width top of one another, constructional shelves must be fitted in between. for 30.3 cm for 42.3 cm If several drawers are fitted on top 42.3 cm of one another, it is not necessary depth to fit a constructional shelf between the drawers. 623 624 627 633 634 637 653 654 657 6103 6104 6107 673 674 677 Price ar.

## Fitted shelves for carcase units – behind doors

Fitted shelves for carcase units – behind doors 1.9 cm thick (2.9 cm thick for 105.6 cm width)			<b>~</b>										₽	≪		V
<b>Depths:</b> 27.5 cm (for 30.3 cm depth), 39.5 cm (for 42.3 cm		for '	17.6 cm w	idth	for	35.2 cm w	ridth	for	52.8 cm w	idth	for	70.4 cm w	idth	for 1	05.6 cm v	/idth
depth) or 46.5 cm (for 49.3 cm depth) for fitting anywhere in carcase		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
units within the Raster system		123	124	127	133	134	137	153	154	157	173	174	177	1103	1104	1107
	Price gr. IIIIIIV		- - -	- - -	- - -	- - -	- - - -	- - - -	- - -	- - - -	- - - -	- - -	- - - -	- - - -	- - - -	

# Fitted glass shelves for carcase units – behind doors

Fitted glass shelves (clear glass) for carcase units – behind doors 0.8 cm thick												
<b>Depths:</b> 27.5 cm (for 30.3 cm depth), 39.5 cm (for 42.3 cm depth) or 46.5 cm (for 49.3 cm depth)	fo	r 17.6 cm wi	dth	fo	~~~ r 35.2 cm wid	đth	<b>f</b> or	52.8 cm wid	lth	for	70.4 cm wid	lth
for fitting in carcase units. Glass shelves must be fitted between partitions and/or carcase sides. No	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
partitions can be fitted on/under glass shelves.	323	324	327	333	334	337	353	354	357	373	374	377
	-	-	_	-	-	-	-	-	-	-	-	-

# Fitted shelves for carcase units – behind flaps

Fitted shelves for carcase units – behind flaps 1.9 cm thick (2.9 cm thick for 105.6 cm width)								,			<		
<b>Depths:</b> 21.5 cm (for 30.3 cm depth), 33.5 cm (for 42.3 cm		fo	r 35.2 cm wi	dth	foi	r 52.8 cm wid	lth	for	r 70.4 cm wid	lth	for	105.6 cm wi	dth
depth) or 40.5 cm (for 49.3 cm depth)		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
for fitting anywhere in carcase units within the Raster system		1338	1348	1378	1538	1548	1578	1738	1748	1778	11038	11048	11078
	Price gr. I II III IV	- - - -	- - -				1 1 1 1						

# Fitted glass shelves for carcase units – behind flaps

Fitted glass shelves (clear glass) for carcase units – behind flaps 0.8 cm thick									
Depths: 21.5 cm (for 30.3 cm depth), 33.5 cm (for 42.3 cm depth) or 40.5 cm (for 49.3 cm depth)		for 35.2 cm width	1	 	for 52.8 cm width		1	for 70.4 cm width	
for fitting in carcase units. Glass shelves must be fitted between partitions and/or carcase sides. No	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
partitions can be fitted on/under glass shelves.	3338	3348	3378	3538	3548	3578	3738	3748	3778
	-	-	-	-	-	-	-	-	-

## **Open compartments for carcase units**

Open compartme	ents t	or ca	arcas	se ui	nits									ments se	e page <b>9</b> 2	2
Open compartments for carcase units	1 Raster	high														
for fitting in 1 Raster (or 2, 4 or 6 Raster) open sections of 30.3; 42.3 and 49.3 cm deep carcase units					Usable ins Height: 9.4 Width: 27. Depth: 26.	l cm	2 cm	Height: 9.4 Width: 44.	side dims: 4 cm 5 cm .2; 38.2; 45.	2 cm	Height: 9.4 Width: 62.		2 cm	Height: 9.4 Width: 97.		2 cm
1 Raster high = 17.2 cm 2 Raster high = 34.8 cm 4 Raster high = 70.0 cm					for	35.2 cm w	vidth	for	52.8 cm w	idth	for	70.4 cm w	vidth	for 1	105.6 cm v	vidth
6 Raster high = 105.2 cm incl. inside carcase with rear					for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
wall					1835	1035	1535	1852	1052	1552	1870	1070	1570	18105		15105
for fitting between construc- tional shelves and partitions/ carcase sides	Price gr.				-	-	- -	-	-	- -	-	-	  -  -	- -	-	- -
	III IV				- -	- -	-	-	- -	- -	- -	- -	-	- -	- -	1 1
	2 Raster	high Usable ins	side dims:		Usable ins	side dims:		Usable in	side dims:		Usable in	side dims:		Usable in	side dims:	
		Height: 27. Width: 9.4	.0 cm	2 cm	Height: 27 Width: 27.	.0 cm	2 cm	Height: 27 Width: 44.	.0 cm	2 cm	Height: 27 Width: 62.	.0 cm	2 cm	Height: 27 Width: 97.	.0 cm	2 cm
		for	17.6 cm w	ridth	for	35.2 cm w	vidth	for:	52.8 cm w	] idth	for	70.4 cm w	vidth	for 1	05.6 cm v	vidth
		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
		2825	2025	2525	2835	2035	2535	2852	2052	2552	2870	2070	2570	28105		25105
	Price gr.	-	-	_	-	-	_	-	-	-	-	-	_	_	-	-
	II III IV	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
	4 Raster	high														
		Usable ins Height: 62 Width: 9.4 Depth: 26.	.2 cm	2 cm	Usable ins Height: 62 Width: 27. Depth: 26.	.2 cm	2 cm	Height: 62 Width: 44.		2 cm	Height: 62 Width: 62.		2 cm	Height: 62 Width: 97.		2 cm
		for	17.6 cm w	ridth	for	35.2 cm w	vidth	for	52.8 cm w	idth	for	70.4 cm w	vidth	for 1	05.6 cm v	<i>v</i> idth
		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
		4825	4025	4525	4835	4035	4535	4852	4052	4552	4870	4070	4570	48105	40105	45105
	Price gr.	- - -	- - -	- - -	- - -	-	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
	6 Raster	- hiah	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Usable ins Height: 97 Width: 9.4		2 cm	Height: 97 Width: 27.		2 cm	Height: 97 Width: 44.		2 cm						
		for	17.6 cm w	ridth		35.2 cm w	vidth		52.8 cm w	idth						
		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth						
	Price gr.	6825	6025	6525	6835	6035	6535	6852	6052	6552						
	I II	-	-	-	-	-	-	-	-	- -						
	III IV	- -	-	-	-	-	-	-	-	-				F 1 2021		ohnen: NEO

## **Fitted shelves for open compartment**

Fitted shelves for open compartment 1.9 cm thick		for	17.6 cm w	idth	for	35.2 cm w	ridth	for	52.8 cm w	idth	for i	70.4 cm w	idth	≪ for 1	05.6 cm w	>> vidth
<b>Depths:</b> 26.2 cm (for 30.3 cm depth), 38.2 cm (for 42.3 cm depth) or 45.2 cm (for 49.3 cm		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
depth)		523	524	527	533	534	537	553	554	557	573	574	577	513	514	517
for fitting anywhere in open com- partments within the Raster system	Price gr. I II III	- - -	- - -		1 1 1			1 1 1 1			1 1 1 1	1 1 1 1		- - -	1 1 1	- - -

# Fitted glass shelves for open compartment

Fitted glass shelves (clear glass) for open compartment 0.8 cm thick			idth	for	35.2 cm w	idth	for !	52.8 cm w	- idth	for 7	70.4 cm w	idth	for 1	05.6 cm v	> vidth
Depths: 26.0 cm (for 30.3 cm depth), 38.0 cm (for 42.3 cm depth) or 45.0 cm (for 49.3 cm	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
depth) for fitting anywhere in open compartments within the Raster system	223	224	227	233	234	237	253	254	257	273	274	277	213	214	217


### **Metal substructures**

### Metal substructure A

12.8 cm high; for 42.3 cm and 49.3 cm depth;

High-gloss chrome

Units, lowboards, side-/highboards and carcase units can be fitted optionally on a metal substructure (for room dividers up to max. 6 Raster carcase height). In this case the plinth



### Metal substructure B

24.5 cm high; for 30.3 cm, 42.3 cm and 49.3 cm depth;

optionally in anthracite structured lacquer (price group I) or in high-gloss chrome (price group II)

	/boards, side-/h are omitted.	nighboards and	carcase unit	s can be fitted o	optionally on a	metal substru	cture (for roon	n dividers up to	o max. 6 Raste	er carcase heig	ht). In this cas	e the plinth
					0 0							
				for 17.6 / 3	35.2 / 52.8 / 70.4	4 cm width	fo	or 105.6 cm widt	th	fo	or 140.8 cm widt	h
				for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
			Price gr.	3703	4703	5703	3013	4013	5013	3413	4413	5413
				- -	-	-	- -	-	-	-	-	-
						1	7		•			
	fc	or 158.4 cm width	1	fc	or 176.0 cm widt	th	fo	or 211.2 cm widt	th	fo	or 246.4 cm widtl	h
	for 30.3 cm depth	for 42.3 cm depth for	or 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
Price gr.	3513	4513	5513	3713	4713	5713	3113	4113	5113	3613	4613	5613
Wohnen: NEO		-	<u>-</u>	-	-	-	- -	-	-	-	-	-

69

### **Cover shelves**

### Cover shelf

2.9 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf. We recommend fitting an extra cover shelf for visual reasons, if the (carcase) units, low-, side- and highboards are fitted between side-panels/converted with side-panels

converted with side-panels.
The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 268.0 cm width.



### Price per 10 cm section:

		po			
	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3515	3510	3517	3610	3617
Price gr.	_	-	-	-	-
III	-	-	-	-	-
l IV	-	-	-	-	-

#### Cover shelf

1.0 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 268.0 cm width.



#### Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3525	3520	3527	3620	3627
Price gr.					
	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
IV	-	-	-	-	-

#### Cover shelf of rear-lacquered glass

Please be sure to state the required version in the order!

Please be sure to state the required version in the order!

optionally rear-lacquered in pure white, white, grey or silk grey 0.8 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.



#### Price per 10 cm section:

33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
3535	3530	3537	3630	3637
_	-	_	-	_

#### **Cover shelf of ceramic**

optionally in zaha stone, storm nero, white, grey, calacatta, concrete or pulpis 0.6 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.



### Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3545	3540	3547	3640	3647
	_	_	_	-	-

1 and 2 Raster d	lrawei	rs											
Drawers 1 Raster high = 17.2 cm 2 Raster high = 34.8 cm	1 Raster I	high	1 drawer			1 drawer			1 drawer			1 drawer	
Front thickness: 2.3 cm													
for fitting between construc- tional shelves and partitions/ carcase sides		foi	r 35.2 cm wid	dth	fo	r 52.8 cm wid	<del>lt</del> h	for	70.4 cm wid	łth	for	105.6 cm wi	dth
If different fronts like drawers, flap units or doors are stacked on top of													
one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
constructional shelf between the drawers.	Price gr.	-	-	_	-	-	-	-	-	-	-	-	_
	III III IV	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-	- - -	- - -	- - -	- - -
	2 Raster	high											
			1 drawer			1 drawer			1 drawer			1 drawer	
		fo	r 35.2 cm wid	dth T	fo	r 52.8 cm wid	dth	for	70.4 cm wid	ith I	for	105.6 cm wi	dth
		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
		2332	2302	2372	2532	2502	2572	2732	2702	2772	21032	21002	21072
	Price gr.	_	-	_	-	-	-	-	-	_	-	-	-
	III III IV	- - -	- - -	- - -									
	2 Raster	high	•										
		2 Raster f	1 Raster drav ront panel, to inside drawe	p 1 Raster	2 Raster f	1 Raster drav ront panel, to inside drawe	p 1 Raster	2 Raster f	1 Raster drav ront panel, to inside drawe	p 1 Raster	2 Raster f	1 Raster drav ront panel, to inside drawe	p 1 Raster
													]
		1	r 35.2 cm wid	1		r 52.8 cm wid			70.4 cm wid	İ		105.6 cm wi	
		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
	Price gr.	431	401	471	432	402	472	433	403	473	434	404	474
	I II		-	-	-	- -	- -	-	-	-	- -	-	-
	III IV	-	-	-	-	-	-	-	-	-	-	-	-
	2 Raster	high	2 drawers			2 drawers			2 drawers			2 drawers	
		foi	r 35.2 cm wid	dth	fo	r 52.8 cm wid	ith	for	70.4 cm wid	ith	for	105.6 cm wi	dth
		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
		2331	2301	2371	2531	2501	2571	2731	2701	2771	21031	21001	21071
	Price gr.	_	-	_	_	_	_	_	_	_	_	_	
	II	-	-	-	-	- -	- -	- -	- -	-	-	- -	- -
	IV	-	-	-	-	-	-	-	-	-	-	-	-

# **Fronts for carcase units**

	1 Raster	high				
r high = 17.2 cm r high = 34.8 cm		1 flap	1 flap	1 flap	1 flap	1 fabric-covered flap
ickness: 2.3 cm				, , , , , , , , , , , , , , , , , , ,	*	
g between construc- nelves and partitions/		for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 105.6 cm width
sides		Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom
it fronts like drawers, flap		1308	1508	1708	11008	1188
oors are stacked on top of						
er, constructional shelves itted in between. If several	Price gr.	_	_	_	_	_
re fitted on top of one	ii .	_	-	-	-	-
is not necessary to fit a onal shelf between the	III IV	-	-	-	-	-
		himb	-	-	-	-
	2 Raster	nign				
		1 flap	1 flap	1 flap	1 flap	1 fabric-covered flap
					ì	, v
		ů ·				
		for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 105.6 cm width
		Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom
		2308	2508	2708	21008	2188
	Drice an					
	Price gr.	-	-	-	-	-
	<u></u>	-	-	-	-	-
	III IV			-		-
	2 Raster	high				
		1 flap	1 flap	1 flap	1 flap	
		↑		^	1.7	
		for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
		Flap hinge at top	Flap hinge at top	Flap hinge at top	Flap hinge at top	
		2309	2509	2709	21009	
	Price gr.					
	lii 💮	-	-	-		
	III	-	-	-	-	
	IV .	-	-	-	-	
	2 Raster					
		1 glass flap	1 glass flap	1 glass flap	1 glass flap	
		V		// v	V	
		for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
		Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	1
		2304	2504	2704	21004	
		2304	2504	2704	21004	
		-	_	-	-	
	2 Raster	high				
		1 glass flap	1 glass flap	1 glass flap	1 glass flap	
		<b>□</b> ^	<b> </b>	· ·	*	
		for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
		Flap hinge at top	Flap hinge at top	Flap hinge at top	Flap hinge at top	
		2305	2505	2705	21005	
	1	-	-	-	-	

1 flap	1 flap	1 flap	1 flap
i i	¥	v v	<b>*</b>
for 140.8 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width
Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom
11408	11708	12108	12408
	-	-	-
	-	-	-
1 flap	1 flap	1 flap	1 flap
i iiap	Пар		
i i	\(\frac{1}{2}\)	V	V
for 140.8 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width
Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom
21408	21708	22108	22408
-	-	-	-
-	-	-	
-	-	-	-
1 flap	1 flap	1 flap	1 flap
, ·	<i>`</i>	^	^
		1.7	
for 140.8 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width
Flap hinge at top	Flap hinge at top	Flap hinge at top	Flap hinge at top
21409	21709	22109	22409
-	-	-	-
-	-	-	-
1 glass flap	1 glass flap	1 glass flap	
1 glace hap	T grade hap		
i i i i i i i i i i i i i i i i i i i	\(\begin{align*}  \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<i>\\</i>	
for 140.8 cm width	for 176.0 cm width	for 211.2 cm width	
Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom	
21404	21704	22104	
-	-	-	
1 glass flap	1 glass flap	1 glass flap	
	1		
for 140 9 am middle	for 176 0 am	for 011 0 am width	
for 140.8 cm width	for 176.0 cm width	for 211.2 cm width	
Flap hinge at top 21405	Flap hinge at top 21705	Flap hinge at top 22105	
21703	21703	22103	
-	-	-	
Wohnen: NEO E 1. 2021	•	*	

## 2 - 4 Raster doors

2 - 4 Kaster dool	15				
Doors 2 Raster high = 34.8 cm 3 Raster high = 52.4 cm	2 Raster	<b>high</b> 1 door	1 door		
4 Raster high = 70.0 cm					
Front thickness: 2.3 cm					
for fitting between construc- tional shelves and partitions/ carcase sides		П.	<b>.</b>		
If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves		for 17.6 cm width	for 35.2 cm width		
must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a	Price gr.	20111 L 20112 R	20311 L 20312 R		
constructional shelf between the drawers.	I II III	- - -	- - -		
	IV	-	-		
	3 Raster	nign 1 door	1 door	1 door	
		П			
		for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	
		30111 L 30112 R	30311 L 30312 R	30511 L 30512 R	
	Price gr.	-	-	-	
	III III IV	- - -	- -	- -	
	4 Raster	l high	_	_	
		1 door	1 door	1 door	1 door
		for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
	Price gr.	40111 L 40112 R	40311 L 40312 R	40511 L 40512 R	40711 L 40712 R
	I II	- -	- -	- -	- -
	III IV			- -	
	4 Raster	high	1 glass door	1 glass door	1 glass door
			for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
			40341 L 40342 R	40541 L 40542 R	40741 L 40742 R
			P - Door hinge left/right		E 1, 2021 Wohnen: NEO

5 Deathard high 107 Com					
5 Raster high = 87.6 cm		1 door	1 door	1 door	1 door
Front thickness: 2.3 cm					
for fitting between construc- tional shelves and partitions/ carcase sides		_	_		
If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several		L		L	L
drawers are fitted on top of one another, it is not necessary to fit a		for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
constructional shelf between the drawers.	Price gr.	50111 L 50112 R	50311 L 50312 R	50511 L 50512 R	50711 L 50712 R
	Price gr.	-	-	-	-
	II.	-	-	-	-
	III IV	- -	- -	- -	- -
			1 glass door	1 glass door	1 glass door
			<b>3</b>	<b>3</b> *** ***	<b>3</b> *** * * *
			for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
			50341 L 50342 R	50541 L 50542 R	50741 L 50742 R
					-

6 Raster doors					
<b>Doors</b> 6 Raster high = 105.2 cm		1 door	1 door	1 door	1 door
Front thickness: 2.3 cm					
for fitting between construc- tional shelves and partitions/ carcase sides  If different fronts like drawers, flap			П		
units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one another, it is not necessary to fit a		L for 17.6 cm width	L for 35.2 cm width	L for 52.8 cm width	for 70.4 cm width
constructional shelf between the drawers.	Price gr.	60111 L 60112 R	60311 L 60312 R	60511 L 60512 R	60711 L 60712 R
	 	- - -	- - -	- - -	- - -
	IV	-	- 1 glass door	- 1 glass door	- 1 glass door
			, glade teel.	1 3.000 000.	, glaco eco.
				L	
			for 35.2 cm width <b>60341 L</b>	for 52.8 cm width <b>60541 L</b>	for 70.4 cm width <b>60741 L</b>
			60342 R	60542 R	60742 R
			-	-	-
			1 glass door/door	1 glass door/door	1 glass door/door
			L for 35.2 cm width	L for 52.8 cm width	L for 70.4 cm width
			61341 L 61342 R	61541 L 61542 R	61741 L 61742 R
	Price gr.		-	-	-
	III III IV		- -	-	- -
			-	1 glass door/door	1 glass door/door
				for 52.8 cm width	L for 70.4 cm width
	as illustr. (L) v. versa (R) <b>Price gr.</b>			62541 L 62542 R	62741 L 62742 R
	I II III			- - - -	- - - -
·		1.75	3 – Door hinge left/right		E 1, 2021 Wohnen: NFO

8 Kaster doors					
<b>Doors</b> 8 Raster high = 140.4 cm		1 door	1 door	1 door	1 door
Front thickness: 2.3 cm					
for fitting between construc- tional shelves and partitions/ carcase sides  If different fronts like drawers, flap units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one		L for 17.6 cm width	L for 35.2 cm width	L for 52.8 cm width	L for 70.4 cm width
another, it is not necessary to fit a constructional shelf between the drawers.		80111 L 80112 R	80311 L 80312 R	80511 L 80512 R	80711 L 80712 R
diamore.	Price gr.	-	-	-	-
	II III		- -	-	-
	IV	-	1 glass door	1 glass door	1 glass door
			L for 35.2 cm width	L for 52.8 cm width	for 70.4 cm width
			80341 L	80541 L	80741 L
			80342 R	80542 R	80742 R
			-	-	-
			1 glass door/door	1 glass door/door	1 glass door/door
			for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
			81341 L 81342 R	81541 L 81542 R	81741 L 81742 R
	Price gr.		-	-	-
	II III		- -		
	IV		-	1 glass door/door	1 glass door/door
				L for 52.8 cm width	L for 70.4 cm width
	as illustr. (L) v. versa (R)			82541 L 82542 R	82741 L 82742 R
	Price gr.  I II			- - -	- - -
Wohnen: NFO E 1, 2021	IV		<b>B</b> = Door hinge left/right	-	-

10 Raster doors					
<b>Doors</b> 10 Raster high = 175.6 cm		1 door	1 door	1 door	1 door
Front thickness: 2.3 cm		_	_		
for fitting between construc- tional shelves and partitions/ carcase sides  If different fronts like drawers, flap					
units or doors are stacked on top of one another, constructional shelves must be fitted in between. If several				L	
drawers are fitted on top of one		for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
another, it is not necessary to fit a constructional shelf between the		100111 L	100311 L	100511 L	100711 L
drawers.	Price gr.	100112 R	100312 R	100512 R	100712 R
	i.	- -	-	-	-
	III IV	-	<u> </u>	-	-
			1 glass door	1 glass door	1 glass door
			L	L	L
			for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
			100341 L 100342 R	100541 L 100542 R	100741 L 100742 R
			_	-	-
			1 glass door/door	1 glass door/door	1 glass door/door
			L for 35.2 cm width	L for 52.8 cm width	L for 70.4 cm width
			101341 L 101342 R	101541 L 101542 R	101741 L 101742 R
	Price gr.		-	-	-
	II III IV		-	- -	- -
			<u> </u>	1 glass door/door	1 glass door/door
				L for 52.8 cm width	L for 70.4 cm width
	as illustr. (L) v. versa (R)			102541 L 102542 R	102741 L 102742 R
	Price gr.			-	-
	II III			- -	- -
	IV			-	-

12 Kaster doors					
<b>Doors</b> 12 Raster high = 210.8 cm		1 door	1 door	1 door	1 door
Front thickness: 2.3 cm for fitting between construc-					
tional shelves and partitions/ carcase sides					
If different fronts like drawers, flap units or doors are stacked on top of					
one another, constructional shelves must be fitted in between. If several drawers are fitted on top of one		for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
another, it is not necessary to fit a constructional shelf between the drawers.		120111 L 120112 R	120311 L 120312 R	120511 L 120512 R	120711 L 120712 R
	Price gr.	<u>-</u>	<u>-</u> -	-	-
	III IV	- -	- -	- -	- -
			1 glass door	1 glass door	1 glass door
			for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
			120341 L 120342 R	120541 L 120542 R	120741 L 120742 R
			-	-	-
			1 glass door/door	1 glass door/door	1 glass door/door
			L for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
	Price gr.		121341 L 121342 R	121541 L 121542 R	121741 L 121742 R
	I II III		- -	-	- -
	iv		- -	- - 1 glass door/door	- - 1 glass door/door
				J	, and and a
				for 52.8 cm width	for 70.4 cm width
	as illustr. (L) v. versa (R)			122541 L 122542 R	122741 L 122742 R
	Price gr.			-	-
	III IV			- - -	- - -
Wohnen: NEO E 1, 2021		1/	R = Door hinge left/right		-

# Rear wall panelling (room dividers)

Rear wall panelling (room dividers)
(Carcase) units, low-, side- and highboards can also be used optionally as room dividers. In this case extra rear wall panelling must be ordered.

Horizontal veneer direction for 1 and 2 Raster high units and vertical direction from 3 Raster high units.

Rear wall panelling	1 Raster	high					
1 Raster high = 17.2 cm							
2 Raster high = 34.8 cm 3 Raster high = 52.4 cm							
4 Raster high = 70.0 cm							
5 Raster high = 87.6 cm 6 Raster high = 105.2 cm							
Units which are placed							
centrally in the room (room							
dividers) must be fitted with rear wall panelling.			for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
Tour Wan parlonning.			1930	1950	1970	19100	
	Price gr.						
			-	-	-	-	
	III		-	-	-	-	
	IV O Postorii	hi ab	-	-	-	-	
	2 Raster I	nign					
				_	_		
		for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
		2910	2930	2950	2970	29100	
		2910	2930	2930	2970	29100	
	Price gr.	_	_	_	_	_	
	l II	-	-	-	-	-	
	III IV	-	-		-		
	2 Raster	high					
			for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
			2931	2951	2971	29101	
	Price gr.						
	I II		-		-		
	III		-	-	-	-	
	IV	<u> </u>	-	-	-	-	
	3 Raster	high					
		for 17 6 am width	for 25 2 am width	for E2 0 am width	for 70 4 am width	for 105 6 om width	
		for 17.6 cm width <b>3910</b>	for 35.2 cm width <b>3930</b>	for 52.8 cm width <b>3950</b>	for 70.4 cm width <b>3970</b>	for 105.6 cm width <b>39100</b>	
		3910	3930	3950	3970	39100	
	Price gr.	_	_	_	_	_	
	l II	-	-	-	-	-	
	III IV		-		-		
		ı	!	!	<u> </u>	F 1 2021 Wohnen: NF(	

Important notes:
Low-, side- and highboards in 45.0 and 52.0 cm depth and 1 to 6 Raster (carcase) units, which are at least 140.8 cm wide themselves or put together in a combination of several units, can be used as room dividers. The rear walls of clearly defined room-divider single units are panelled to look like a door if not otherwise stated in the order. The rear wall panelling is split in the middle in the case of 6 Raster high units from a width of 105.6 cm. If required, the rear walls can be designed separately for each unit when placing units anywhere (free planning). This must be stated clearly in the order.

					╝
					ı
					ı
					ı
	For 158.4 cm width please use the rear wall panelling in 52.8; 70.4 and 105.6 cm width.	_			ı
	panelling in 52.8; 70.4 and 105.6 cm width.				ı
5 - 4 40 0	C 450 4	for 470 0 and 1986	6 - 044 O 1916	6 - 040 4	ı
for 140.8 cm width	for 158.4 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width	┨
19140		19170	19210	19240	ı
_		_	_	_	L
-		-	=	-	ı
		- -	<del>-</del> -		ı
					1
					ı
	For 158.4 cm width please use the rear well				
	For 158.4 cm width please use the rear wall panelling in 52.8; 70.4 and 105.6 cm width.				ı
for 140.8 cm width	for 158.4 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width	
 29140		29170	29210	29240	
					ı
-		-	<del>-</del> -	-	
-		-	-	-	
-		-	-	-	┨
					ı
					ı
					ı
					L
					ı
					L
					L
					┨
					ı
					ı
					ı
					╛
					ı
	For 158.4 cm width please use the rear wall panelling in 52.8; 70.4 and 105.6 cm width.				
for 140.8 cm width	for 158.4 cm width	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width	_
39140		39170	39210	39240	
		- -	- -		
-		-	-	-	
Wohnen: NEO E 1. 2021		-	-	-	] 8

# Rear wall panelling (room dividers)

Rear wall panelling (room dividers)
(Carcase) units, low-, side- and highboards can also be used optionally as room dividers. In this case extra rear wall panelling must be ordered.

Horizontal veneer direction for 1 and 2 Raster high units and vertical direction from 3 Raster high units.

Rear wall panelling	4 Raster	high					
1 Raster high = 17.2 cm 2 Raster high = 34.8 cm 3 Raster high = 52.4 cm 4 Raster high = 70.0 cm							
4 Raster high = 70.0 cm 5 Raster high = 87.6 cm 6 Raster high = 105.2 cm							
Units which are placed centrally in the room (room dividers) must be fitted with rear wall panelling.							
		for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
		4910	4930	4950	4970	49100	
	Price gr.	_	-	_	-	_	
	III	-	- -	- -	- -	-	
	IV	-	-	-	-	-	
	5 Raster I	high					
		for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
		5910	5930	5950	5970	59100	
	Price gr.	_	-	_	-	_	
	III	-	- -	- -	- -		
	IV	-	-	-	-	-	
	6 Raster	high					
		for 17.6 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	
		6910	6930	6950	6970	69100	
	Price gr.						
	<u>                                    </u>	-	- -	- -	- -	-	
	III IV	- -	<u>-</u> -	- -	- -	-	
	-		-	-	-	E 1 2021 Websen NEC	

Important notes:
Low-, side- and highboards in 45.0 and 52.0 cm depth and 1 to 6 Raster (carcase) units, which are at least 140.8 cm wide themselves or put together in a combination of several units, can be used as room dividers. The rear walls of clearly defined room-divider single units are panelled to look like a door if not otherwise stated in the order. The rear wall panelling is split in the middle in the case of 6 Raster high units from a width of 105.6 cm. If required, the rear walls can be designed separately for each unit when placing units anywhere (free planning). This must be stated clearly in the order.

for 140.8 cm width 49140	For 158.4 cm width please use the rear wall panelling in 52.8; 70.4 and 105.6 cm width.	for 176.0 cm width 49170	for 211.2 cm width 49210	for 246.4 cm width 49240
- - - -		- - - -	- - - -	- - - -
for 140.8 cm width	For 158.4 cm width please use the rear wall panelling in 52.8; 70.4 and 105.6 cm width.	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width
59140	10r 158.4 cm width	59170	59210	59240
- - - -		- - - -	- - - -	- - - - -
for 140.8 cm width	For 158.4 cm width please use the rear wall panelling in 52.8; 70.4 and 105.6 cm width.	for 176.0 cm width	for 211.2 cm width	for 246.4 cm width
69140	IUI 136.4 CITI WIQUI	69170	69210	69240
- - - -		- - - -	- - - -	- - - -
Wohnen: NEO E 1. 2021				

## **Side-panels**

Side-panels 2.9 cm thick; 33.0 cm deep


Side-panels incl. 1.8 cm high plinth adjusters

Please allow 2.5 cm gap to the ceiling and at the side for assembly in each project!

With ceiling-high side-panels: please state true room height!

Height reductions of ceiling high side-panels (max. 263.9 cm) down to 12 Raster (215.9 cm) without surcharge.

The extra high side-panels (max. 424.2 cm) are always split at 12 Raster height (215.9 cm). Height reductions without surcharge.



## **Wall side-panels**

Wall side-panels 2.9 cm thick; 33.0 cm deep

Please allow 2.5 cm gap to the ceiling and at the side for assembly in each project!

The wall side-panels may only be fitted on absolutely solid walls. Gypsum or other light masonry is not suitable for this purpose. Max. load of a wall side-panel column (consisting of 2 wall side-panels and fitted shelves): 125 kg.

Lamps cannot be fitted on wall side-panels.

d		2 Raster (38.1 cm high)	4 Raster (73.3 cm high)	<b>6 Raster</b> (108.5 cm high)	<b>8 Raster</b> (143.7 cm high)	<b>10 Raster</b> (178.9 cm high)
Ī		235	435	635	835	135
	Price gr.					
	I.	-	-	-	-	-
	II III	-	-	- -	-	-
	IV	-	-	-	-	-

## **Corner solutions for side-panels**

Cannot be fitted in combinations with wall side-panels!											
	Fitted corner shelf 2.9 cm thick; 74.3 x 74.3 cm	Price gr. I II III	774 - - - - -								
		Height:	8 Raster	10 Raster	12 Raster	ceiling high	for extra heights				
	Corner slat for fitted		86	106	126	166	246				
150000000000000000000000000000000000000	corner shelves 3.9 x 3.9 cm		-	-	_	-	_				
		II III		-	- -	- -	- -				
1555355555555555		IV	-	-	-	-	-				

## Fitted wooden shelves for (wall) side-panels

**NEO** 

Fitted wooden shelves for (wall) side-panels 2.9 cm thick; 33.0 cm deep



# Fitted glass shelves for (wall) side-panels

Fitted glass shelves (clear									
glass) for (wall) side-panels									
0.8 cm thick;									
32.8 cm deep									

If fitted glass shelves are fitted in side-panels, fitted wooden shelves must be included at the top and bottom of this sidepanel column for constructional reasons.

	<i>→</i>				
17.6 cm wide	35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide	140.8 cm wide
1733	3533	5233	7033	10533	


# Niche rear walls for side-panels


Niche rear walls for side-panels
Niche rear walls – 1.1 cm thick – (space required 2.7 cm), can be fitted between side-panels, 1-12 Raster high. Fitted shelves can be planned anywhere. It is not possible to fit a rear wall later. Rear walls with all-round brush seal.

When integrated LED spotlamps are fitted, the niche rear wall must be split at the height of the lamps. Please remember this when

Floor plan for a rear wall in a side-panel column

Side view for a rear wall in a side-panel column





		for 1 Raster height (17.6 cm high)	for 2 Raster height (35.2 cm high)	for 3 Raster height (52.8 cm high)	for 4 Raster height (70.4 cm high)	for 6 Raster height (105.6 cm high)	for 8 Raster height (140.8 cm high)	for 10 Raster height (176.0 cm high)	for 12 Raster height (211.2 cm high)
		1199	2199	3199	4199	6199	8199	10199	12199
for 17.6 cm width	Price gr. IIIIIV	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
		1399	2399	3399	4399	6399	8399	10399	12399
for 35.2 cm width	Price gr.  I II III IV	- - - -	- - -	- - - -	- - - -	- - - -	- - - -	- - -	- - -
		1599	2599	3599	4599	6599	8599	10599	12599
for 52.8 cm width	Price gr. I II III IV	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
		1799	2799	3799	4799	6799	8799	10799	12799
for 70.4 cm width	Price gr. I II III IV	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
		11099	21099	31099	41099	61099	81099	101099	121099
for 105.6 cm width	Price gr. I II III IV	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
		11499	21499	31499	41499	61499	81499	101499	121499
for 140.8 cm width (split in the middle)	Price gr. I II III IV	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - -

**NEO** 

## **Lamps for side-panels**

Lamps cannot be fitted on wall side-panels.

This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).								
LED light strip 1.0 cm thick, 1.1 cm deep		for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 140.8 cr width			
		1.6 W	2.4 W	4.7 W	6.3 W	10.2 W			
		322	522	822	112	142			
LED light panel 1.9 cm thick; 3.0 cm deep		- 2.4 W	3.9 W	5.1 W	7.8 W	-			
behind wooden shelves under glass shelves		328	528	828	118				
Integrated power LED spotlamp Ø 7.1 cm		-	-	2.9 W	-	V			
w. 79.				7041					
				7941 -					

## Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.



2119

## Fitted shelves for carcase units – behind doors

Fitted shelves for carcase units – behind doors 1.9 cm thick (2.9 cm thick for 105.6 cm width)													=			<b>A</b>
<b>Depths:</b> 27.5 cm (for 30.3 cm depth), 39.5 cm (for 42.3 cm		for	17.6 cm w	idth	for	35.2 cm w	ridth	for	52.8 cm w	idth	for '	70.4 cm w	idth	for 1	05.6 cm v	/idth
depth) or 46.5 cm (for 49.3 cm depth) for fitting anywhere in carcase		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
units within the Raster system		123	124	127	133	134	137	153	154	157	173	174	177	1103	1104	1107
	Price gr. IIIIIIV	- - - -	- - - -	- - -	- - - -	- - -	- - -	- - -	- - -	- - -						

## Fitted glass shelves for carcase units – behind doors

i ittou giass siici	<b>V</b> UO 10	n our	Just t	411110	BUIL	iiiu ut	7013						
Fitted glass shelves (clear glass) for carcase units – behind doors 0.8 cm thick													
<b>Depths:</b> 27.5 cm (for 30.3 cm depth), 39.5 cm (for 42.3 cm depth) or 46.5 cm (for 49.3 cm												- Aller	
depth)		for 17.6 cm width			for 35.2 cm width			for 52.8 cm width		for 70.4 cm width		lth	
for fitting in carcase units. Glass shelves must be fitted between partitions and/or carcase sides. No		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
partitions can be fitted on/under glass shelves.		323	324	327	333	334	337	353	354	357	373	374	377
		-	-	-	-	-	-	-	-	-	-	-	_

## Fitted shelves for carcase units – behind flaps

						•							
Fitted shelves for carcase units – behind flaps 1.9 cm thick (2.9 cm thick for 105.6 cm width)											S		Þ
<b>Depths:</b> 21.5 cm (for 30.3 cm depth), 33.5 cm (for 42.3 cm		fo	r 35.2 cm wi	dth	for	r 52.8 cm wid	lth	for	r 70.4 cm wid	ith	for	105.6 cm wid	dth
depth) or 40.5 cm (for 49.3 cm depth)		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
for fitting anywhere in carcase units within the Raster system		1338	1348	1378	1538	1548	1578	1738	1748	1778	11038	11048	11078
	Price gr. I II III IV	- - - -	- - -	- - - -	- - -	- - -							

# Fitted glass shelves for carcase units – behind flaps

Fitted glass shelves (clear glass) for carcase units – behind flaps 0.8 cm thick										
<b>Depths:</b> 21.5 cm (for 30.3 cm depth), 33.5 cm (for 42.3 cm depth) or 40.5 cm (for 49.3 cm			for 35.2 cm width	1	l ·	for 52.8 cm width		l +	for 70.4 cm width	
depth)	101 33.2 GIT WIGHT					I		101 70. Tolli Widai		
for fitting in carcase units. Glass shelves must be fitted between partitions and/or carcase sides. No		for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 30.3 cm depth	for 42.3 cm depth	for 49.3 cm depth
partitions can be fitted on/under glass shelves.		3338	3348	3378	3538	3548	3578	3738	3748	3778
		-	-	-	-	-	-	-	-	-

# **Accessories for drawers**

			for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
		for 33.0 cm depth	8620	8621	8622	8623
			-	-	-	-
	Tableau lined with grey fabric	for 45.0 cm depth	8624	8625	8626	8627
			-	-	-	-
		for 52.0 cm depth	8628	8629	8630	8631
			-	-	-	-
	USB charging station	for 33.0 cm depth	8520 -	8521 -	8522	
	with two double USB connections (for mobiles, tablets, etc.); current strength per double USB connection: 1x max. 2.100 mA or 2x 1.050 mA. The USB charging station	for 45.0 cm depth	8524	8525	8526	
	is only suitable for devices that are compatible with the above power level data.	ior io.o om dopar	-	-	-	
	Connection cable between USB charging station and device is not supplied.	for 52.0 cm depth	8528	8529	8530	
			- for 24 CD's	for 36 CD's	- for 48 CD's	for 84 CD's
		for 33.0 cm depth	8420	8421	8422	8423
			for 32 CD's	- for 48 CD's	for 64 CD's	- for 112 CD
Pl dr	CD holder for drawers Please state exactly in your order and drawing in which 2 Raster drawer the	for 45.0 cm depth	8424	8425	8426	8427
	CD holder is to be fitted.		-	-	-	-
		for 52.0 cm depth	for 40 CD's 8428	for 60 CD's <b>8429</b>	for 80 CD's <b>8430</b>	for 140 CD <sup>1</sup> <b>8431</b>
			for 8 DVD's	- for 16 DVD's	- for 24 DVD's	for 40 DVD
		for 33.0 cm depth	8320	8321	8322	8323
			for 11 DVD's	for 22 DVD's	for 33 DVD's	for 55 DVD
mana	<b>DVD holder for drawers</b> Please state exactly in your order and drawing in which 2 Raster drawer the	for 45.0 cm depth	8324	8325	8326	8327
	DVD holder is to be fitted.		-	-	-	-
			for 14 DVD's	for 28 DVD's	for 42 DVD's	for 70 DVD
		for 52.0 cm depth	8328	8329	8330	8331
			- 17.6 ci	n wide	35.2 cr	l - n wide
	Cutlery box of metal, lined with grey fabric inside; incl.	for 45.0 cm depth	84	45	84	46 -
	compartments	for 52.0 cm depth	88	855		56
	Cutlery holder lined with grey fabric, for fitting in drawers			Set 1: for standard cutlery like spoons, forks, knives, etc.		ce ladles, cake servers, etc.
	Set 1: for 60 pieces of cutlery Set 2: for 17 serving utensils		1.			117

## **Cover shelves**

#### Cover shelf

2.9 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf. We recommend fitting an extra cover shelf for visual reasons, if the (carcase) units, low-, side- and highboards are fitted between side-panels/converted with side-panels.

The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 268.0 cm width.



Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3515	3510	3517	3610	3617
Price gr.					
l I	-	-	-	-	-
II	-	-	-	-	-
III	-	-	-	-	-
lv	-	_	-	-	-

#### Cover shelf

1.0 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 268.0 cm width.



Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
Dries au	3525	3520	3527	3620	3627
Price gr.	-	-	-	-	-
III IV	-	-	-	-	-

#### Cover shelf of rear-lacquered glass

optionally rear-lacquered in pure white, white, grey or silk grey
0.8 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.



Price per 10 cm section:

ease be sure to state the required version in the order!	33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
	3535	3530	3537	3630	3637
	-	-	-	-	-

#### Cover shelf of ceramic

Please be sure to state the required version in the order!

Plea

optionally in zaha stone, storm nero, white, grey, calacatta, concrete or pulpis 0.6 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep, or 47.9 or 54.9 cm deep for room dividers

All (carcase) units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.



Price per 10 cm section:

33.0 cm deep	45.0 cm deep	52.0 cm deep	47.9 cm deep (for room dividers)	54.9 cm deep (for room dividers)
3545	3540	3547	3640	3647
-	-	-	-	-

**Accessories NEO** 

## **Metal substructures**

Metal substructure A 12.8 cm high; for 42.3 cm and 49.3 cm depth;

High-gloss chrome

Units, lowboards, side-/highboards and carcase units can be fitted optionally on a metal substructure (for room dividers up to max. 6 Raster carcase height). In this case the plinth adjusters are omitted.

					្សា for 105.6	cm width	for 140.8 cm width		
					for 42.3 cm depth	for 49.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	
					4012	5012	4412	5412	
					-	-	-	-	
	F		F				T		
	for 158.4	cm width	for 176.0	cm width	for 211.2	cm width	for 246.4 cm width		
	for 42.3 cm depth	for 49.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	for 42.3 cm depth	for 49.3 cm depth	
	4512	5512	4712	5712	4112	5112	4612	5612	
	-	-	-	-	-	-	-	-	
Motel au	acturatura D								

## Metal substructure B

24.5 cm high; for 30.3 cm, 42.3 cm and 49.3 cm depth; optionally in anthracite structured lacquer (price group I) or in high-gloss chrome (price group II)

Units, lowboards, side-/highboards and carcase units can be fitted optionally on a metal substructure (for room dividers up to max. 6 Raster carcase height). In this case the plinth adjusters are omitted.

		for 17.6 / 35.2 / 52.8 / 70.4 cm width				for 105.6 cm width			for 140.8 cm width			
										for 30.3 cm depth		
			Price gr.	3703	4703	5703 -	3013	4013 - -	5013 -	3413	4413 -	5413 -
			<u></u>						₩			
	İ	or 158.4 cm width			or 176.0 cm widt			or 211.2 cm widt	l		or 246.4 cm widt	l
				for 30.3 cm depth								
Price gr. I II	3513 - -	4513 - -	5513 - -	3713 - -	4713 - -	5713 - -	3113 - -	4113 - -	5113 - -	3613 - -	4613 - -	5613 - -

## **Corner units**

Corner shelf incl. vertical cover panel

If NEO combinations are planned round corners with units (carcase units, single units, low-, side- or highboards), it is possible to include corner shelves incl. vertical cover panel.

Only units of the same height can be planned round corners.

			for 2 Raster height (35.2 cm high)	for 3 Raster height (52.8 cm high)	for 4 Raster height (70.4 cm high)	for 5 Raster height (88.0 cm high)	for 6 Raster height (105.6 cm high)	for 8 Raster height (140.8 cm high)	for 10 Raster height (176.0 cm high)	for 12 Raster height (211.2 cm high)
	Corner shelf for floor units	Price gr.	2004	3004	4004 - -	5004 - -	6004	8004	10004	12004 - -
		III IV	- -	-	- -	-	- -	- -	- -	-
Corner shelf for wall units		Price gr.	2009 - -	3009 - -	4009 - -	5009 - -	6009 - -	8009 - -	10009 - -	12009 - -
	III IV			- -		-				

## Lamps

This luminaire contains built-in LED lam cannot be change	ed in the luminaire. 12 V	A++ WA. II	ie iailips	TED IAITIPS	IIICI. 100t SWI		emote control surcharge).	is possible i	or operation (	ayam
		for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 140.8 cm width	for 158.4 cm width	for 176.0 cm width	for 211.2 cm width	for 24 w
<b>LED light strip</b> 1.0 cm thick, 1.1 cm deep		1.6 W	2.4 W	4.7 W	6.3 W	\ /	10.6 W			
	for fitting in (carcase) units				for 105.6 cm wide units with glass doors include 2x type 522!	e				
		322	<b>522</b>	822	112		152			
///	for fitting in <b>open</b>	1.0 W	2.4 W	4.7 W	6.3 W					
	compartments for carcase units	352 -	522 -	722 -	112					
		1.6 W	2.4 W	4.7 W	6.3 W	10.2 W	10.6 W	12.5 W	15.3 W	17
	for fitting in lower cover shelves of wall units									
		322	522 -	822	112	142	152 -	172 -	212	2
Glass rim lamp 1.0 cm thick, 1.1 cm deep; LED light strip in aluminium profile, for fitting behind fitted glass shelves Later fitting is not possible.	for fitting in carcase units behind glass shelves	2.4 W	3.6 W	5.1 W	for 105.6 cm wid units with glass doors include 2x type 521!	\ /				
		321 -	521 -	821						
	for fitting in open compartments be- hind glass shelves	2.0 W	3.2 W	4.7 W	7.5 W					
I ED Kohk a and		- 2.4 W	- 3.6 W	- 5.1 W	7.8 W					$\left  \right $
LED light panel 1.9 cm thick; 3.0 cm deep	for fitting in carcase units behind fitted wooden shelves or									
behind wooden shelves under glass shelves	under fitted glass shelves	325	525	825	125					
Integrated power LED spotlamp		-	-	-	-	2.9 W	<u>/</u>	<i>y</i> \	/	<u>/</u>
Ø 7.1 cm	for fitting in (carcase) units, wall shelves, open compartments for carcase units, lower cover shelves of wall units									
						7941				

Lamps

This luminaire contains built-in LED lamps of the energy classes A++ to A. The cannot be changed in the luminaire. 12 V	e lamps LED I	amps incl. foot switch. A radio rei s	mote control is pourcharge).	ossible for operat	ion (against a
			for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
Aluminium frame lighting LED lighting fitted behind the rim-side lacquering of		for 4 Raster high glass door	8.2 W <b>4392</b>	10.1 W <b>4592</b>	11.6 W <b>4792</b>
the aluminium frame of the door/glass door.		for 5 Raster high glass door	9.6 W <b>5392</b> -	11.6 W <b>5592</b> -	13.0 W <b>5792</b>
	*****	for 6 Raster high glass door	11.6 W <b>6392</b>	13.5 W <b>6592</b> -	14.9 W <b>6792</b>
	***************************************	for 8 Raster high glass door	14.8 W <b>8392</b> -	16.8 W <b>8592</b> -	18.2 W <b>8792</b>
		for 10 Raster high glass door	18.3 W <b>10392</b> -	20.2 W <b>10592</b>	21.6 W <b>10792</b> -
		for 12 Raster high glass door	21.6 W <b>12392</b>	23.6 W <b>12592</b>	25.0 W <b>12792</b> -
		for 6 Raster high door/ glass door	4.8 W <b>6390</b>	6.8 W <b>6590</b>	8.2 W <b>6790</b>
		for 8 Raster high door/ glass door	8.2 W <b>8390</b>	10.1 W <b>8590</b>	11.6 W <b>8790</b>
	\(\frac{1}{2}\)	for 10 Raster high door/ glass door	11.6 W <b>10390</b>	13.5 W <b>10590</b>	14.9 W <b>10790</b>
		for 12 Raster high door/ glass door	14.8 W <b>12390</b>	16.8 W <b>12590</b>	18.2 W <b>12790</b>
		for 6 Raster high door/ glass door		4.8 W <b>6591</b>	6.8 W <b>6791</b>
	× × × × × × × × × × × × × × × × × × ×	for 8 Raster high door/ glass door		8.2 W <b>8591</b>	10.1 W <b>8791</b>
	* /	for 10 Raster high door/ glass door		11.6 W <b>10591</b>	13.5 W <b>10791</b>
		for 12 Raster high door/ glass door		14.8 W <b>12591</b>	16.8 W <b>12791</b>

## Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.



2119

## **Wall shelves**

Wall shelves 2.9 cm thick; 23.4 cm deep						
for fitting anywhere on walls						
LED lamps for wall shelves: see below!						
		35.2 cm wide	52.8 cm wide	70.4 cm wide	105.6 cm wide	140.8 cm wide
		3524	5224	7024	1024	1424
	Price gr.	-	_	_	-	-
	II III IV	- - -	- - -	- - -	- - -	- - -

## **LED lamps for wall shelves**

This luminaire contains built-in l	o A. The lamps	LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).				
LED lamps for wall shelves			4.7		6.3 ₩	10.2 W
	for 35.2 cm width	for 52.8 cm wid	Ith for 70.4 c	m width for 1	05.6 cm width	for 140.8 cm width
			82	2	112 -	142 -

# **Angled shelves**

The angled shelves may only be fitted on absolutely solid walls. Gypsum or other light masonry is not suitable for this purpose. Please be sure to note here the information and notes in the "Wall composition" chapter!

Angled shelves 22.6 cm high; 22.6 cm deep				
for fitting anywhere on walls				
Max. load: 15 kg				
LED lamps for angled shelves: see below!				
		51.2 cm wide	70.0 cm wide	128.0 cm wide
		550	570	5100
	Price gr. I II III	- - - -	- - - -	- - - -

## **LED lamps for angled shelves**

	LED lamps of the energy classes A++ to A. The l changed in the luminaire. 12 V		e control is possible for operation (against a narge).
LED lamps for angled shelves			
	2.7 W	3.9 W	8.6 W
	W W W	W W W	W W W W W W
	for 51.2 cm width	for 70.0 cm width	for 128.0 cm width
	5001	5002	5003
	-	-	-

#### DINING

hülsta offers a room concept to meet all requirements in comfort, beauty of form and attractiveness with a comprehensive collection of dining room tables and chairs.

The **dining tables** in a wide variety of sizes (with and without pullout function) in all wood surface versions and in contemporary designs, as well as the **dining chairs** that can be combined individually using different armrests, comfort features, high-grade cover fabrics (leather, textiles) and metal surfaces can all be found in the "**DINING**" type list.



## **Coffee tables CT 90**

#### **Coffee tables CT 90**

The **CT 90 coffee table** is available in many different versions and in sizes of  $80 \times 80$  cm and  $110 \times 110$  cm. The top glass surface is rear-lacquered, the lower surface in matt lacquer. The CT 90 is also fitted with an optional veneered revolving drawer – optionally with LED lamp – in a number of different versions.

You will find the CT 90 coffee table as well as other coffee tables in the "Coffee tables" type list.



## **Coffee tables**

#### **Coffee tables**


hülsta offers a comprehensive **collection of coffee tables**, which not only match the hülsta furniture ranges perfectly but can also be combined with other products that are available on the market. You will find these coffee tables in a number of designs, sizes and versions in the **"Coffee tables"** type list.



# **Possible arrangements**







## **Special-sized products**

## Notes on calculating sizes of sloping units

### Side sloping

Sloping is only possible on single-door units. The door hinge (left or right) is positioned on the taller outer side of the unit.

#### Measurements required:

H 1 = Room height

H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit,

please state the exact distance.)
B 1 = Width of slope


B 2 = Width of slope


 $G = \quad \text{Total width} \quad$ 

Wardrobe width

#### Please note!

As floors, ceilings and walls are never exactly straight, the exact room size must be measured using a spirit level.





**→**B 2-

### **Rear sloping**

#### Measurements required:

H 1 = Room height H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)

T 1 = Depth of slope

T2 = Depth of slope

## **NEO**

Height reductions (not possible on drawers, flaps and glass doors with aluminium frame): Side-panel below 12 Raster (below 215.9 cm; not below 10.0 cm) Carcase Wooden/lacquer/high-gloss lacquer door Rear wall Corner shelf	99901 99902 99903 99906 99908	- - - -
Width reductions: Carcase (not possible on glass doors and glass flaps with aluminium frame and fabric-covered flaps) Wooden/lacquer/high-gloss lacquer door Wooden/lacquer/high-gloss lacquer drawer Wooden/lacquer/high-gloss lacquer flap Fitted wooden shelf (for units) Fitted glass shelf (for units) Wooden shelf (for side-panels; not below 15.0 cm) Glass shelf (for side-panels; not below 15.0 cm) Rear wall Wall shelf (not below 50.0 cm, with spotlamps not below 70.4 cm)	999120 999130 999170 999180 999141 999144 99914 999143 99920	
Depth reductions (not possible on drawers): Carcase (carcase with drawers not below 33.0 cm) Wooden cover shelf Glass cover shelf Ceramic cover shelf Fitted wooden shelf (for units) Fitted glass shelf (for units) Wooden shelf (for side-panels; not below 15.0 cm) Glass shelf (for side-panels; not below 15.0 cm) Corner shelf Wall shelf (not below 20.0 cm) Side-panel	99932 99939 999394 999395 999341 999344 99934 99934 99935 99931	
Side sloping: Please observe the notes on making exact measurements on the previous page as these are essential! Side-panel  Rear sloping: Please observe the notes on making exact measurements on the previous page as these are essential!	99944	-

on the previous page as these are essential! 99956 Side-panel Special-sized products are not possible for: media panels, media panel shelves, media

lowboards, top glass section for TV, open glass compartments, open compartments for

More special-sized products are possible. Please get in touch with your customer advisor.

carcase units, angled shelves, metal substructures, cutlery box.

## **Special articles**

#### **Cover panels**

for side and top panelling of fitted wardrobes (support construction and fitting materials must be acquired on site).

Basic price per order	9901	-
+ price per m² in price group I	990	-
+ price per m <sup>2</sup> in price group II	990	-
+ price per m <sup>2</sup> in price group III	990	-
+ price per m <sup>2</sup> in price group IV	990	-
Veneer match with fronts can not be guaranteed.		

#### Rim veneer

superimposed ex works or rims lacquered for veneer and lacquer versions per m. length 9902 in price group I 9902 in price group II in price group III 9902 in price group IV 9902

#### Individual special-sized products

If the special-sized product that you require is so unusual that it cannot be illustrated with the many special sized products that we already provide and charge for, then we will quote you the price using a 33 unit type factor. In your order please state for us the relevant enquiry number and the 33 unit type factor stated.

33

Special colours; Note on "Blue Angel" / Emissions label of DGM

#### **Special colours**

All the hülsta lacquer colours are possible for nearly all the hülsta ranges. Availability and prices on request.

Note on "Blue Angel" (RAL-UZ 38) and Emissions label of DGM (Class A) It is possible that the requirements of the "Blue Angel" and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV, depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

## **Switch options for lamps:**

## Radio remote control with change of colour temperature

## Radio remote control with change of colour temperature


The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

#### The following points must be noted with the radio remote control:

- The receiver must be positioned behind a rear wall or under plinth shelves (at least 20 mm space required under plinth shelves).
- The total wattage power of all lamps included per receiver must not exceed 30 W.
- 4 channels = 4 light groups
- 1 light group = x lights
- All lamps within a light group can be dimmed to the same brightness.
- The change of the colour temperature takes place for all lamps in all light groups.
- The radio remote control is not suitable for equipment operating on 110 V.

Please be sure to note the operating and programming instructions!

#### 4-channel radio remote control with change of color temperature



4-channel radio remote control with change of color temperature

Type **2119** 

## **Examples of use (schematic diagrams)**

## **Example 1**

#### Lights inside a unit


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamp in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps in the open compartment

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlamp in the right cabinet

#### Notes

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



## **Example 2**

#### Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamp and the LED light panels in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps and the LED light panels in the centre cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlamp and the LED light panels in the right cabinet

#### Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



## **Example 3**

#### Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamps in the left, centre and right cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the top LED light panels in the left, centre and right cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the bottom LED light panels in the left, centre and right cabinet

#### Notes

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



## **Cable apertures**

It is possible to provide the cover shelves, side sections, shelves, etc, in units from nearly all the hülsta living room ranges with cable apertures so it is easier to feed cables of electronic equipment through these units. There are four different types of cable apertures to choose from, as listed here. **Please be sure to follow the important notes.** 

#### Cable aperture K1

Cable aperture for 80 mm hole, silver colour Standard cable aperture; particularly suitable for cover shelves, side sections and shelves

#### Sizes:

Assembly height: 21 mm Outside diameter: 92 mm Inside diameter: 74 mm Diameter of hole: 80 mm



K1

#### Cable aperture K2

Cable aperture for 80 mm hole, silver colour particularly suitable for rear walls and side sections

#### Sizes:

Assembly height: 8 mm Outside diameter: 92 mm Inside diameter: 74 mm Diameter of hole: 80 mm



K2

#### Cable aperture K3

Cable aperture for 60 mm hole, silver colour particularly suitable for shelves and constructional shelves (suitable to an extent for scart cables)

#### Sizes:

Assembly height: 21 mm Outside diameter: 72 mm Inside diameter: 54 mm Diameter of hole: 60 mm



K3

#### Cable aperture K20

Cable aperture for 80 mm hole, silver colour particularly suitable for side-panels and centre partitions

#### Sizes:

Assembly height: 2x 8 mm Outside diameter: 92 mm Inside diameter: 74 mm Diameter of hole: 80 mm



K20

#### IMPORTANT NOTES Please be sure to note!

Please be sure to state the **exact position** of the cable aperture in your order (always measure distances from the centre of the cable aperture). For **wall units** the cable aperture is only possible in the bottom position (due to the suspension brackets). With **cover shelves**, the position of the cable aperture is determined in the factory, in accordance with factors specific to the given range. The same applies to technical exceptions because of custom-based planning. The K 20 is positioned in the centre (depthwise) in the **side-panel**. Please state the exact height (centre of hole of cable aperture from bottom rim of side-panel)! Subject to technical progress.

The **minimum distance** for the cable aperture (measured from the inside): 100 mm from the side and 70 mm from the rear (for horizontal surfaces) or 100 mm from the side and 70 mm from the base (for vertical surfaces). Please state if the aperture is to be fitted at the left, at the right or in the centre.

Standard position: If no details of the exact position of the cable aperture are given in your order, the cable aperture is always fitted at the bottom centre or at the rear centre of the relevant surface, whereby the distances stated above still apply


whereby the distances stated above still apply.

Caution! Please note that the cable aperture can not be fitted where there is an integrated or front spotlamp, centre partitions or a split rear wall. Please be sure to observe the following explanatory diagrams!

# Minimum distance 100 mm from the side and 70 mm from the base Minimum distance 100 mm from the side and 70 mm from the rear Minimum distance 100 mm from the side and 70 mm from the rear Minimum distance 100 mm from the side and 70 mm from the rear Minimum distance 100 mm from the side and 70 mm from the rear

#### Standard position

at the centre of the surface and 70 mm from the base




#### Please note!

If there is an integrated or front spotlamp in a shelf, for example, the cable aperture cannot be fitted at this position!




#### Standard position

at the centre of the surface and 70 mm from the rear



#### Please note!

If there is a centre partition, for example, between two shelves, the cable aperture cannot be fitted at this position!



**Important notes** 

## Wall composition / assembly instruction

#### Important notes:

The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.

Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete ≥ C12/15, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

#### **Materials table**

with a description of which sets are to be used with the following types of walls:

Standard set Assembly mortar set only suitable for the materials stated below! Concrete C12/15 Building bricks Mz 12 Solid blocks of light concrete V2 Compression strength ≥ 15 N/mm<sup>2</sup> Compression strength ≥ 12 N/mm<sup>2</sup> Compression strength ≥ 2 N/mm<sup>2</sup> Limestone blocks KS 12 Perforated blocks of light concrete Hbl 2 Compression strength ≥ 12 N/mm<sup>2</sup> Compression strength ≥ 2 N/mm<sup>2</sup> Perforated sand lime bricks KSL12 Aerated concrete PP2 Compression strength  $\geq 2 \text{ N/mm}^2$ Compression strength ≥ 12 N/mm<sup>2</sup> Vertically perforated bricks HI z 12 Compression strength ≥ 12 N/mm<sup>2</sup> Bulk density ≥ 1.0 kg/dm<sup>3</sup>

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.



## **Mounting sets**

#### Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws

3 = 3 support boards

4 = 4 support boards, etc.

One assembly mortar set is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.

Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard trade mastic tool which are the basic essentials for safe and clean workmanship.

#### Standard set

The standard set consists of 4 plastic Rawl plugs and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.

#### Assembly mortar set for up to a maximum of 3 support boards consisting of:

9x injection retaining sleeve

9x screw-in sleeve

1x injection cartridge

2x static mixer

1x assembly instructions

Please use the mounting screws from the standard set (supplied free of charge).

#### Example of order:

- Add up number of support boards for all existing unit types
- Divide the sum by "3"
- Round up the result to a full number
- Number of assembly mortar sets required

**M2** 

103

## Your Hotline to hülsta

Do you have any questions or require any alterations to your order confirmation? Do you have any questions on our products or your current order? Do you have any complaints about supplied goods or required replacement parts? Contact Telephone: +49 (0) 2563 / 86-1627 • email: orders@huelsta.com

Do you have any questions, suggestions or wishes for the hülsta product seminars? Contact Telephone: +49 (0) 2563 / 86-1493 • email: seminare@huelsta.com

## hülsta Planning Service

Your furn plan planning is so complex that you need our support? We have created the hülsta Planning Service for this kind of situation. hülsta employees will check your planning as quickly as possible. The customer gets a planning that will inspire him!

#### hülsta Planning Service

Tel.: +49 (0) 2563 / 86-1060 Fax: +49 (0) 2563 / 86-1000 Mail: Planungsservice-Handel@huelsta.com Mondays to fridays from 9.00 a.m. until 5.00 p.m.

## **Special wishes? Come to us!**

Maximum individuality! - Maximal flexibility! - hülsta makes most of your special wishes possible. And if you do have a wish which is not quite so easy to implement, just give us a call or send us a mail or a fax. We have our own hülsta "Special Wishes Team" who are there to help you realise just these customer requests. These colleagues are professionals when it comes to special products. They plan and calculate the products possible for you and even develop an alternative suggestion if the idea should turn out to be technically impossible.

#### Here is an overview of the hülsta range of special wishes:

- A lot of special products can be ordered simply via the type list
- Special-sized products are planned simply and professionally
- Competent colleagues advise you by phone, by fax and by mail
- You will be sent alternative suggestions if the idea is technically impossible
- Many special-sized products are available without a surcharge
- Specially qualified carpenters and technicians implement your plans perfectly

#### hülsta Special Wishes Team

Tel.: +49 (0) 2563 / 86-1060 Fax: +49 (0) 2563 / 86-1000 Mail: Sonderwunsch@huelsta.com

## We are open Saturdays for you, too!

Our Saturday hotline is available from 10.00 a.m. until 5.00 p.m.

Telephone: +49 (0) 2563 / 86-1800

The hülsta Sales Department is available mondays to fridays from 9.00 a.m. until 5.00 p.m.

#### hülsta NEO Wohnen

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress.

> hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadtlohn Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000 www.huelsta.com

